
DEPARTMENT OF INFORMATION TECHNOLOGY

IOT-ASSIGNMENT 1

TOPIC-ASSIGNMENT ON SMART HOME IN TINKER CARD

REGNO:610819205009



```
include <Servo.h>
int output1Value = 0;
int sen1Value = 0;
int sen2Value = 0;
int const gas_sensor = A1;
int const LDR = A0;
int limit = 400;

long readUltrasonicDistance(int triggerPin, int echoPin)
{
    pinMode(triggerPin, OUTPUT);
    digitalWrite(triggerPin, LOW);
    delayMicroseconds(2);

// Sets the trigger pin to HIGH state for 10 microseconds
    digitalWrite(triggerPin, HIGH);
    delayMicroseconds(10);
```

```
digitalWrite(triggerPin, LOW);
 pinMode(echoPin, INPUT);
return pulseIn(echoPin, HIGH);
}
Servo servo_7;
void setup()
{
 Serial.begin(9600);
 pinMode(A0, INPUT)
 pinMode(A1,INPUT);
 pinMode(13, OUTPUT);
 servo_7.attach(7, 500, 2500);
 pinMode(8,OUTPUT);
 pinMode(9, INPUT);
 pinMode(10, OUTPUT);
 pinMode(4, OUTPUT);
 pinMode(3, OUTPUT);
}
void loop()
{
int val1 = analogRead(LDR);
```

```
if (val1 > 500)
{
       digitalWrite(13, LOW);
  Serial.print("Bulb ON = ");
  Serial.print(val1)
}
else
{
  digitalWrite(13, HIGH);
  Serial.print("Bulb OFF = ");
  Serial.print(val1);
}
sen2Value = digitalRead(9);
if (sen2Value == 0)
  digitalWrite(10, LOW);
  digitalWrite(4, HIGH);
  digitalWrite(3, LOW);
  Serial.print(" || NO Motion Detected ");
 }
if (sen2Value == 1)
  digitalWrite(10, HIGH);
  delay(3000);
  digitalWrite(4, LOW);
```

```
digitalWrite(3, HIGH);
                       || Motion Detected! ");
  Serial.print("
 }
 delay(300);
   // ----- Gas Sensor -----//
int val = analogRead(gas_sensor);
Serial.print("|| Gas Sensor Value = ");
 Serial.print(val);
//val = map(val, 300, 750, 0, 100);
if (val > limit)
 {
  tone(8, 650);
}
delay(300);
noTone(8);
 sen1Value = 0.01723 * readUltrasonicDistance(6, 6);
if (sen1Value < 100)
 {
  servo 7.write(90);
  Serial.print("
                      || Door Open!; Distance = ");
  Serial.print(sen1Value);
 Serial.print("\n");
}
 else
```