
# **Develop A Web Application Using Node-RED**

Date	07 November 2022
Team ID	PNT2022TMID01089
Project Name	Smart Solutions For Railways
Maximum Marks	2 Marks
Submitted By	Naveen G
	Prasanna Venkatesh S
	Nandha kumar S
	Kamalesh S

### Steps Followed:


• Opened a Node-RED project




• Added code to get child location in python

```
import json
import wiotp.sdk.device
import time
myConfig = {
    "identity": {
        "orgId": "hj5fmy",
        "typeId": "NodeMCU",
        "TypeId": "12245"
         "deviceId": "12345"
     "auth": {
         "token": "12345678"
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
While True:
         name= "Smartbridge"
         #in area location
         latitude= 17.4225176
         longitude= 78.5458842
         #out area location
         #latitude= 17.4219272
         #longitude= 78.5488783
         myData={'name': name, 'lat':latitude, 'lon':longitude}
         client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
         print("Data published to IBM IoT platfrom: ",myData)
         time.sleep(5)
client.disconnect()
```


### • Created the GeoFence




## • Editing the HTTP Request URL



#### • Located the child



• Created the geofence node



• Python script sending requests to IBM Cloud

```
Editor - C:\Users\HP\Desktop\child.py
child.py
                                                                                                           Console 2/A 🖾
                                                                                                           Data published to IBM IoT platfrom:
   1 import json
                                                                                                           Data published to IBM IoT platfrom:
Data published to IBM IoT platfrom:
   2 import wiotp.sdk.device
   3 import time
                                                                                                            Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
   5 myConfig = {
                                                                                                           Data published to IBM IoT platfrom:
Data published to IBM IoT platfrom:
          "identity": {
    "orgId": "hj5fmy",
    "typeId": "NodeMCU",
                                                                                                            Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
              "deviceId": "12345"
                                                                                                           Data published to IBM IoT platfrom:
  10
                                                                                                           Data published to IBM IoT platfrom:
          auth": {
                                                                                                           Data published to IBM IoT platfrom:
              "token": "12345678"
                                                                                                           Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
  14}
                                                                                                           Data published to IBM IoT platfrom:
  15 client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
                                                                                                           Data published to IBM IoT platfrom:
  16 client.connect()
                                                                                                           Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
  18 while True:
19 name= "Smartbridge"
                                                                                                           Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
         #in area location
                                                                                                           Data published to IBM IoT platfrom:
  21
                                                                                                           Data published to IBM IoT platfrom:
         #Latitude= 17.4225176
                                                                                                           Data published to IBM IoT platfrom:
         #longitude= 78.5458842
                                                                                                           Data published to IBM IoT platfrom:
  24
25
                                                                                                           Data published to IBM IoT platfrom:
         #out area Location
                                                                                                            Data published to IBM IoT platfrom:
  26
                                                                                                           Data published to IBM IoT platfrom:
         latitude= 17.4219272
                                                                                                           Data published to IBM IoT platfrom:
Data published to IBM IoT platfrom:
  28
         longitude= 78.5488783
         Inngitude 76:346763 myData={'name': name, 'lat':latitude,'lon': longitude} client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPub print("Data published to IBM IoT platfrom: ",myData)
                                                                                                           Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
         time.sleep(5)
                                                                                                           Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
  34 client.disconnect()
                                                                                                           Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
  36
                                                                                                            Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
                                                                                                           Data published to IBM IoT platfrom:
```

• After running the script, the web UI shows "Person is not in theparticular area"



Result: Successfully developed a web application using Node-RED