EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

MODEL BUILDING

PREDICTIONS

Date	09 November 2022
Team ID	31445-1660200428
Project Name	Emerging Methods for Early Detection of Forest Fires

Importing The ImageDataGenerator Library

import keras

from keras.preprocessing.image import ImageDataGenerator

Define the parameters/arguments for ImageDataGenerator class

train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,rot ati on_range=180,zoom_range=0.2, horizontal_flip=True) test_datagen=ImageDataGenerator(rescale=1./255)

Applying ImageDataGenerator functionality to trainset

x_train=train_datagen.flow_from_directory(r'/content/drive/MyDriv e/ Dataset/train_set',target_size=(128,128),batch_size=32, class_mode='binary')

Found 436 images belonging to 2 classes.

Applying ImageDataGenerator functionality to testset

```
x_test=test_datagen.flow_from_directory(r'/content/drive/MyDrive / Dataset/test_set',target_size=(128,128),batch_size=32, class_mode='binary')
```

Found 121 images belonging to 2 classes.

Import model building libraries

```
#To define Linear initialisation import Sequential
from keras.models import Sequential
#To add layers import Dense
from keras.layers import Dense
#To create Convolution kernel import Convolution2D
from keras.layers import Convolution2D
#import Maxpooling layer
from keras.layers import MaxPooling2D
#import flatten layer
from keras.layers import Flatten
import warnings
warnings.filterwarnings('ignore')
```

Initializing the model

```
model=Sequential()

Add CNN Layer

model.add(Convolution2D(32,
(3,3),input_shape=(128,128,3),activation='relu'))

#add maxpooling layer
```

```
model.add(MaxPooling2D(pool_size=(2,2)))
#add flatten layer
model.add(Flatten())
```

```
Add Hidden Layer
```

```
#add hidden layer
model.add(Dense(150,activation='relu'))
#add output layer
model.add(Dense(1,activation='sigmoid')
)
Configure the learning process
model.compile(loss='binary crossentropy',optimizer="adam",metrics=[
"ac curacy"])
Train the model
model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation_
da ta=x test, validation steps=4)
Epoch 1/10
14/14 [=======] - 97s 7s/step - loss:
1.3060 -
accuracy: 0.7775 - val_loss: 0.5513 - val_accuracy: 0.8512
Epoch 2/10
0.3178 -
accuracy: 0.8807 - val_loss: 0.1299 - val_accuracy: 0.9421
Epoch 3/10
14/14 [=======] - 26s 2s/step - loss:
0.2226 -
accuracy: 0.9106 - val_loss: 0.1311 - val_accuracy: 0.9421
Epoch 4/10
14/14 [=======] - 31s 2s/step - loss:
0.1836 -
accuracy: 0.9174 - val loss: 0.1129 - val accuracy: 0.9339
Epoch 5/10
14/14 [=======] - 30s 2s/step - loss:
0.1675 -
accuracy: 0.9243 - val loss: 0.0925 - val accuracy: 0.9669
Epoch 6/10
14/14 [=======] - 26s 2s/step - loss:
```

```
0.1884 -
accuracy: 0.9289 - val_loss: 0.1287 - val_accuracy: 0.9339
Epoch 7/10
0.1724 -
accuracy: 0.9335 - val_loss: 0.0926 - val_accuracy: 0.9752
Epoch 8/10
0.1510 -
accuracy: 0.9404 - val loss: 0.0757 - val accuracy: 0.9752
Epoch 9/10
          -----] - 26s
                                             0.173 -
2s/step - loss:
accuracy: 0.9174 - val loss: 0.0537 - val accuracy: 0.9835
Epoch 10/10
14/14 [========] - 26s
                                             0.154 -
2s/step - loss:
                                              6
accuracy: 0.9312 - val_loss: 0.0573 - val_accuracy: 0.9835
<keras.callbacks.History at 0x7f05d66a9c90>
```

Save The Model

model.save("forest1.h5")

Predictions

```
#import load_model from
keras.model from keras.models
import load_model #import image
class from keras
from tensorflow.keras.preprocessing import image #import numpy
import numpy as np
#import cv2
import cv2
#load the saved model
model = load_model("forest1.h5")
img=image.load_img(r'/content/drive/MyDrive/Dataset/test_set/forest
```

/0.48007200 1530881924 final forest.jpg')

```
x=image.img_to_array(img)
res = cv2.resize(x, dsize=(128, 128), interpolation=cv2.INTER_CUBIC)
#expand the image shape
x=np.expand_dims(res,axis=
0) pred= model.predict(x)

1/1 [=========] - 0s 126ms/step
pred
array([[0.]], dtype=float32)
```