

ASSIGNMENT -4

Question 1: Pull an image from docker hub and run it in docker playground.

03:59:28

CLOSE SESSION

Instances 🔧 ⚙️

+ ADD NEW INSTANCE

192.168.0.18
node1

cdn7e1e0_cdn7e2v91rrg0087g8rg

IP
192.168.0.18

OPEN PORT

Memory
1.33% (53.14MiB / 3.906GiB)

CPU
1.07%

SSH
ssh ip172-18-0-14-cdn7e1e0qau000dq2960@direct.labs.pla

DELETE EDITOR

```
[node1] (local) root@192.168.0.18 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
841194d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
[node1] (local) root@192.168.0.18 ~
$
```

Activate Windows
Go to Settings to activate Windows.

03:58:07

CLOSE SESSION

Instances 🔧 ⚙️

+ ADD NEW INSTANCE

192.168.0.18
node1

cdn7e1e0_cdn7e2v91rrg0087g8rg

IP
192.168.0.18

OPEN PORT 9000

Memory
1.62% (64.72MiB / 3.906GiB)

CPU
0.56%

SSH
ssh ip172-18-0-14-cdn7e1e0qau000dq2960@direct.labs.pla

DELETE EDITOR

```
[node1] (local) root@192.168.0.18 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
841194d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
[node1] (local) root@192.168.0.18 ~
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
d42dad9a056d2d9cfd573d9a782451e57b7ef420c80e8adbbeec2509274bef89c
[node1] (local) root@192.168.0.18 ~
$
```

Activate Windows
Go to Settings to activate Windows.

Question 2: Create a docker file for the job portal application and deploy it in Docker desktop application.

DOCKER FILE:

```
1 FROM python:3.8-buster
2
3 WORKDIR /app
4
5 COPY requirements.txt /app/
6
7 RUN pip install -r requirements.txt
8
9 COPY . /app/
10
11 RUN cp .env.dev.sample .env
12
13 EXPOSE 8000
14
15 RUN chmod +x entrypoint.sh
16
17 CMD ["sh", "entrypoint.sh"]
```

DEPLOYMENT OF JOBPORTAL APPLICATION:

Containers

Images

Volumes

Dev Environments BETA

Extensions BETA

Add Extensions

Containers Give feedback

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

☐

Only show running containers

	NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
<input type="checkbox"/>	<div>agitated_neumann</div> <div>918d20882039</div>	icr.io/helloapp/ibm:latest	Exited (137)	49160:8080		<div></div> <div></div> <div></div>
<input type="checkbox"/>	<div>jolly_turing</div> <div>b62c0712bdd3</div>	jobportalapplication:latest	Running	1234:8000	4 minutes ago	<div></div> <div></div> <div></div>

Showing 2 items

RAM 3.06GB

CPU 0.57%

Connected to Hub

v4.13.0

OUTPUT:

Job Board

Find your dream job

Home

Browse Job

Pages

Blog

Contact

Log in

Post A Job

Find Job

Popular Search:

Design & Creative

Marketing

Administration

Teaching & Education

Engineering

Software & Web

Telemarketing

Popolar Categories

Design & Creative

50 Available position

Marketing

50 Available position

Telemarketing

50 Available position

Software & Web

50 Available position

Administration


Teaching & Education

Engineering


Garments / Textile

Question 3:Create a IBM container registry and deploy hello-world app or job port app.IBMCONTAINER

REGISTRY DEPLOYMENT:




OUTPUT:



Question 4: Create a Kubernetes cluster in IBM cloud and deploy hello world image or job portal image and also expose the same app to run in node port.

Creating Kubernetes cluster in IBM cloud and exposing node port:



Output:

