### **PROJECT DEVELOPMENT PHASE**

### **SPRINT 3**

| Date         | 07 November 2022                 |
|--------------|----------------------------------|
| Team ID      | PNT2022TMID21522                 |
| Project Name | Project – Customer Care Registry |

# Dashboard (User):


#### Home:




# Issue's pending:



# Issue's completed:



### New issues:



# index.html

```
<!DOCTYPE html>
```

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
  <!-- <li>k rel="stylesheet" href="{{ url_for('static',
filename='/node modules/bootstrap/dist/css/bootstrap.css') }}">-->
  <script src="https://kit.fontawesome.com/07972bca60.js" crossorigin="anonymous"></script>
  <!-- <script src="{{ url_for('static', filename='/node_modules/jquery/dist/jquery.js') }}"></script> -->
  <!-- <script src="{{ url for('static', filename='/node modules/bootstrap/dist/js/bootstrap.js')
}}"></script> -->
  <!-- <script src="{{ url_for('static',filename='/javascript/navlink-activator.js')}}"></script> -->
<!-- CSS only -->
<link href="/user/static/landing-page.css" rel="stylesheet">
k href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">
<!-- JavaScript Bundle with Popper -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js"</pre>
integrity="sha384-OERcA2EqjJCMA+/3y+gxlOqMEjwtxJY7qPCqsdltbNJuaOe923+mo//f6V8Qbsw3"
crossorigin="anonymous"></script>
  <title>TCE Desk</title>
  <script>
    function signOut() {
      var auth2 = gapi.auth2.getAuthInstance();
      auth2.signOut().then(function () {
      console.log('User signed out.');
      });
    }
```

k rel="icon" type="image/x-icon" href="/cloud.png">

```
</script>
</head>
<body>
 <!-- Vertical navbar -->
 <div class="vertical-nav bg-white" id="sidebar">
    <div class="py-2 px-3 mb-4 bg-light" style="display: flex;justify-content:center">
     <a href='/profile'>
        <img style="height: 15rem;object-fit: contain;" src={{session['profile']}} alt="..." class="mr-3"</pre>
rounded-circle img-thumbnail shadow-sm">
     </a>
    </div>
    class="nav-item">
       <a href="#home" class="my-nav-link nav-link">
            <i class="fa fa-home mr-3 fa-fw"></i>
            Home
       </a>
      class="nav-item">
        <a href="#pending-issue" class="my-nav-link nav-link">
            <i class="fa fa-exclamation-triangle mr-3 fa-fw"></i>
            lssue's Pending
```

```
</a>
 class="nav-item">
   <a href="#solved-issue" class="my-nav-link nav-link">
       <i class="fa fa-check mr-3 fa-fw"></i>
       Issue's Solved
   </a>
 class="nav-item">
   <a href="#new-issue" class="my-nav-link nav-link">
        <i class="fa fa-bug mr-3 fa-fw"></i>
       New Issue
   </a>
 class="nav-item">
   <a href="#about" class="my-nav-link nav-link">
       <i class="fa fa-address-card mr-3 fa-fw"></i>
       About
   </a>
 <div class="logout">
 <a href="/user/logout" onclick="signOut()" class="nav-link align-items-center">
   <div class="btn btn-outline-primary text-dark font-italic">
     <i class="fa-solid fa-right-from-bracket"></i>
```

```
Logout
        </div>
      </a>
    </div>
  </div>
  <!-- End vertical navbar -->
  <!-- Landing Page Banner Start -->
  <div class="container my-container">
    <div data-bs-spy="scroll" data-bs-target="#sidebar" data-bs-offset="0" class="scrollspy-example"
tabindex="0">
      <div class="introduction" id="home">
        <div class="row">
          <div class="col">
            <img src="/user/static/logo3.png" width="500px">
          </div>
          <div class="col d-flex justify-content-center align-self-center intro-text display-2">
<h3 class="display-2">
Hello </h3><h4 class="display-5">{{session.user_name}}!
  </h4>
</div>
```

```
</div>
     </div>
     <div class="pending-issue d-flex align-items-center" id="pending-issue">
       {% if pending_issue_data | length > 0 %}
       <h1 class="jumbotron jumbotron-fluid" style="display:block;margin-top: -300px;margin-left:
400px;position: absolute;">Pending Issues</h1>
       <table class="table table-striped table-dark table-hover table-responsive" style="width:
750px;margin-left: 170px;">
         <thead class="thead-dark">
          {% for header in pending_issue_headings %}
             {{ header }}
           {% endfor %}
          </thead>
         {% for row in pending_issue_data %}
             {{row['TICKET']}}
               {{row['TITLE']}}
               {{row['AGENT_ID']}}
               <div class="progress">
```

```
{{ row['PROGRESS'] }}
                    </div>
                   </div>
                {% endfor %}
          {% else %}
        <div style="margin-left: 20vw;">
          <blook<br/>quote class="blockquote">
           Have an issue ? No problem raise here we will solve it!
          </blockquote>
          <figcaption class="blockquote-footer">
           <h2 >In our Unique way</h2> <cite title="Source Title">TCE Desk's Way</cite>
          </figcaption>
          <button onclick="document.getElementById('new-issue').scrollIntoView()" class="btn btn-
block btn-primary gradient-custom-2">New Issue</button>
        </div>
       {% endif %}
        <img src="/user/static/division-pictures/issue-pc.png" {% if solved_issue_data|length > 0
%}style="width:30%;object-fit:contain;"{% endif %}>
      </div>
```

```
<div class="solved-issue d-flex align-items-center" id="solved-issue">
      <img src="/user/static/division-pictures/man_and_women.png" {% if solved_issue_data|length</pre>
> 0 %}style="width:30%;object-fit:contain;"{% endif %}>
      {% if solved_issue_data | length > 0 %}
      <h1 class="jumbotron jumbotron-fluid" style="display:block;margin-top: -300px;margin-left:
500px;position: absolute;">Solved Issues</h1>
      750px;margin-left:50x">
        <thead class="thead-dark">
         {% for header in solved_issue_headings %}
           {{ header }}
          {% endfor %}
         </thead>
        {% for row in solved_issue_data %}
           {{row['TICKET']}}
             {{row['TITLE']}}
             {{row['AGENT ID']}}
           {% endfor %}
        {% else %}
```

```
<span>
          <blookquote class="blockquote jumbotron">
           Feeling Lucky? Yes you should.
          </blockquote>
          <figcaption class="blockquote-footer text-light" >
           <h3>Any problem should occur ,Let's Solve in </h3><cite title="Source Title">TCE Desk's
Way</cite>
          </figcaption>
        </span>
        {% endif %}
      </div>
      <div class="new-issue d-flex align-items-center justify-content-center" id="new-issue">
        <!-- ------Alert Box------------------
        <!-- <div class="alert" id="alert">
          <span class="closebtn" onclick="this.parentElement.style.display='none';" >&times;</span>
          <i id="message">response message</i>
        </div> -->
        {% with messages = get_flashed_messages() %}
        {% if messages %}
           {% for message in messages %}
           <div class="container" id="alert" style="position: fixed;color:aliceblue;background-color:</pre>
#13d133;padding: 10px;top:700px;z-index: 20;left:100px">
            <span class="closebtn" onclick="this.parentElement.style.display='none';">&times;</span>
```

```
<i id="message">{{ message }} </i>
           </div>
           {% endfor %}
        {% endif %}
       {% endwith %}
        <div class="new-issue-form-holder">
          <div class="row">
            <div class="col-sm">
               <span class="jumbotron">
                 <h3 class="my-3">
                   Got a Problem?<br>
                   We are here to solve it.
                 </h3>
               </span>
               <form class="" id="issue-form" action="/user/register-issue" method="post">
                 <!-- Title input -->
                 <div class="form-outline mb-4">
                  <input type="text" name="title" id="title" class="form-control" required
placeholder="Title"/>
                 </div>
                 <!-- Title input -->
```

```
<div class="form-outline">
                   <textarea class="form-control" name="description" placeholder="Description"
id="description" rows="4" cols="3" required></textarea>
                  </div>
                 <!-- Submit button -->
                 <button type="submit" class="btn btn-primary btn-block gradient-custom-2"
style="margin-top: 2rem;">Raise Issue</button>
                </form>
            </div>
             <div class="col-sm" style="filter: drop-shadow(5px 5px 5px rgb(255, 255, 255));">
               <img src="/user/static/division-pictures/two_man_one_women.png">
             </div>
          </div>
        </div>
      </div>
      <div class="video-wrapper" id="about" onpointerenter="typeWriter()" on>
        <video playsinline autoplay muted loop poster="/user/static/child.jpg">
          <source src="/user/static/videos/Mountains.mp4" width="calc(100% - 6rem)" height="100%"</pre>
type="video/webm">
        </video>
        <div class="header">
```

```
<h1 id="demo" style="font-size: 4rem;
           font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen,
Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
           font-weight: 900;"></h1>
        </div>
        </div>
    </div>
  </div>
  <script>
    vari = 0;
    var txt1 = 'Sit back and relax .';
    var txt2 = 'we will handle rest :)';
    var speed = 150;
    async function typeWriter() {
     while (i < txt1.length) {
      document.getElementById("demo").innerHTML += txt1.charAt(i);
      i++;
      await sleep(speed);
     }
     i=0;
     document.getElementById("demo").innerHTML = "";
     while (i < txt2.length) {
```

```
document.getElementById("demo").innerHTML += txt2.charAt(i);
      i++;
      await sleep(speed);
     }
    // document.getElementById("demo").innerHTML = "";
    }
    function sleep(ms) {
      return new Promise(resolve => setTimeout(resolve, ms));
    }
    </script>
</body>
</html>
login.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>TCE Desk User Login</title>
    <link rel="icon" type="image/x-icon" href="/cloud.png">
    <script src="https://apis.google.com/js/platform.js" async defer></script>
    <meta name="google-signin-client_id" content="233300008585-</pre>
epu0aj89fcvqqh6317t4ds507a2kbtig.apps.googleusercontent.com">
    <!-- <li>k rel="stylesheet" href="{{ url_for('static',
filename='/node_modules/bootstrap/dist/css/bootstrap.css') }}">-->
```

```
<script src="https://kit.fontawesome.com/07972bca60.js" crossorigin="anonymous"></script>
    <!-- <script src="{{ url_for('static', filename='/node_modules/jquery/dist/jquery.js') }}"></script> -->
    <!-- <script src="{{ url for('static', filename='/node modules/bootstrap/dist/js/bootstrap.js')
}}"></script> -->
    k href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">
    <!-- JavaScript Bundle with Popper -->
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js"</p>
integrity="sha384-OERcA2EqjJCMA+/3y+gxlOqMEjwtxJY7qPCqsdltbNJuaOe923+mo//f6V8Qbsw3"
crossorigin="anonymous"></script>
    <link rel="stylesheet" href="/user/static/style-entrypoint.css">
</head>
<body>
  <section class="gradient-form background-radial-gradient overflow-hidden">
    <div class="container py-5 h-100">
      <div class="col-lg-6 mb-5 mb-lg-0 position-relative">
        <div id="radius-shape-1" class="position-absolute rounded-circle shadow-5-strong"></div>
        <div id="radius-shape-2" class="position-absolute shadow-5-strong"></div>
      </div>
     <div class="row d-flex justify-content-center align-items-center h-100">
      <div class="col-xl-10">
       <div class="card rounded-3 text-black">
        <div class="row g-0">
```

```
<div class="col-lg-6">
          <div class="card-body p-md-5 mx-md-4">
           <div class="text-center">
            <img src="/user/static/logo2.png"
             style="width: 185px;" alt="logo">
           </div>
           {% if msg|length > 0 %}
           <div class="alert">
            <span class="closebtn" onclick="this.parentElement.style.display='none';">&times;</span>
            {{msg}}
           </div>
           {% endif %}
           <form action="/user/login" method="post">
            <div class="form-outline mb-4">
             <input type="email" id="email_id" name="email_id" class="form-control"
placeholder="Email address" />
            </div>
            <div class="form-outline mb-4">
             <input type="password" name="password" id="password" class="form-control"
placeholder="Password" />
            </div>
            <div class="form-outline text-center mb-5">
             <div class="g-signin2" data-onsuccess="onSignIn"></div>
             <input type="submit" class="btn btn-block btn-primary gradient-custom-2" type="button"
placeholder="Log in">
```

```
</div>
            <div class="d-flex align-items-center justify-content-center pb-4">
             Don't have an account?
             <a href="/user/register">
              <button type="button" class="btn btn-outline-danger">Create new</button>
             </a>
            </div>
           </form>
          </div>
         </div>
         <div class="col-lg-6 d-flex align-items-center gradient-custom-2" style="overflow:</pre>
hidden; position: relative;; background-image: radial-gradient (circle farthest-corner at 10% 20%,
rgba(171,102,255,1) 0%, rgba(116,182,247,1) 90%);">
          <div class="text-white px-3 py-2 p-md-5 mx-md-2" style="z-index: 10;">
           <h4 class="mb-4 display-5">We are more than just a company</h4>
           <h3>What is TCE Desk?</h3><br>
           <h5>
            An easy-to-use ticketing system for managing email communication with customers.</h5>
          </div>
         </div>
        </div>
       </div>
      </div>
     </div>
    </div>
```

```
</section>
   <script>
    function onSignIn(googleUser) {
     var profile = googleUser.getBasicProfile();
     console.log('ID: ' + profile.getId()); // Do not send to your backend! Use an ID token instead.
     console.log('Name: ' + profile.getName());
     console.log('Image URL: ' + profile.getImageUrl());
     console.log('Email: ' + profile.getEmail()); // This is null if the 'email' scope is not present.
    }
   </script>
</body>
</html>
Register.html:
<html>
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>TCE Desk User Registeration</title>
    k rel="icon" type="image/x-icon" href="/cloud.png">
    <script src="https://apis.google.com/js/platform.js" async defer></script>
    <meta name="google-signin-client_id" content="233300008585-</pre>
epu0aj89fcvqqh6317t4ds507a2kbtig.apps.googleusercontent.com">
    <!-- <link rel="stylesheet" href="{{ url_for('static',
filename='/node_modules/bootstrap/dist/css/bootstrap.css') }}">-->
    <script src="https://kit.fontawesome.com/07972bca60.js" crossorigin="anonymous"></script>
```

```
<!-- <script src="{{ url_for('static', filename='/node_modules/jquery/dist/jquery.js') }}"></script> -->
    <!-- <script src="{{ url_for('static', filename='/node_modules/bootstrap/dist/js/bootstrap.js')
}}"></script> -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css"</pre>
rel="stylesheet" integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">
    <!-- JavaScript Bundle with Popper -->
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js"</p>
integrity="sha384-OERcA2EqjJCMA+/3y+gxIOqMEjwtxJY7qPCqsdltbNJuaOe923+mo//f6V8Qbsw3"
crossorigin="anonymous"></script>
    <link rel="stylesheet" href="/user/static/style-entrypoint.css">
    <script>
      function showPas(password) {
        // toggle the type attribute
        const type = password.getAttribute('type') === 'password' ? 'text' : 'password';
        password.setAttribute('type', type);
      };
      $(document).ready(function(){
      // Prepare the preview for profile picture
        $("#profilepic").change(function(){
          readURL(this);
        });
      });
      function readURL(input) {
```

```
if (input.files && input.files[0]) {
        var reader = new FileReader();
        reader.onload = function (e) {
           $('#wizardPicturePreview').attr('src', e.target.result).fadeIn('slow');
        }
        reader.readAsDataURL(input.files[0]);
      }
    }
  </script>
</head>
<body style="overflow:hidden;">
  <!-- Section: Design Block -->
  <section class="background-radial-gradient overflow-hidden" style="position: relative;">
    {% if msg|length >0 %}
      <div class="alert">
        <span class="closebtn" onclick="this.parentElement.style.display='none';">&times;</span>
        {{msg}}
      </div>
    {% endif %}
    <div class="container px-4 py-5 px-md-5 text-center text-lg-start my-5">
    <div class="row gx-lg-5 align-items-center mb-5">
      <div class="col-lg-6 mb-5 mb-lg-0" style="z-index: 10">
```

```
<h1 class="my-5 display-5 fw-bold ls-tight" style="color: hsl(218, 81%, 95%)">
          The best offer <br />
          <span style="color: hsl(218, 81%, 75%)">for your business</span>
        </h1>
        <h2 class="display-3 text-white">A simple ticketing system for a team like yours</h2>
          <h3 class="text-light my-3">Manage all your customer messages in one place. Build better
bonds automatically.</h3>
        </div>
        <div class="col-lg-6 mb-5 mb-lg-0 position-relative">
        <div id="radius-shape-1" class="position-absolute rounded-circle shadow-5-strong"></div>
        <div id="radius-shape-2" class="position-absolute shadow-5-strong"></div>
        <div class="card bg-glass">
          <div class="card-body px-4 py-1 px-md-5">
          <form action="/user/register" method="post">
            <center>
              <div class="container mb-4">
                <div class="picture-container">
                  <div class="picture">
                    <img src="/user/static/man.png" class="picture-src" id="wizardPicturePreview"
title="">
                    <input type="file" id="profilepic" name="profilepic" class="form-control">
                  </div>
```

```
<!-- <h6 class="">Choose Picture</h6> -->
                 </div>
               </div>
             </center>
             <!-- 2 column grid layout with text inputs for the first and last names -->
             <div class="row">
             <div class="col-md-6 mb-4">
               <div class="form-outline">
               <input type="text" id="first_name" name="first_name" class="form-control"</pre>
placeholder="First name" required/>
               </div>
             </div>
             <div class="col-md-6 mb-4">
               <div class="form-outline">
               <input type="text" id="last_name" name="last_name" class="form-control"
placeholder="Last name" required/>
               </div>
             </div>
             <div class="col-md-6 mb-4">
               <div class="form-outline">
               <input type="text" id="user_name" name="user_name" class="form-control"</pre>
placeholder="User name" required/>
               </div>
```

```
</div>
             <div class="col-md-6 mb-4">
               <div class="form-outline">
               <input type="text" id="pno" name="pno" class="form-control" placeholder="Phone
Number (+91)" required/>
               </div>
             </div>
             <!-- Email input -->
             <div class="form-outline mb-4">
             <input type="email" id="email_id" name="email_id" class="form-control" {% if email_id %}</pre>
value="{{email_id}}" {% endif %} placeholder="Email address" required/>
             </div>
             <!-- Password input -->
             <div class="form-outline mb-4">
               <input type="password" id="password" name="password" class="form-control"</pre>
onfocus="showPas(this)" placeholder="Password" required/>
             </div>
             <!-- Submit button -->
             <input type="submit" class="btn btn-primary gradient-custom-2 mb-5" value="Sign Up">
             <!-- Register buttons -->
```

```
<!-- <div class="text-center">
            or sign up with:
            <button type="button" class="btn btn-link btn-floating btn-lg">
              <i class="fab fa-google fa-lg"></i>
            </button> -->
            </div>
          </form>
          </div>
        </div>
        </div>
      </div>
      </div>
    </section>
    <!-- Section: Design Block -->
  </body>
</html>
```