


Project Design Phase II

Technology Stack (Architecture & Stack)

Team ID	PNT2022TMID36746
Project Name	Project-Signs with Smart Connectivity for Better Safety
Maximum Marks	4 Marks

Technical Structure:



## GUIDELINES:

- Smart Connectivity based signboards are used to replace static signboards.
- 
- Based on situations, like high traffic, construction or branch on the road etc the diversion signs are changed.
- 
- Sign boards in the vicinity of schools, hospitals, restaurants etc have signs displayed accordingly.
- 
- Speed limitations can be sent through a web app, which gets weather conditions from weather API and changed in the signboards.
- 
- Many different operation can be updated like finding the number of passengers in a vehicle, helps in finding stolen vehicles easily.

Table-1:Components & technologies

S.NO	Component	Description	Technology
1	User Interface	In what way the user interacts with the application, in this case Web UI app	Javascript, HTML,CSS
2	Application Logic -2	A logic for the process in the application	IBM Watson STT Service
3	Application Logic-3	A logic for the process application	IBM Watson Assistant
4	Cloud Database	Cloud which has database service	IBM DB2,IBM Cloudant

5	External API-1	Purpose of external API in the application	IBM Weather API
---	----------------	--------------------------------------------	-----------------

**Table-2: Application Characteristics**

S.NO	Characteristics	Description	Technology
1	Security Implementations	A very strong security system where no one will be able access without login credentials	Firestore. Firewall, Cyber resiliency strategy
2	Scalable Architecture	By increasing the bandwidth, the operating range can be increased	IoT,Internet
3	Availability	Available 24/7	IBM Cloud
4	Performance	It can support a large amount of users to access the technology	IBM Cloud