DOCKER

Student Name	Yuvaraj
Maximum Marks	2 Marks


.


Question-1:


pull an image from docker hub and run it in docker playground. pull an image form docker hub

```
Command Prompt
Microsoft Windows [Version 10.8.19844.1766]
(c) Microsoft Corporation. All rights reserved.
C:\Users\ADMIN>docker push shabariganesan/docker_with_flask_form
Using default tag: latest
The push refers to repository [docker.io/shabariganesan/docker_with_flask_form]
An image does not exist locally with the tag: shabariganesan/docker_with_flask_form
C:\Users\ADMIN>docker pull shabariganesan/docker_with_flask_form
Using default tag: latest
latest: Pulling from shabariganesan/docker_with_flask_form
1671565cc8df: Pull complete
3e94d13e55e7: Pull complete
fa9c7528c685: Pull complete
53ad072f9cd1: Pull complete
d6b983117533: Pull complete
d8092d56ded5: Pull complete
c71afc637d59: Pull complete
864a18b3c704: Pull complete
4334b2fe8293: Pull complete
8944570703f4: Pull complete
f885911288d0: Pull complete
086f369ca59f: Pull complete
e113bd27b88e: Pull complete
Digest: sha256:c61f28873bf1c909786ce991b8b60cd976765077f344e34d50e6cce8cf8d95c3
Status: Downloaded newer image for shabariganesan/docker_with_flask_form:latest
docker.io/shabariganesan/docker_with_flask_form:latest
C:\Users\ADMIN>
```

runt it in docker playground







Question-2:

Create a docker file for the jobportal application and deploy it in docker application.

Creating a docker file for the jobportal application


```
-+ pagetiuk - almedoodifizane, pagetii - paketii - Notepad ++
    File Edit Search View Encoding Language Settings Tools Macro Run Plugms Window F
     TORRESON DIVERSE OF A STREET STREET, S
  Dockerile C
                                     FROM python: 3.10.6
                      2 WORKDIR /app
                       3 COPY requirements.txt ./
                      4 RUN pip install -r requirements.txt
                       5 COPY . .
                                   EXPOSE 5000
                                      CMD ["python","./app.py"]
                                                                                                                                                     븰
                                                                                                                             0
                                                                                                                                                                             1
to search
```

deploy in in dokcer application

```
Use 'docker scan' to run Seyk tests against Images to 'laid mainerabilities and learn how to 'la them


CIVOSER'S AND MORNING TO THE SEY BEAUTY TO THE SEY OF THE SEY
```






Question-3:

Create albm container registry and deploy helloworld app or jobportalapp create a ibm container registry




```
### Archbeding Setting 1 1 second
### Archbeding Setting S
```



Question-4:

Create a kubernetes cluster in ibm cloud and deploy helloworld image or jobportal image and also expose the same app to run in noteport

Creating a kubernetes cluster in ibm cloud



deploy helloworld image or jobportal image and also expose the same app to run in noteport



C//Windows/System32/emd.exe "Mindows system324kBectl expose deployment flask-app --type-NodePort --name-Flask service
he Service "flask service" is invalid: metadata.name: Invalid value: "flask service": a DMS-3835 label must consist of lower case alphanumentc characters or 'with an alphabetic character, and end with an alphanumentc character (e.g. "my-name", or "abc 123", regex used for validation is "[a-2]([-a-26-9]*[a-26-9])2") (Windows)system32:Nubectl expose deployment flack app - type-NodePort - name-flack service he Service "flack service" is invalid: metadata name: Invalid value: "flack service"; a CMS-1825 label must consist of lower case alphanumenic characters or '-', start with an alphabetic character, and end with an alphanumenic character (e.g. 'my-mame', or 'mbc-123', regex used for validation is '(=-2)((-a-zH-9)*(a-zH-9))') :\Mindows\system32>kubectl expose deployment flask-app - type-kodePort --name=flask servise he Service "flask_service" is invalid: metsdata_name: Invalid value: "flask_service": a DNS-1895 label most consist of lower case alphanumeric characters or '-', start with an alphabetic character, and end with an alphanumeric character (e.g. 'my-name', or 'abc-123', regex used for validation is [a-z]([-a-zN-9]*[a-zN-9])?') 'Mindows\systemIZ'kubect1 expose deployment flask-app -type-NodePort -room from server (Alreadylxists): services "flask-service" already exists -names flask-service \Mindows\system12> \Mindows\system12>Kubectl -n kubernetws-dashboard get depploy \Mindows\system12-kubectl -n kubernetes-dashboard get deploy resources found in kubernetes-dashboard namespace. \Windows\system32\kubert1 -n kubernetus-dashboard get deploy o resources found in kubernetes-dashboard namespace. :\Windows\system32>kubect1 proxy tarting to serve on 127,0,0,1:8001 \Mindows\system82>kubectl -n kubernetes-dashboard get deplou \Mindows\system32\kubectl -n kubernetes-dashboard get deploy resources found in kubernetes-dashboard namespace. \Mindows\system32>kubectl -n kubernetes-dashboard get pods o resources found in kubernetes-dashboard namespace. -Ndindows\system32>kubectl expose deployment Flask-app --type-NodeFort --rror from server (AlreadyExists): services "Flask-service" already exists -name-flask-service :\Mindows\system32>kubectl get ing
AMI CLASS HOSTS ADDRESS PORTS AGE
Task-app-ingress cnone> * 80 276 :\Mindows\system32>kubect1 get avc AME TYPE CLUSTER-IP EXTERNAL-ID