Sprint 4

Date	19 September 2022
Team ID	PNT2022TMID36129
Project Name	IOT based child safety monitoring system
Maximum Marks	4 Marks

```
FIREOAUTH:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="/css/fireoauth.css">
  k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.css">
  <link rel="shortcut icon" href="https://raw.githubusercontent.com/tharunoptimus-</pre>
pd/firepwa/main/favicon.ico?token=GHSAT0AAAAAABR46HVJ5M5L3QGFRZRQXOISYUJUWAA"
type="image/x-icon">
  <style>
    html,
    body {
      height: 100%;
      margin: 0;
      font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen,
```

```
Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
  font-weight: 300;
a {
  text-decoration: none;
  color: #007bff;
  font-weight: 500;
  font-size: 1.2rem;
h3 {
  font-size: 1.4rem;
h3, h4 {
  margin: 0;
  padding: 0.3rem 0;
.wrapper {
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  height: 100%;
  text-align: center;
```

```
.oneClickSignin {
  padding: 0.5rem;
  border: 1px solid #4444444;
  border-radius: 5px;
  box-shadow: 0 0 3px 0px #44444444;
  opacity: 0.2;
  pointer-events: none;
.qrcode {
  opacity: 0.1;
.learnAboutFire {
  padding-top: 1.25em;
.qrHolder {
  display: none;
  margin-top: 3rem;
.qrContainer {
  align-items: center;
  display: flex;
```

```
justify-content: center;
      padding: 8px;
      margin: 2rem auto;
      box-shadow: 0 0px 6px 1px rgb(0 0 0 / 16%);
      border: 1px solid #4444444;
      border-radius: 6px;
      width: 200px;
      height: 200px;
  </style>
  <title>Fire OAuth</title>
  <script>
    if (window.location.hostname !== "localhost") {
      if (location.protocol !== "https:") {
        location.replace(
           `https:${location.href.substring(
            location.protocol.length
          )}`
  </script>
</head>
<body>
  <div class="wrapper">
    <h3 class="pageTitle">Login with Fire ??</h3>
```

```
<div class="qrAuthorize">
      <h4 class="subTitle">Scan QR from your Fire OAuth App??</h4>
      <div class="grContainer">
        <canvas id="gr-code" class="grcode"></canvas>
      </div>
    </div>
    <div class="oneClickSignin">
      <h4>Have Fire PWA on this device?</h4>
      <a target=" blank" id="authorizeOverLink"
href="https://firepwa.netlify.app/authorize?sessionId" rel="noopener">Click to Authorize??</a>
    </div>
    <div class="learnAboutFire">
      <a target="_blank" href="https://fireoauth.netlify.app" rel="noopener">Learn More about Fire
??</a>
    </div>
  </div>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.js"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/grious/4.0.2/grious.min.js"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.2.0/socket.io.js"></script>
  <script>
    const FIRE API KEY = "635b790a3bcc6b59c4b772d0"
    const FIRE_ENDPOINT = "https://fire.adaptable.app/api/apis/generate"
    const CHANNEL_NAME = "fireOAuthChannel"
    const broadCastingChannel = new BroadcastChannel(CHANNEL NAME)
```

```
const FIRE_SERVER_SOCKET_ENDPOINT = "https://fire.adaptable.app"
let socket = io(FIRE_SERVER_SOCKET_ENDPOINT)
let gr
let grcode = document.guerySelector(".grcode")
let oneClickSignin = document.querySelector(".oneClickSignin")
let pageTitle = document.querySelector(".pageTitle")
let subTitle = document.guerySelector(".subTitle")
function setOpacity(opacity) {
  oneClickSignin.style.opacity = opacity
  oneClickSignin.style.pointerEvents = opacity === "1" ? "auto" : "none"
  qrcode.style.opacity = opacity
async function getSessionID() {
  let response
  try {
    response = await fetch(`${FIRE_ENDPOINT}/${FIRE_API_KEY}`, {
      method: "GET".
      headers: {
        "Content-Type": "application/json",
    })
  } catch (error) {
    console.log(error)
```

```
return null
      let data = await response.json()
      let { sessionId, chatRoomId } = data
      return { sessionId, chatRoomId }
    function generateQR(value) {
      (qr = new QRious({
        element: document.getElementById("qr-code"),
        size: 200,
        level: 'M',
        value: value,
      }))
    function changeHREF ({sessionId, chatRoomId}) {
      let firePwaUrlHostname = "https://firepwa.netlify.app"
      let originURL = encodeURIComponent(window.location.origin)
      let url =
`${firePwaUrlHostname}/authorize.html?sessionId=${sessionId}&chatRoomId=${chatRoomId}&url=${ori
ginURL}`
      let a = document.getElementById("authorizeOverLink")
      a.href = url
```

```
async function fire() {
      NProgress.set(0.4)
      let { sessionId, chatRoomId } = await getSessionID()
      if(sessionId === undefined || chatRoomId === undefined || sessionId === null || chatRoomId ===
null) {
        pageTitle.innerHTML = "Something went wrong ???"
        subTitle.innerHTML = "Please try again later ????"
        return
      setOpacity("1")
      NProgress.done()
      let data = {
        sessionId,
        url: encodeURIComponent(window.location.origin)
      data = JSON.stringify(data)
      generateQR(data)
      changeHREF({sessionId, chatRoomId})
      socket.emit("join room", sessionId)
    fire()
```

```
socket.on("trusted token", (token) => {
      let data = {}
      data.success = true
      data.token = token
      broadCastingChannel.postMessage(data)
      window.close()
  </script>
</body>
</html>
DASHBOARD:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="./css/dashboard.css">
  <title>Dashboard</title>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
```

```
<div class="header">
      <span class="heading">Dashboard</span>
      <span class="right">
        <span class="username">Hello User</span>
        <span>
          <img class="profilePic" src="https://avatars.dicebear.com/api/avataaars/asdfasdfds.svg"</pre>
alt="User Profile" height="30" width="30">
        </span>
      </span>
    </div>
    <div class="actionCenter">
      <div class="action">
        <span>Create Child Card</span>
      </div>
      <div class="action">
        <span class="logout">Log out</span>
      </div>
    </div>
    <div class="childCardContainer">
      <div class="childCard">
        <div class="childCardHeader">
          <span>Child Name</span>
          <span>Age 12</span>
        </div>
        <div class="actions">
```

```
<span>View</span>
           <span>GeoFence</span>
         </div>
       </div>
    </div>
  </div>
  <script>
    async function main() {
       let userData = await localforage.getItem('userData')
       if(userData == null) {
        window.location.href = "/login"
       document.querySelector(".username").innerHTML = `Hello ${userData.firstName}`
       document.querySelector(".profilePic").src = userData.profilePic
    main()
    document.querySelector(".logout").addEventListener("click", async () => {
       await localforage.setItem('userData', null)
       window.location.href = "/login"
  </script>
</body>
</html>
```