## SPRINT 3

Date	06 November 2022
Team ID	PNT2022TMID30760
Project Name	IoT Based safety gadget for child safety
	monitoring and notification
Manimum Marks	8 Marks

```
LOCAL FORAGE:
!function(a)
     {if("object"==typeof exports&&"undefined"!=typeof
module)module.exports=a();
        else if("function"==typeof define&&define.amd)define([],a);
            else{var b;
b="undefined"!=typeof window?window:"undefined"!=typeof
global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}(function(){
return function a(b,c,d){
function e(g,h)\{if(!c[g])\{if(!b[g])\}
var i="function"==typeof require&&require;
if(!h&&i)return i(g,!0);if(f)return f(g,!0);
var j=new Error("Cannot find module '"+g+"'");
throw j.code="MODULE NOT FOUND",j}var k=c[g]={exports:{}};
            b[g][0].call(k.exports,function(a){
             var c=b[g][1][a]; return e(c||a)\}, k, k. exports, a, b, c, d)
return c[g].exports}
for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
return e}({1:[function(a,b,c){(function(a){"use strict";
function c(){k=!0;for(var a,b,c=l.length;c;){
for(b=I,I=[],a=-1;++a<c;)b[a]();c=I.length}k=!1}
```

```
function d(a){1!==l.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                           if(f){var g=0,h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=
++g%2}}
else if(a.setImmediate void ea.MessageChannel)e="document"in all"onreadystatechange in
a.document.createElement("script") function(){var b=a.
document.createElement("script");b.onreadystatechange-function()(c(),b.
onreadystatechange=null,b.parentNode.removeChild
(b),b=null),a.document.documentElement.appendChild(b)}:function()
(setTimeout(c,8));else{var j-new a.MessageChannel;j.port1.onmessage=c,e-
function(){j.port2.postMessage(0)}}var k,1-[];b.exports-d)).call(this, "undefined"!=typeof
global?global: "undefined"!=typeof self?self: "undefined"!=typeof window?window:
{}}},{}],2: [function(a,b,c){"use strict"; function d()() function e(a){if("function" I-typeof a)
throw new TypeError("resolver must be a function"); this.states, this.queue=[], this.outcome
vald 0,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilled-
b, this.callFulfilled-this.otherCallFulfilled), "function"typeof c&&(this.onRejected=c,
INDEX:
<!DOCTYPE html>
     <html lang="en" style="height: 100%; margin: 0;">
         <head>
               <meta charset="UTF-8" />
              <meta name="description" content="The Home Page after
Logged In" />
              <meta name="viewport" content="width=device-width,
initial-scale=1.0" />
      <title>IOT Based Safety Gadget for Child Safety Monitoring and
      Notification</title>
<script src="./localforage.js"></script>
      <script>
            if (window.location.hostname !== "localhost") {
                 if (location.protocol !== "https:") {
                           location.replace(
                              `https:${location.href.substring(
                                       location.protocol.length
               )}`
```

```
}
}
       async function check() {
let data = localforage.getItem("userData")
if (data == null) {
        window.location.href = "/login"
  }
}
check()
       </script>
    </head>
    <body
        style="
              height: 100%;
              margin: 0;
font-weight: 300;
font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Robotot,
           Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
           sans-serif;
      11
>
<div
      class="wrapper"
      style="
            height: 90%;
            display: flex;
            flex-direction: column;
            align-items: center;
           justify-content: center;
text-align: center;
>
<div
```

```
class="details"
    style="
           display: flex;
           flex-direction: column;
           align-items: center;
           gap: 20px;
           padding: 1rem;
           border-radius: 5px;
           box-shadow: 0 0 8px 0px #44444444;
max-width: 80%;
>
    <h1 class="name" style="margin: 0"></h1>
    <div
        class="imageContainer"
        style="padding: 10px; height: 10rem; width: 10rem"
>
        <img class="image" alt="profile picture" />
     </div>
    <h2 class="email" style="margin: 0"></h2>
<a style="text-decoration: none;text-align: center;font-size: 1.2rem;color:</pre>
#0070f3;font-weight: 400;" href="./dashboard">Go to Dashboard ?</a>
         </div>
    </div>
    <script>
        async function main() {
let name = document.guerySelector(".name")
let image = document.querySelector(".image")
let email = document.querySelector(".email")
let userData = await localforage.getItem("userData")
if(userData == null) {
```