

CREATE AND CONFIGURE IBM CLOUD SERVICES

CREATE NODE-RED SERVICE

Successfully created Node-Red Service

```
Node.js command prompt - node
Your environment has been set up for using Node.js 16.18.0 (x64) and npm.

C:\Users\jose>node
Welcome to Node.js v16.18.0.
Type ".help" for more information.
>
```

```
node-red
Your environment has been set up for using Node.js 16.18.0 (x64) and npm.


C:\Users\jose>node-red
17 Nov 12:04:53 - [info]

Welcome to Node-RED
=====
17 Nov 12:04:53 - [info] Node-RED version: v3.0.2
17 Nov 12:04:53 - [info] Node.js version: v16.18.0
17 Nov 12:04:53 - [info] Windows_NT 10.0.22621 x64 LE
17 Nov 12:04:54 - [info] Loading palette nodes
17 Nov 12:04:56 - [info] Settings file : C:\Users\jose\.node-red\settings.js
17 Nov 12:04:56 - [info] Context store : 'default' [module=memory]
17 Nov 12:04:56 - [info] User directory : \Users\jose\.node-red
17 Nov 12:04:56 - [warn] Projects disabled : editorTheme.projects.enabled=false
17 Nov 12:04:56 - [info] Flows file : \Users\jose\.node-red\flows.json
17 Nov 12:04:56 - [info] Creating new flow file
17 Nov 12:04:56 - [warn]

-----
Your flow credentials file is encrypted using a system-generated key.

If the system-generated key is lost for any reason, your credentials
file will not be recoverable, you will have to delete it and re-enter
your credentials.

You should set your own key using the 'credentialSecret' option in
your settings file. Node-RED will then re-encrypt your credentials
file using your chosen key the next time you deploy a change.
-----
17 Nov 12:04:56 - [warn] Encrypted credentials not found
17 Nov 12:04:56 - [info] Server now running at http://127.0.0.1:1880/
17 Nov 12:04:56 - [info] Starting flows
17 Nov 12:04:56 - [info] Started flows
```



TEAM LEADER:

Mohamed Fahad (92172019102082)

TEAM MEMBERS:

Mohamed Askar (92172019102080)

Mohamed Abran (92172019102079)

Mohamed Sulthan Ibrahim (92172019102084)