

Assignment -2

IBM CLOUD DB2

Assignment Date	27 September 2022
Student Name	MADHAVAN.M
Student Roll Number	MECR19EC046
Maximum Marks	2 Marks

Questions:

1. Create User table with user with email, username, roll number, password.



The first screenshot shows the IBM Db2 on Cloud console interface. The 'Tables' tab is selected, and a table named 'USERTABLE' is listed under the schema 'DTP46044'. The 'Table definition' panel on the right shows the table structure:

Name	Data type	Nullable	Length	Scale
USERNAME	CHAR	Y	8	0
ROLLNUMBER	INTEGER	Y		0
EMAIL	CHAR	Y	8	0
PASSWORD	VARCHAR	Y	32	


The second screenshot shows the same console after clicking 'View data'. The table 'DTP46044.USERTABLE' is displayed with columns: USERNAME, ROLLNUMBER, EMAIL, and PASSWORD. The table is currently empty, with a message stating 'There is no data here yet'.

2. Perform UPDATE,DELETE Queries with user table.

UPDATE TABLE:-




DELETE TABLE:-



The screenshot shows the IBM Db2 on Cloud web interface. The top navigation bar includes links for Load Data, Load History, Tables, Views, Indexes, Aliases, MQTs, Sequences, and Application objects. The main content area displays the table DTP46044.USERTABLE. A table with 4 columns (USERNAME, ROLLNO, EMAIL, PASSWORD) and 2 rows of data is shown. A 'Back' button is in the top right, and an 'Export to CSV' button is in the top right of the table area.

USERNAME	ROLLNO	EMAIL	PASSWORD
PARANESH	21	VR@parn1.com	1234
VR	22	VR@parn1.com	12034



The screenshot shows the IBM Db2 on Cloud web interface with the SQL DELETE statement entered in the 'Untitled - 1' editor. The statement is 'DELETE FROM USERTABLE WHERE ROLLNO = 22'. The 'History' tab is selected, showing a list of executed SQL statements with their status and execution time.

Script	Date	Status	Execution
Untitled - 1	Oct 18, 2022 1:02:45 PM	Success	0.000 s
DELETE FROM USERTABLE WHERE ROLLNO = 22	Oct 18, 2022 1:04:11 PM	Success	0.007 s
INSERT INTO USERTABLE VALUES ('VR', 22, 'VR@parn1.com', '12034')	Oct 18, 2022 12:59:58 PM	Success	0.000 s

The screenshot shows the IBM Db2 Cloud web interface. The top navigation bar includes links for Load Data, Load History, Tables, Views, Indexes, Aliases, MQTs, Sequences, and Application objects. The main content area displays a table named 'DTP46044.USERTABLE'. The table has four columns: USERNAME, ROLLNO, EMAIL, and PASSWORD. A single row of data is visible with the values: PARAMESH, 21, vi@genl.com, and 1234. There are buttons for 'Back' and 'Export to CSV' in the top right corner of the table view.

USERNAME	ROLLNO	EMAIL	PASSWORD
PARAMESH	21	vi@genl.com	1234

3. Connect python code to db2.

NOTE:- Question 4 contains Question 3 answer

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page

Answers

App.py

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re

app = Flask(__name__)

app.secret_key = 'a'

conn = ibm_db.connect(
    "DATABASE=bludb;HOSTNAME=fbd88901-ebdb-4a4f-a32e-9822b9fb237b.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32731;USERNAM
E=ntp46044;PASSWORD=95soX0sZGhb4ToUj;SECURITY=SSL;SSLSERVERCERTIFICATE=DigiCer
tGlobalRootCA.crt;", "", "")

@app.route("/", methods=['GET', 'POST'])
def register():
    msg = ''
    if request.method == 'POST':
        username = request.form['username']
```

```

email = request.form['email']
password = request.form['password']
sql = "SELECT * FROM users WHERE username =?"
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
    msg = 'Account already exists !'
elif not re.match(r'^@+@[^@]+\.[^@]+', email):
    msg = 'Invalid email address !'
elif not re.match(r'[A-Za-z0-9]+', username):
    msg = 'name must contain only characters and numbers !'
else:
    insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
    prep_stmt = ibm_db.prepare(conn, insert_sql)
    ibm_db.bind_param(prepare_stmt, 1, username)
    ibm_db.bind_param(prepare_stmt, 2, email)
    ibm_db.bind_param(prepare_stmt, 3, password)
    ibm_db.execute(prepare_stmt)
    msg = 'You have successfully registered !'
elif request.method == 'POST':
    msg = 'Please fill out the form !'
return render_template('register.html', msg=msg)

```

```
@app.route('/login', methods=['GET', 'POST'])
```

```
def login():
```

```
    global userid
```

```
    msg = ''
```

```
    if request.method == 'POST':
```

```
        username = request.form['username']
```

```
        password = request.form['password']
```

```
        sql = "SELECT * FROM users WHERE username =? AND password=?"
```

```
        stmt = ibm_db.prepare(conn, sql)
```

```
        ibm_db.bind_param(stmt, 1, username)
```

```
        ibm_db.bind_param(stmt, 2, password)
```

```
        ibm_db.execute(stmt)
```

```
        account = ibm_db.fetch_assoc(stmt)
```

```
        print(account)
```

```
        if account:
```

```
            session['loggedin'] = True
```

```
            session['id'] = account['USERNAME']
```

```
            userid = account['USERNAME']
```

```
            session['username'] = account['USERNAME']
```

```
            msg = 'Logged in successfully !'
```

```

        msg = 'Logged in successfully !'
        return render_template('dashboard.html', msg=msg)
    else:
        msg = 'Incorrect username / password !'
        return render_template('login.html', msg=msg)

if __name__ == '__main__':
    app.run(host='0.0.0.0')
    # app.run(debug=True)

```

Register.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smart Fashion register</title>

    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
"
        integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="/static/css/style.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>
    <!-- bootstrap navbar -->
    <!-- navbar ends -->
    <!-- Login form -->
    <div class="login text-center mt-5">

```

```

        <form action="/" method="post">
            <h2 class="form-text-h2"> Register Form </h2>
            <div class="msg">{{ msg }}</div>
            <input type="text" class="form-control" name="username"
placeholder="Enter Your Username" id="username"
                required>
            <input type="email" class="form-control" name="email"
placeholder="Enter Your Email ID" id="email" required>
            <input type="password" class="form-control" name="password"
placeholder="Enter Your Password" id="password"
                required>
            <button type="submit" id="button" class="btn btn-primary">
Register </button>
            <div class="note mt-3 text-center">
                <!--Register form -->
                <p> already have an account ? please login <a
href="/login">login! </a> </p>

            </div>
        </form>

    </div>

</body>

</html>

```

Login.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smart Fashion Login</title>
    <!-- favicon -->
    <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
    <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon">
-->
    <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-
32x32.png">
    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css
"

```

```

        integrity="sha384-
JcKb8q3iqJ61gNV9KgB8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="/static/css/style2.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>

    <div class="login text-center mt-5">

        <form action="/login" method="post">
            <h2 class="form-text-h2"> Login Form </h2>
            <div class="msg">{{ msg }}</div>
            <div class="form-group mb-3">
                <label class="label" for="username">Username</label>
                <input type="text" class="form-control" placeholder="Username"
name="username" required>
            </div>
            <div class="form-group mb-3">
                <label class="label" for="password">Password</label>
                <input type="password" class="form-control"
placeholder="Password" name="password" required>
            </div>

            <button type="submit" id="button" class="btn btn-primary"> Login
</button>

            <div class="note mt-3 text-center">
                <!-- Register form -->
                <p> Don't have an account yet? Click here to <a
href="/">register! </a> </p>
            </div>
        </form>
    </div>

</body>

</html>

```


Style.css

```
* {
  margin: 0;
  padding: 0;
}

body {
  background-color: aqua !important;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
}

form {
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  background-color: white;
  width: 40%;
  height: 450px;
  border-radius: 50px;
  margin: 100px;
  gap: 25px;
}

h2 {
  font-size: large;
  font-weight: bolder;
}

input {
  width: 80% !important;
}

div {
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
  width: 90%;
}

.form-text-vk {
  font-size: small;
  padding-bottom: 10px;
}
```

```

}

.form-text-h2 {
  font-size: x-large;
  padding-top: 10px;
}

```


Output:-
registration page:-

The screenshot shows a web browser window with the address bar displaying '192.168.202.55:3000'. The page has a solid blue background. In the center, there is a white rounded rectangle containing the 'Register Form'. The form has three input fields: the first contains 'Parameshwaran', the second contains 'parameshvk3232@gmail.com', and the third is labeled 'Enter Your Password'. Below these fields is a blue 'Register' button. At the bottom of the form, there is a link that says 'already have an account ? please login login!'.

Login Page:-

The screenshot shows a web browser window with the address bar displaying '192.168.202.55:3000/login'. The page has a solid blue background. In the center, there is a white rounded rectangle containing the 'Login Form'. The form has two input fields: the first is labeled 'Username' and contains 'Parameshwaran', and the second is labeled 'Password' and contains six asterisks. Below these fields is a blue 'Login' button. At the bottom of the form, there is a link that says 'Don't have an account yet? Click here to register!'.

Welcome Page:-



Data Base Table :-

