

## 1. CREATE A BUCKET IN IBM OBJECT STORAGE

Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.


Name	Public access	Location	Storage class	Created
storageaccount	Yes	jp-tok	Smart Tier	2022-10-09 5:55 PM

## 2. UPLOAD 5 IMAGE TO IBM OBJECT STORAGE AND MAKE IT PUBLIC. WRITE HTML CODE TO DISPLAY ALL 5 IMAGES

If you're seeing more usage than expected, versions count towards your usage or you may have incomplete uploads [Learn more](#)

Object name	Archived	Size	Last modified
DigiCertGlobalRootCA (1).crt		947 bytes	2022-10-09 5:56 PM
assgn_no_3_3.CSS		587 bytes	2022-10-15 7:45 PM
certi.crt		947 bytes	2022-10-09 5:56 PM
pic1.jpg		204.9 KB	2022-10-15 6:52 PM
pic2.jpeg		195.5 KB	2022-10-15 6:52 PM
pic3.jpg		123.4 KB	2022-10-15 6:52 PM
pic4.jpeg		13.4 KB	2022-10-15 6:52 PM
pic5.jpeg		4.9 KB	2022-10-15 6:52 PM

Drag and drop files (objects) here or click to upload



## CODE:

<h1>ONLY HTML CODE IS USED</h1>

```
<div class="container">
```

```
    
```

```
    <div class="container">
```

```
    </div>
```

```
</div>
```

```
<div class="container">
```

```
    
```

```
    <div class="container">
```

```
    </div>
```

```
</div>
```

```
<div class="container">
```

```
    
```

```

<div class="container">

</div>

</div>

<div class="container">

    <div class="container">

    </div>

</div>


<div class="container">

</div>

```

### 3.Upload a css page to the object storage and use the same page in your HTML code.




```

<link rel="stylesheet"
      href="https://storageaccount.s3.jp-tok.cloud-object-
storage.appdomain.cloud/assign_no_3_3.CSS">

```

This link tag is used in head with href as cloud object storage css file object link

**4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.**



**5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.**

**Script:**

**<script>**

```
    window.watsonAssistantChatOptions = {  
        integrationID: "d63547f8-f695-4dc1-9d49-1427ee71a40c", // The ID of this integration.  
        region: "au-syd", // The region your integration is hosted in.  
        serviceInstanceID: "37373119-945f-46a0-928a-ced41dc40f36", // The ID of your service  
instance.  
        onLoad: function (instance) { instance.render(); }  
    };  
    setTimeout(function () {  
        const t = document.createElement('script');  
        t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +  
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
```

```
document.head.appendChild(t);

});

</script>
```

