


PROJECT DEVELOPMENT DELIVERY OF SPRINT-1

SPRINT-1


STEPS TO BE DONE

1. Username and Password in node-red
2. Checking in Databases of IBM cloud
3. Login to Booking page


NODE_RED



WEBPAGE



AFTER LOGGING NAVIGATES TO BOOKING PAGE



CHECKING IN CLOUD DATABASE

The screenshot displays the IBM Cloudant dashboard interface. The browser address bar shows the URL: https://11c920d3-b5bc-422e-8326-152567a21a86-bluemix.cloudant.com/dashboard.html#/database/credentials/_all_docs. The left sidebar contains navigation links for Monitoring, Databases, Replication, Active Tasks, Account, Support, and Documentation. The main content area is titled 'credentials' and includes a 'Document ID' dropdown, 'Options', and a 'JSON' view selector. A 'Create Document' button is located in the top right. The document list shows one document with the ID 'ce1a9d0d50e458e00b803d7d3ad30ba5'. The document's content is displayed in a JSON format, showing a nested structure with 'id', 'key', 'value', and 'doc' fields. The 'value' field contains a JSON object with 'rev', '_id', '_rev', 'username', and 'password' fields. The 'doc' field contains a JSON object with '_id', '_rev', 'username', and 'password' fields. The document is shown in a light blue box with a search icon in the top right corner. The bottom status bar indicates 'Showing document 1 - 1. Documents per page: 20'.

credentials

Document ID Options JSON

Create Document

Table Metadata JSON

id "ce1a9d0d50e458e00b803d7d3ad30ba5"

```
{
  "id": "ce1a9d0d50e458e00b803d7d3ad30ba5",
  "key": "ce1a9d0d50e458e00b803d7d3ad30ba5",
  "value": {
    "rev": "1-d8ce78fe555081d65f730187407582ce"
  },
  "doc": {
    "_id": "ce1a9d0d50e458e00b803d7d3ad30ba5",
    "_rev": "1-d8ce78fe555081d65f730187407582ce",
    "username": "Rakesh Velavaluri",
    "password": "12345678"
  }
}
```

Showing document 1 - 1. Documents per page: 20