AI-BASED LOCALIZATION AND CLASSIFICATION OF SKIN DISEASEWITH ERYTHEMA

Team ID: PNT2022TMID23662

Team Leader: Rasika K
Team member: Anlin Bernishia S
Team member: Marieswari S
Team member: Hemapriya G

Table of Contents

List of Figures

INTRODUCTION

1.1 Overview

Erythema is the redness of the skin or mucous membranes, caused by hyperemia in the superficial capillaries. If these diseases are not treated at an early stage, they can cause complications in the body, including the spread of infection from one person to another. The skin diseases can be prevented by investigating the infected region at an early stage. The characteristics of the skin images are diversified, so it is a challenging job to devise an efficient and robust algorithm for the automatic detection of skin disease and its severity. Skin tone and skin color play an important role in skin disease detection. The color and coarseness of skin are visually different. Automatic processing of such images for skin analysis requires a quantitative discriminator to differentiate the diseases.

1.2 Purpose

To overcome the above problem, we are building an AI-based model that is used for the prevention and early detection of erythema. Basically, skin disease diagnosis depends on different characteristics like colour, shape, texture, etc. Here, the user can capture images of their skin, which are then sent to the trained model, where the information is processed using image processing techniques and then extracted for machine interpretation. The pixels in the image can be manipulated to achieve any desired density and contrast. Finally, the model generates a result and determines whether or not the person has skin disease. Image processing technologies significantly reduce the time spent on a specific activity by the customer. Hence, it is a time- and money-saving process.

LITRATURE SURVEY

2.1 Existing Problem

The Yolo v3 detector is the primary method for pre-screening skin lesions and detecting erythema. YOLO is an algorithm that detects and recognizes various objects in real-time pictures. Object detection in YOLO is done as a regression problem and provides the class probabilities of the detected images. The YOLO algorithm employs convolutional neural networks (CNN) to detect objects in real-time. The algorithm requires only a single forward propagation through a neural network to detect objects. This means that prediction for the entire image is done in a single algorithm run. The CNN is used to predict various class probabilities and bounding boxes simultaneously. Yolo-V3 boasts good performance over a wide range of input resolutions.

2.2 References

https://link.springer.com/article/10.1007/s11042-021-11823-x

https://link.springer.com/chapter/10.1007/978-981-19-0863-7_10

https://iopscience.iop.org/article/10.1088/1757-899X/1076/1/012045

https://onlinelibrary.wiley.com/doi/full/10.1002/ski2.81

https://www.sciencedirect.com/science/article/pii/S1877050919321295

## 2.3 Problem Statement Definition

To build a model that predicts skin diseases that can be prevented by investigating the infected region. Here, the skin tone and skin colour play an important role in skin disease detection. The person can capture images of their skin, and then the image will be sent to a trained model, which analyses the image and detects whether the person has a skin disease or not.

IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas

Empathy Map Canvas: An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviors and attitudes. It is a useful tool to helps teams better understand their users. Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.

3.2 Ideation & Brainstorming

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem solving. Prioritizing volume over value, out-of-the-box ideas are welcome and built upon, and all participants are encouraged to collaborate, helping each other develop a rich amount of creative solutions.

Step-1: Team Gathering, Collaboration and Select the Problem Statement

AI BASED LOCALIZATION AND CLASSIFICATION OF SKIN DISEASE WITH ERYTHEMA

TEAM ID: PNT2022TMID23662

- **10 minutes** to prepare
- **1 hour** to collaborate
- **2-4 people** recommended

→

SKIN DISEASE DETECTION

Erythema is a skin disorder that is considered to be an allergic reaction to medicine or an infection.

🕐 **10 minutes**

A | **Team gathering**
Define who should participate in the session and send an invite. Share relevant information or pre-work ahead.

B | **Set the goal**
Think about the problem you'll be focusing on solving in the brainstorming session.

C | **Learn how to use the facilitation tools**
Use the Facilitation Superpowers to run a happy and productive session.
Open article →

1

Define your problem statement

What problem are you trying to solve? Frame your problem as a How Might We statement. This will be the focus of your brainstorm.

🕐 **5 minutes**

PROBLEM
To detect whether the person is having skin disease or not using YOLO

Key rules of brainstorming
To run a smooth and productive session

- Stay in topic.
- Encourage wild ideas.
- Defer judgment.
- Listen to others.
- Go for volume.
- If possible, be visual.

185.05 x 66.95 in

Step-2: Brainstorm, Idea Listing and Grouping

Brainstorm

Write down any ideas that come to mind then address your problem statement.

⏱ 10 minutes

RASIKA K

- Collect huge image dataset on erythema
- Image processing and using ML and DL Techniques
- Train the machine using both healthy and affected patients images
- Do not need any experience for using this web application
- User friendly web application
- Quick results

ANLIN BERNISHIA S

- Use YOLO algorithm to detect skin disease
- Faster prediction as soon as user uploads the image
- Available 24/7
- Appointment Booking Available
- User friendly web application
- Report will be issued

MARIESWARI S

- Train with more images to get high accuracy
- Clean images for more quality
- Customized dashboard
- Integrated with cloudent DB
- Immediate results
- Give accurate results

HEMAPRIYA G

- Insert more clarity images
- Feasible disease prediction using input from smartphone cameras
- Early diagnosis
- Feel free to test their skin disease themselves
- Powerful tool that help user to identify their disease
- Trustworthy

Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you and break it up into smaller sub-groups.

⏱ 20 minutes

Understanding dataset

- Prepare dataset with huge images of erythema
- Training and Test image dataset
- Perform data cleaning

Method

- Image preprocessing
- Detecting the type of disease from the processed image
- DL - YOLO Algorithm

Based on result

- Faster prediction as soon as user uploads the image
- Effective prediction of skin disease by analyzing skin tone and colour
- Early stage detection of skin disease

Additional Features

- Generate automatic reports
- Upload images from local device
- Online prescription

Step-3: Idea Prioritization

4

Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

⏱ 20 minutes

Generate automatic report

Can upload previous medical history

User friendly

Upload images from camera and local storage

Importance

If each of these tasks could get done without any difficulty or cost, which would have the most positive impact?

Web application

YOLO Algorithm

⚑

Feasibility

Regardless of their importance, which tasks are more feasible than others? (Cost, time, effort, complexity, etc)

3.3 Proposed Solution

To overcome the problems due to Erythema, we are building an AI- model that is used for the early detection and prevention of Erythema by investigating the infected region.

S. No.	Parameter	Description
1	Problem Statement (Problem to be solved)	AI-Based Localization and Classification of Skin Disease withErythema
2	Idea / Solution description	To overcome the above problem, we arebuilding a model that is used for the prevention and early detection of Erythema.
3	Novelty / Uniqueness	The model analyses the image and detectswhether the person is having a skin disease or not, and if detected, gives a detailed description of the disease and treatment suggestions.
4	Social Impact / Customer Satisfaction	Image processing technologies significantly reduce the time spent on a specific activity by the customer. Hence, it is a time and money-saving process.
5	Business Model (Revenue Model)	Medical sectors are using image recognition to improve image analysisfor identifying diseases and predictingthe possibilities of health problems.
6	Scalability of the Solution	Image processing technology has enabled more efficient and accurate treatment plans.

3.4 Problem Solution Fit

Define CS, fit into CC	**1. CUSTOMER SEGMENT(S)** `CS` Patients are customers here	**6. CUSTOMER CONSTRAINTS** `CC` • Need of Experts consultation • Budget Problem	**5. AVAILABLE SOLUTIONS** `AS` After being affected, a patient visits a doctor for a consultation. It requires more travel time and has a budget constraint. It is not suitable for immediate consultation, but it includes an expert prescription that ensures the correct solution and care.	Explore AS, differentiate
Focus on J&P tap into BE, understand RC	**2. JOBS-TO-BE-DONE / PROBLEMS** `J&P` When afflicted with a disease, patients should take picture of the affected area and upload it.	**9. PROBLEM ROOT CAUSE** `RC` Common causes of skin diseases include: Bacteria trapped in your pores or hair follicles. Conditions that affect your thyroid, kidneys or immune system. Contact with environmental triggers, such as allergens or another person's skin.	**7. BEHAVIOUR** `BE` The problem of skin disease is directly connected to the patient. When he or she feels irritation or redness in skin, they can address the issues	Focus on J&P tap into BE, understand RC
Identify strong TR & EM	**3. TRIGGERS** `TR` Patients can know about this from their neighbours, colleagues, and friends. **4. EMOTIONS: BEFORE / AFTER** `EM` Before: The patient may experience discomfort, insecurity, and mental fear after being infected. After: They can know about the affected disease.	**10. YOUR SOLUTION** `SL` To overcome the problem we are building a model which is used for the prevention and early detection of skin cancer, psoriasis. Basically, skin disease diagnosis depends on the different characteristics like colour, shape, texture etc. Here the person can capture the images of skin and then the image will be sent the trained model. The model analyses the image and detect whether the person is having skin disease or not	**8.CHANNELS of BEHAVIOUR** `CH` **8.1 ONLINE** Users upload pictures of the affected area. **8.2 OFFLINE** After the classification of disease , they can consult a doctor and cure the disease.	Identify strong TR & EM

REQUIREMENT ANALYSIS

4.1 Functional Requirements

| FR. No.	Functional Requirement (Epic)	Sub Requirement (Story /Sub-Task)
1	User Registration	Registration through Form Registration through Gmail
2	User Confirmation	Confirmation via EmailConfirmation via OTP
3	User Profile	Users provides their medicalhistory.
4	User Uploads Images (Input)	Upload Images as jpegUpload Images as png
5	Output Analysis	Output analyzed throughtrained model
6	Provides Description	Gives the detailed description of the skindisease found

4.2 Non-functional Requirements

NFR No.	Non-Functional Requirement	Description
1	Usability	Used to classify skin disease with erythema
2	Security	It offers greater security and prevents unauthorized individuals from accessinguser's data.
3	Reliability	Even with more users, there will be agood performance without failure.
4	Performance	With greater accuracy, the performanceis high.
5	Availability	With a good system, all authorized userscan accessit.
6	Scalability	Performance will be good even with thehigher user traffic.

PROJECT DESIGN

5.1 Data Flow Diagrams

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.


5.2 Solution Architecture

Solution architecture is a complex process – with many sub-processes – that bridges the gap between business problems and technology solutions. Its goals are to:
- Find the best tech solution to solve existing business problems.
- Describe the structure, characteristics, behaviour, and other aspects of the software to project stakeholders.
- Define features, development phases, and solution requirements.
- Provide specifications according to which the solution is defined, managed, and delivered.

Solution Architecture Diagram:

Technical Architecture:

5.3 User Stories

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account/ dashboard.	High	Sprint-1
	Confirmation	USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
	Login	USN-3	As a user, I can login for the application through Gmail	I can access my account/ dashboard	medium	Sprint-1
	Login	USN-4	As a user, I can log into the application by entering email & password	I can access my account/ dashboard	high	Sprint-1
	Dashboard	USN-5	As a user, I can see the my profile, medical history, upload image,getting report services provided by the application	I can get into one of the services and use	medium	Sprint-2
	Data input	USN-6	As a user, I can upload the images of the affected skin area	I can submit it to the application	high	Sprint-2
Administrator	Train model	USN-7	As a administrator , I can train a model to compare the images uploaded with the images in the database to detect the disease	I can test the model whether it meets the criteria	high	Sprint-3
Trained model	Image processing	USN-8	By comparing the images the disease will be detected with the given datasets	All the necessary operation performed and information extracted.	high	Sprint-3
	Report generation	USN-9	Based on the detection of disease, report generated	The results will be shown on the screen to the patients.	high	Sprint-4

PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation

Product Backlog, Sprint Schedule, and Estimation:

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email,password, and confirming my password.	2	High	Anlin Bernishia
Sprint-1	Confirmation	USN-2	As a user, I will receive confirmation email once I haveregistered for the application	1	High	Rasika K
Sprint-1	Login	USN-3	As a user, I can login for theapplication through Gmail	2	Medium	Anlin Bernishia
Sprint-1	Login	USN-4	As a user, I can log into the application by entering email&password	2	High	Anlin Bernishia
Sprint-2	Dashboard	USN-5	As a user, I can see my profile, medical history, upload image, getting report services provided by the application	1	Medium	Marieswari S
Sprint-2	Data input	USN-6	As a user, I can upload the imagesof the affected skin area	1	High	Hemapriya G
Sprint-3	Train model	USN-7	As a administrator, I can train a model to compare the images uploaded with the images in the database to detect the disease	2	High	Hemapriya G
Sprint-3	Image Processing	USN-8	By comparing the images, the disease will be detected with thegiven datasets	2	High	Marieswari S
Sprint-4	Report generation	USN-9	Based on the detection ofdisease, report generated	2	High	Rasika K

6.2 Sprint Delivery Schedule

Project Tracker, Velocity & Burndown Chart:

| Sprint	Total Story Points	Duration	Sprint Start Date	Sprint EndDate (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	07 Nov 2022	20	07 Nov 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	14 Nov 2022
Sprint-4	20	6 Days	07 Nov 2022	19 Nov 2022	20	19 Nov 2022

Velocity:

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{10} = 2$$

Burndown Chart:

A burn down chart is a graphical representation of work left to do versus time. It is often used in agile software development methodologies such as Scrum. However, burn down charts can be applied to any project containing measurable progress over time.

6.4 Reports from JIRA

Roadmap:

Backlog:

Board:

CODING & SOLUTIONING

7.1 Feature 1

Annotate Images Our detector needs some high-quality training examples before it can start learning. The images in our training folder are manually labelled using Microsoft's Visual Object Tagging Tool (VoTT). At least 100 images should be annotated for each category to get respectable results. The VoTT csv formatted annotation data is converted to YOLOv3 format by Convert_to_YOLO_format.py file.

Code:

```
from PIL import Image
from is import path, makedirs
import os
 import re
 import pandas as pd
 import sys
import argparse


def get_parent_dir(n=1):
    """ returns the n-the parent directory of the current
    working directory """
    current_path = os.path.dirname(os.path.abspath(__file__))
    for k in range(n):
        current_path = os.path.dirname(current_path)
    return current_path


sys.path.append(os.path.join(get_parent_dir(1), "Utils"))
from Convert_Format import convert_vott_csv_to_yolo
```

```python
Data_Folder = os.path.join(get_parent_dir(1), "Data")
VoTT_Folder = os.path.join(
    Data_Folder, "Source_Images", "Training_Images", "vott-csv-export"
)
VoTT_csv = os.path.join(VoTT_Folder, "Annotations-export.csv")
YOLO_filename = os.path.join(VoTT_Folder, "data_train.txt")


model_folder = os.path.join(Data_Folder, "Model_Weights")
classes_filename = os.path.join(model_folder, "data_classes.txt")


if __name__ == "__main__":
    # surpress any inhereted default values
    parser = argparse.ArgumentParser(argument_default=argparse.SUPPRESS)
    """
    Command line options
    """
    parser.add_argument(
        "--VoTT_Folder",
        type=str,


        default=VoTT_Folder,
        help="Absolute path to the exported files from the image tagging step with
VoTT. Default is "
        + VoTT_Folder,
    )
```

```python
    parser.add_argument(
        "--VoTT_csv",
        type=str,
        default=VoTT_csv,
        help="Absolute path to the *.csv file exported from VoTT. Default is "
        + VoTT_csv,
    )
    parser.add_argument(
        "--YOLO_filename",
        type=str,
        default=YOLO_filename,
        help="Absolute path to the file where the annotations in YOLO format should be
saved. Default is "
        + YOLO_filename,
    )

    FLAGS = parser.parse_args()

    # Prepare the dataset for YOLO
    multi_df = pd.read_csv(FLAGS.VoTT_csv)
    labels = multi_df["label"].unique()
    labeldict = dict(zip(labels, range(len(labels))))
    multi_df.drop_duplicates(subset=None, keep="first", inplace=True)
    train_path = FLAGS.VoTT_Folder
    convert_vott_csv_to_yolo(
        multi_df, labeldict, path=train_path, target_name=FLAGS.YOLO_filename
```

```
)
```

```python
    # Make classes file
    file = open(classes_filename, "w")


    # Sort Dict by Values
    SortedLabelDict = sorted(labeldict.items(), key=lambda x: x[1])
    for elem in SortedLabelDict:
        file.write(elem[0] + "\n")
    file.close()
```

7.2 Feature 2

Training Yolo

To prepare for the training process, convert the YOLOv3 model to the Keras format. The YOLOv3 Detector can then be trained by Train_YOLO.py file.

Code:

```python
import  os
import sys
import argparse
import warnings

def get_parent_dir(n=1):
    """ returns the n-th parent directory of the current
    working directory """
    current_path = os.path.dirname(os.path.abspath(__file__))
    for k in range(n):
        current_path = os.path.dirname(current_path)
    return current_path
```

```python
src_path = os.path.join(get_parent_dir(0), "src")
sys.path.append(src_path)

utils_path = os.path.join(get_parent_dir(1), "Utils")
sys.path.append(utils_path)

import numpy as np
import keras.backend as K
from keras.layers import Input, Lambda
from keras.models import Model
from keras.optimizers import Adam
from keras.callbacks import (
    TensorBoard,
    ModelCheckpoint,
    ReduceLROnPlateau,
    EarlyStopping,
)
from keras_yolo3.yolo3.model import (
    preprocess_true_boxes,
    yolo_body,
    tiny_yolo_body,
    yolo_loss,
)
from keras_yolo3.yolo3.utils import get_random_data
from PIL import Image
from time import time
```

```python
import tensorflow.compat.v1 as tf
import pickle

from Train_Utils import (
    get_classes,
    get_anchors,

create_model,
    create_tiny_model,
    data_generator,
    data_generator_wrapper,
    ChangeToOtherMachine,
)



keras_path = os.path.join(src_path, "keras_yolo3")
Data_Folder = os.path.join(get_parent_dir(1), "Data")
Image_Folder = os.path.join(Data_Folder, "Source_Images", "Training_Images")
VoTT_Folder = os.path.join(Image_Folder, "vott-csv-export")
YOLO_filename = os.path.join(VoTT_Folder, "data_train.txt")


Model_Folder = os.path.join(Data_Folder, "Model_Weights")
YOLO_classname = os.path.join(Model_Folder, "data_classes.txt")


log_dir = Model_Folder
anchors_path = os.path.join(keras_path, "model_data", "yolo_anchors.txt")
weights_path = os.path.join(keras_path, "yolo.h5")
```

```python
FLAGS = None


if __name__ == "__main__":
    # Delete all default flags
    parser = argparse.ArgumentParser(argument_default=argparse.SUPPRESS)
    """
    Command line options
    """

    parser.add_argument(
        "--annotation_file",
        type=str,
        default=YOLO_filename,
        help="Path to annotation file for Yolo. Default is " + YOLO_filename,
    )
    parser.add_argument(
        "--classes_file",
        type=str,
        default=YOLO_classname,
        help="Path to YOLO classnames. Default is " + YOLO_classname,
    )

    parser.add_argument(
        "--log_dir",
        type=str,
        default=log_dir,
```

```python
        help="Folder to save training logs and trained weights to. Default is "
        + log_dir,
    )


    parser.add_argument(
        "--anchors_path",
        type=str,
        default=anchors_path,

        help="Path to YOLO anchors. Default is " + anchors_path,
    )


    parser.add_argument(
        "--weights_path",
        type=str,
        default=weights_path,
        help="Path to pre-trained YOLO weights. Default is " + weights_path,
    )
    parser.add_argument(
        "--val_split",
        type=float,
        default=0.1,
        help="Percentage of training set to be used for validation. Default is 10%.",
    )
    parser.add_argument(
        "--is_tiny",
        default=False,
```

```python
        action="store_true",
        help="Use the tiny Yolo version for better performance and less accuracy.
Default is False.",
    )
    parser.add_argument(
        "--random_seed",
        type=float,
        default=None,
        help="Random seed value to make script deterministic. Default is 'None', i.e.
non-deterministic.",
    )
    parser.add_argument(
        "--epochs",
        type=float,
        default=51,
        help="Number of epochs for training last layers and number of epochs for fine-
tuning layers. Default is 51.",
    )
    parser.add_argument(
        "--warnings",
        default=False,
        action="store_true",
         help="Display warning messages. Default is False.",
    )

    FLAGS = parser.parse_args()
```

```python
    if not FLAGS.warnings:
        tf.logging.set_verbosity(tf.logging.ERROR)
        os.environ['TF_CPP_MIN_LOG_LEVEL']='3'
        warnings.filterwarnings("ignore")

    np.random.seed(FLAGS.random_seed)

    log_dir = FLAGS.log_dir

    class_names = get_classes(FLAGS.classes_file)
    num_classes = len(class_names)
    anchors = get_anchors(FLAGS.anchors_path)
    weights_path = FLAGS.weights_path

    input_shape = (416, 416) # multiple of 32, height, width
    epoch1, epoch2 = FLAGS.epochs, FLAGS.epochs

    is_tiny_version = len(anchors) == 6 # default setting
    if FLAGS.is_tiny:
        model = create_tiny_model(
            input_shape, anchors, num_classes, freeze_body=2,
weights_path=weights_path
        )
    else:
        model = create_model(
            input_shape, anchors, num_classes, freeze_body=2,
weights_path=weights_path
```

```python
    ) # make sure you know what you freeze

    log_dir_time = os.path.join(log_dir, "{}".format(int(time())))
    logging = TensorBoard(log_dir=log_dir_time)
    checkpoint = ModelCheckpoint(
        os.path.join(log_dir, "checkpoint.h5"),
        monitor="val_loss",
        save_weights_only=True,
        save_best_only=True,
        period=5,
    )
    reduce_lr = ReduceLROnPlateau(monitor="val_loss", factor=0.1, patience=3,
verbose=1)
    early_stopping = EarlyStopping(
        monitor="val_loss", min_delta=0, patience=10, verbose=1
    )

    val_split = FLAGS.val_split
    with open(FLAGS.annotation_file) as f:
        lines = f.readlines()

    # This step makes sure that the path names correspond to the local machine
    # This is important if annotation and training are done on different machines (e.g.
training on AWS)
    lines = ChangeToOtherMachine(lines, remote_machine="")
    np.random.shuffle(lines)
    num_val = int(len(lines) * val_split)
```

```python
    num_train = len(lines) - num_val


    # Train with frozen layers first, to get a stable loss.
    # Adjust num epochs to your dataset. This step is enough to obtain a decent model.
    if True:
        model.compile(
            optimizer=Adam(lr=1e-3),
            loss={
                # use custom yolo_loss Lambda layer.
                "yolo_loss": lambda y_true, y_pred: y_pred
            },
        )


        batch_size = 32
        print(
            "Train on {} samples, val on {} samples, with batch size {}.".format(
                num_train, num_val, batch_size
            )
        )
        history = model.fit_generator(
            data_generator_wrapper(
                lines[:num_train], batch_size, input_shape, anchors, num_classes
            ),
            steps_per_epoch=max(1, num_train // batch_size),
            validation_data=data_generator_wrapper(
                lines[num_train:], batch_size, input_shape, anchors, num_classes
            ),
```

```python
            validation_steps=max(1, num_val // batch_size),
            epochs=epoch1,
            initial_epoch=0,
            callbacks=[logging, checkpoint],
        )
        model.save_weights(os.path.join(log_dir, "trained_weights_stage_1.h5"))


        step1_train_loss = history.history["loss"]


        file = open(os.path.join(log_dir_time, "step1_loss.npy"), "w")
        with open(os.path.join(log_dir_time, "step1_loss.npy"), "w") as f:
            for item in step1_train_loss:
                f.write("%s\n" % item)
        file.close()


        step1_val_loss = np.array(history.history["val_loss"])


        file = open(os.path.join(log_dir_time, "step1_val_loss.npy"), "w")
        with open(os.path.join(log_dir_time, "step1_val_loss.npy"), "w") as f:
            for item in step1_val_loss:
                f.write("%s\n" % item)
        file.close()

    # Unfreeze and continue training, to fine-tune.
    # Train longer if the result is unsatisfactory.
    if True:
        for i in range(len(model.layers)):
```

```python
        model.layers[i].trainable = True
    model.compile(
        optimizer=Adam(lr=1e-4), loss={"yolo_loss": lambda y_true, y_pred: y_pred}
    )  # recompile to apply the change
    print("Unfreeze all layers.")

    batch_size = (
        4  # note that more GPU memory is required after unfreezing the body
    )
    print(
        "Train on {} samples, val on {} samples, with batch size {}.".format(
            num_train, num_val, batch_size
        )
    )
    history = model.fit_generator(
        data_generator_wrapper(
            lines[:num_train], batch_size, input_shape, anchors, num_classes
        ),
        steps_per_epoch=max(1, num_train // batch_size),
        validation_data=data_generator_wrapper(
            lines[num_train:], batch_size, input_shape, anchors, num_classes
        ),
        validation_steps=max(1, num_val // batch_size),
        epochs=epoch1 + epoch2,
        initial_epoch=epoch1,
        callbacks=[logging, checkpoint, reduce_lr, early_stopping],
    )
```

```python
        model.save_weights(os.path.join(log_dir, "trained_weights_final.h5"))

        step2_train_loss = history.history["loss"]


        file = open(os.path.join(log_dir_time, "step2_loss.npy"), "w")
        with open(os.path.join(log_dir_time, "step2_loss.npy"), "w") as f:
            for item in step2_train_loss:
                f.write("%s\n" % item)
    file.close()


        step2_val_loss = np.array(history.history["val_loss"])


        file = open(os.path.join(log_dir_time, "step2_val_loss.npy"), "w")
        with open(os.path.join(log_dir_time, "step2_val_loss.npy"), "w") as f:
            for item in step2_val_loss:
                f.write("%s\n" % item)
    file.close()
```

7.3 Database Schema

- Registration: When a new user registers, the backend connects to the IBM Cloudant and stores the user's credentials in the database.
- Login: To check if a user is already registered, the backend connects to Cloudant when they attempt to log in. They are an invalid user if they are not already registered.
- IBM cloudant: Stores the data which is registered.
- app.py: Connects both Frontend and the cloudant for the verification of user credentials

Diagram:

Registration

◇ name	VARCHAR(255)
◇ _id	VARCHAR(255)
◇ psw	VARCHAR(255)

Login

◇ _id	VARCHAR(255)
◇ psw	VARCHAR(255)

CloudantDB

◇ _id	VARCHAR(255)
◇ psw	VARCHAR(255)

Python Application

◇ _id	VARCHAR(255)
◇ psw	VARCHAR(255)

TESTING

8.1 Test Case

Test Case No.	Action	Expected Output	Actual Output	Result
1	Register for the website	Stores name, email, and password in Database	Stores name,email, and password in Database	Pass
2	Login to the website	Giving the right credentials, results in a successful login.	Giving the right credentials, results in a successful login.	Pass
3	Detecting the disease	It should predict the disease	It should predictthe disease	Pass

8.2 User Acceptance Testing

Section	Total Cases	Not Tested	Fail	Pass
Registration	9	0	0	9
Login	40	0	0	40
Security	2	0	0	2
Disease Detection	10	0	0	10
Exception Reporting	9	0	0	9
Final Report Output	4	0	0	4
Version Control	2	0	0	2

RESULTS

9.1 Performance Metrics

S.No.	Parameter	Values
1.	Model Summary	To evaluate object detection models like R-CNN and YOLO, the mean average precision (mAP) is used. ThemAP compares the ground-truth bounding box to thedetected box and returns a score.
2.	Accuracy	Training Accuracy – 89% Validation Accuracy – 95%
3.	Confidence Score (Only Yolo Projects)	Class Detected – 93% Confidence Score – 90%

ADVANTAGES & DISADVANTAGES

Advantages:

➤ Image processing technology has enabled more efficient and accurate treatment plans.

➤ It is time and money-saving process.

➤ Performance of the model will be good even with the higher user traffic.

➤ In Image processing, the pixels in the image can be manipulated to any desired density and contrast.

➤ Since high pixel quality is generated, easy classification of skin disease is possible

Disadvantages:

➤ AI-Models are Susceptible to security risks.

➤ Inaccuracies are still possible.

➤ Although AI has come a long way, human surveillance is still essential.

CONCLUSION

Even without a large dataset and high-quality images, it is possible to achieve sufficient accuracy rates in this AI model. With accurate segmentation, we gain knowledge of the location of the disease, which is useful in the pre-processing of data used in classification as it allows the YOLO model to focus on the area of interest. Our method provides a solution to classifying multiple diseases with higher quality and a larger quantity of data. With the assistance of our AI-based methods, it saves time and money for patients.

FUTURE SCOPE

The future of AI in detecting skin diseases could include tasks that range from simple to complex—everything from answering the phone to medical record review, reading radiology images, making clinical diagnoses and treatment plans, and even talking with patients.AI is already at work, increasing convenience and efficiency, reducing costs and errors, and generally making it easier for more patients to receive the health care they need. While AI is being used in health care, it will become increasingly important for its potential to enhance patient engagement in their own care and streamline patient access to care.

APPENDIX

SOURCE CODE

```python
import re
import numpy as np
import os
from flask import Flask, app,request,render_template
import sys
from flask import Flask, request, render_template, redirect, url_for
import argparse
from tensorflow import keras
from PIL import Image
from timeit import default_timer as timer
import test
import pandas as pd
import numpy as np
import random


def get_parent_dir(n=1):
    """ returns the n-th parent dicrectory of the current
    working directory """
    current_path = os.path.dirname(os.path.abspath(__file__))
     for k in range(n):
        current_path = os.path.dirname(current_path)
    return current_path
```

```python
src_path =r'C:\Users\MadhuVasanth1606\Desktop\yolo_structure\2_Training\src'
print(src_path)
utils_path = r'C:\Users\MadhuVasanth1606\Desktop\yolo_structure\Utils'
print(utils_path)

sys.path.append(src_path)
sys.path.append(utils_path)

import argparse
from keras_yolo3.yolo import YOLO, detect_video
from PIL import Image
from timeit import default_timer as timer
from utils import load_extractor_model, load_features, parse_input, detect_object
import test
import utils
import pandas as pd
import numpy as np
from Get_File_Paths import GetFileList
import random
os.environ["TF_CPP_MIN_LOG_LEVEL"] = "3"
# Set up folder names for default values
data_folder = os.path.join(get_parent_dir(n=1), "yolo_structure", "Data")
image_folder = os.path.join(data_folder, "Source_Images")
```

```python
image_test_folder = os.path.join(image_folder, "Test_Images")

detection_results_folder = os.path.join(image_folder,
"Test_Image_Detection_Results")

detection_results_file = os.path.join(detection_results_folder,
"Detection_Results.csv")

model_folder = os.path.join(data_folder, "Model_Weights")


model_weights = os.path.join(model_folder, "trained_weights_final.h5")

model_classes = os.path.join(model_folder, "data_classes.txt")


anchors_path = os.path.join(src_path, "keras_yolo3", "model_data",
"yolo_anchors.txt")


FLAGS = None



from cloudant.client import Cloudant


# Authenticate using an IAM API key

client = Cloudant.iam('5b73f72f-2449-4298-88e8-3f887f8bbd2d-
bluemix','t3wXXORf8KoIMLzYFX2sk4e22uluSBKhM9-K4Q5b1zuK',
connect=True)



# Create a database using an initialized client

my_database = client.create_database('skindisease')
```

```python
app=Flask(__name__)

#default home page or route
@app.route('/')
def index():
    return render_template('index.html')




@app.route('/index.html')
def home():
    return render_template("index.html")


#registration page
@app.route('/register')
def register():
    return render_template('register.html')


@app.route('/afterreg', methods=['POST'])
def afterreg():
    x = [x for x in request.form.values()]
    print(x)
    data = {
    '_id': x[1], # Setting _id is optional
```

```python
        'name': x[0],

        'psw':x[2]

        }

    print(data)


    query = {'_id': {'$eq': data['_id']}}


    docs = my_database.get_query_result(query)

    print(docs)


    print(len(docs.all()))


    if(len(docs.all())==0):

        url = my_database.create_document(data)

        #response = requests.get(url)

        return render_template('register.html', pred="Registration Successful, please
login using your details")

    else:

        return render_template('register.html', pred="You are already a member, please
login using your details")


#login page

@app.route('/login')

def login():

    return render_template('login.html')
```

```python
@app.route('/afterlogin',methods=['POST'])
def afterlogin():
    user = request.form['_id']
    passw = request.form['psw']
    print(user,passw)


    query = {'_id': {'$eq': user}}


    docs = my_database.get_query_result(query)
    print(docs)


    print(len(docs.all()))



    if(len(docs.all())==0):
        return render_template('login.html', pred="The username is not found.")
    else:
        if((user==docs[0][0]['_id'] and passw==docs[0][0]['psw'])):
            return redirect(url_for('prediction'))
        else:
            print('Invalid User')



@app.route('/logout')
def logout():
```

```python
    return render_template('logout.html')


@app.route('/prediction')
def prediction():
    return render_template('prediction.html')




@app.route('/result',methods=["GET","POST"])
def res():
    # Delete all default flags
    parser = argparse.ArgumentParser(argument_default=argparse.SUPPRESS)
    """
    Command line options
    """

    parser.add_argument(
        "--input_path",
        type=str,
        default=image_test_folder,
        help="Path to image/video directory. All subdirectories will be included. Default
is "
        + image_test_folder,
    )

    parser.add_argument(
        "--output",
```

```python
        type=str,

        default=detection_results_folder,

        help="Output path for detection results. Default is "

        + detection_results_folder,

    )


    parser.add_argument(

        "--no_save_img",

        default=False,

        action="store_true",

        help="Only save bounding box coordinates but do not save output images with
annotated boxes. Default is False.",

    )


    parser.add_argument(

        "--file_types",

        "--names-list",

        nargs="*",

        default=[],

        help="Specify list of file types to include. Default is --file_types .jpg .jpeg .png
.mp4",

    )


    parser.add_argument(

        "--yolo_model",

        type=str,
```

```python
        dest="model_path",

        default=model_weights,

        help="Path to pre-trained weight files. Default is " + model_weights,

    )


    parser.add_argument(

        "--anchors",

        type=str,

        dest="anchors_path",

        default=anchors_path,

        help="Path to YOLO anchors. Default is " + anchors_path,

    )


    parser.add_argument(

        "--classes",

        type=str,

        dest="classes_path",

        default=model_classes,

        help="Path to YOLO class specifications. Default is " + model_classes,

    )


    parser.add_argument(

        "--gpu_num", type=int, default=1, help="Number of GPU to use. Default is 1"

    )
```

```python
    parser.add_argument(

        "--confidence",

        type=float,

        dest="score",

        default=0.25,

        help="Threshold for YOLO object confidence score to show predictions. Default
is 0.25.",

    )


    parser.add_argument(

        "--box_file",

        type=str,

        dest="box",

        default=detection_results_file,

        help="File to save bounding box results to. Default is "

        + detection_results_file,

    )


    parser.add_argument(

        "--postfix",

        type=str,

        dest="postfix",

        default="_disease",

        help='Specify the postfix for images with bounding boxes. Default is "_disease"',

    )
```

```python
FLAGS = parser.parse_args()

save_img = not FLAGS.no_save_img

file_types = FLAGS.file_types
#print(input_path)

if file_types:
    input_paths = GetFileList(FLAGS.input_path, endings=file_types)
    print(input_paths)
else:
    input_paths = GetFileList(FLAGS.input_path)
    print(input_paths)

# Split images and videos
img_endings = (".jpg", ".jpeg", ".png")
vid_endings = (".mp4", ".mpeg", ".mpg", ".avi")

input_image_paths = []
input_video_paths = []
for item in input_paths:
    if    item.endswith(img_endings):
        input_image_paths.append(item)
    elif   item.endswith(vid_endings):
        input_video_paths.append(item)
```

```python
    output_path = FLAGS.output
    if not os.path.exists(output_path):
        os.makedirs(output_path)

    # define YOLO detector
    yolo = YOLO(
        **{
            "model_path": FLAGS.model_path,
            "anchors_path": FLAGS.anchors_path,
            "classes_path": FLAGS.classes_path,
            "score": FLAGS.score,
            "gpu_num": FLAGS.gpu_num,
            "model_image_size": (416, 416),
        }
    )

    # Make a dataframe for the prediction outputs
    out_df = pd.DataFrame(
        columns=[
            "image",
            "image_path",
            "xmin",
            "ymin",
            "xmax",
```

```python
        "ymax",

        "label",

        "confidence",

        "x_size",

        "y_size",

    ]
)


# labels to draw on images
class_file = open(FLAGS.classes_path, "r")

input_labels = [line.rstrip("\n") for line in class_file.readlines()]

print("Found {} input labels: {} ...".format(len(input_labels), input_labels))


if input_image_paths:
    print(
        "Found {} input images: {} ...".format(
            len(input_image_paths),
            [os.path.basename(f) for f in input_image_paths[:5]],
        )
    )
    start = timer()
    text_out = ""


    # This is for images
    for i, img_path in enumerate(input_image_paths):
```

```python
print(img_path)
prediction, image,lat,lon= detect_object(
    yolo,
    img_path,
    save_img=save_img,
    save_img_path=FLAGS.output,
    postfix=FLAGS.postfix,
)
print(lat,lon)
y_size, x_size, _ = np.array(image).shape
for single_prediction in prediction:
    out_df = out_df.append(
        pd.DataFrame(
            [
                [
                    os.path.basename(img_path.rstrip("\n")),
                    img_path.rstrip("\n"),
                ]
                + single_prediction
                + [x_size, y_size]
            ],
            columns=[
                "image",
                "image_path",
                "xmin",
```

```python
                    "ymin",
                    "xmax",
                    "ymax",
                    "label",
                    "confidence",
                    "x_size",
                    "y_size",
                ],
            )
        )
    end = timer()
    print(
        "Processed {} images in {:.1f}sec - {:.1f}FPS".format(
            len(input_image_paths),
            end - start,
            len(input_image_paths) / (end - start),
        )
    )
    out_df.to_csv(FLAGS.box, index=False)

# This is for videos
if input_video_paths:
    print(
        "Found {} input videos: {} ...".format(
            len(input_video_paths),
```

```python
            [os.path.basename(f) for f in input_video_paths[:5]],
        )
    )
    start = timer()
    for i, vid_path in enumerate(input_video_paths):
        output_path = os.path.join(
            FLAGS.output,
            os.path.basename(vid_path).replace(".", FLAGS.postfix + "."),
        )
        detect_video(yolo, vid_path, output_path=output_path)

        end = timer()
        print(
            "Processed {} videos in {:.1f}sec".format(
                len(input_video_paths), end - start
            )
        )
    # Close the current yolo session
    yolo.close_session()
    return render_template('prediction.html')


""" Running our application """
if __name__ == "__main__":
    app.run(debug=True)
```

GitHub & Project Demo Link

Github: https://github.com/IBM-EPBL/IBM-Project-32562-1660210786

Project Demo Link: https://drive.google.com/file/d/1y7-z26L_tGwXs_pnJED4ecYQMHXB4F9_/view?usp=drivesdk