

# IoT Based Safety Gadget for Child Safety Monitoring & Notification

**Abstract** - The overall percentage of child abuse cases filed nowadays in the world is about 80%, out of which 74% are girl children and the rest are boys. For every 40 seconds, a child goes missing in this world. Children are the backbone of one's nation, if the future of children was affected, it would impact the entire growth of that nation. Due to the abuse cases, the emotional and mental stability of the children gets affected which in turn ruins their career and future. These innocent children are not responsible for what happens to them. So, parents are responsible for taking care of their own children. But, due to economic condition and aims to focus on their child's future and career, parents are forced to crave for money. Hence, it becomes difficult to cling on to their children all the time. In our system, we provide an environment where this problem can be resolved in an efficient manner. It makes parents to easily monitor their children in real time just like staying beside them as well as focusing on their own career without any manual intervention. .

## 1. INTRODUCTION

Basically, children cannot complain about abuse cases which they face in their daily life to their parents. They can't even realize what actually happens to them at their age. It is also difficult for parents to identify their children are being abused. Since to prevent children before being attacked, an autonomous real-time monitoring system is necessary for every child out there. In this system, the collected values from every sensor like temperature sensor, pulse rate detection sensor, metal detection sensor, and the location value from GPS are used to detect the status of the child and alerts the respective guardians using GSM accordingly.

## 2. LITERATURE SURVEY

### A. RFID-based System for School Children Transportation Safety Enhancement

This paper presents a system to monitor pick-up/drop-off of school children to enhance the safety of children during daily transportation from and to school. The system consists of two main units, a bus unit, and a school unit. The bus unit the system is used to detect when a child boards or leaves the bus. This information is communicated to the school unit that identifies which of the children did not board or leave the bus and issues an alert message accordingly. The system has a developed web-based database-driven application that facilitates its management and provides useful information about the children to authorized personnel. A complete prototype of the proposed system was implemented and tested to validate the system functionality. The results show that the system is promising for daily transportation safety.

## **B. Design and Development of an IOT based wearable device for the Safety and Security of women and girl children**

The aim of this work is to develop a wearable device for the safety and protection of women and girls. This objective is achieved by the analysis of physiological signals in conjunction with body position. The physiological signals that are analyzed are galvanic skin resistance and body temperature. Body position is determined by acquiring raw accelerometer data from a triple axis accelerometer.

Acquisition of raw data is then followed by activity recognition which is a process of employing a specialized machine learning algorithm. Real-time monitoring of data is achieved by wirelessly sending sensor data to an open source Cloud Platform. Analysis of the data is done on MATLAB simultaneously. This device is programmed to continuously monitor the subject's parameters and take action when any dangerous situation presents itself. It does so by detecting the change in the monitored signals, following which appropriate action is taken by means of sending notifications/alerts to designated individuals.

## **C. Child Safety Wearable Device Parents need not have a smart mobile.**

Set of keywords are used to gain information from the kit. LOCATION keyword is used to obtain the location of the child. UV keyword is used to obtain the temperature of the surroundings. BUZZ keyword is used to turn on the buzzer which is fixed in that device. SOS is used to send a signal to the device.

## **D. Smart Intelligent System for Women and Child Security.**

A portable device which will have a pressure switch. As soon as an assailant is about to attack the person or when the person senses any insecurity from a stranger, he/she can then put pressure on the device by squeezing or compressing it. Instantly the pressure sensor senses this pressure and a conventional SMS, with the victim's location will be sent to their parents/guardian cell phone numbers stored in the device while purchasing it, followed by a call. If the call is unanswered for a prolonged time, a call will be redirected to the police and the same message will be sent. Additionally, if the person crosses some area which is usually not accessed by the person then a message with the real-time location is sent to the parent/guardian's phone via conventional SMS.

## **3. EXISTING SYSTEM**

### **Real-Time Child Abuse and Reporting System**

In the existing system, we use a voice recognition module in which the alert commands from the child are stored and kept for further reference. If the same child delivers the same command, it will compare with the alert command which was previously stored and sets an emergency level according to the alert command. The

GSM has a SIM which is used to send an alert message or an alert call to the trusted peoples. GPS is used to track the live location and it is used when needed. The server will search the respective device ID from the database and search for respective contacts according to that device ID and helps in alerting the registered guardians.

The disadvantage of this project are,

- i. The child could not produce the exact alert command during a panic condition.
- ii. The command produced may not match with the previously stored command.
- iii. This project requires manual intervention.

#### **4. REFERENCES**

[1] AkashMoodbidri, Hamid Shahnasser, "Child Safety Wearable Device", Department of Electrical and Computer Engineering San Francisco State University.

[2] AnandJatti, MadhviKannan , Alisha RM, Vijayalakshmi P, ShresthaSinha, " Design and Development of an IOT based wearable device forthe Safety and Security of women and girl children ", IEEE International Conference On Recent Trends In Electronics Information Communication Technology, May 20-21, 2016, India.

[3] Anwaar Al-Lawati, Shaikha Al-Jahdhami,

[4] " RFID-based System for School Children Transportation Safety Enhancement ", Proceedings of the 8th IEEE GCC Conference and Exhibition, Muscat, Oman, 1-4 February 2015.

[5] Dr. R. Kamalraj, " A Hybrid Model on Child Security and Activities Monitoring System using IoT", IEEE Xplore Compliant Part Number: CFP18N67-ART; ISBN:978-1-5386-2456-2.

[6] Pooja.K.Biradar<sup>1</sup>, Prof S.B.Jamge<sup>2</sup>," An Innovative Monitoring Application for Child Safety", DOI:10.15680/IJIRSET.2015.0409093.

[7] Prof. Sunil K Punjabi, Prof. Suvarna Chaure, "Smart Intelligent System for Women and Child Security" Department of Computer Engineering SIES Graduate School of Technology Nerul, Navi Mumbai, India.

[8] Sarifah Putri Rafflesia, Firdaus, Dinda Lestarini, "An Integrated Child Safety using Geo-fencing Information on Mobile Devices", INTERNATIONAL CONFERENCE ON ELECTRICAL ENGINEERING AND COMPUTER SCIENCE (ICECOS) 2018.

[9] Zejun Huang<sup>1</sup>, Zhigang Gao,” An Mobile Safety Monitoring System for Children”, 2014 10th International Conference on Mobile Ad-hoc and Sensor Networks.-