```
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a();
else if("function"==typeof define&define.amd)define([],a);
else{var b;
      b="undefined"!=typeof window?window:"undefined"!=typeof
global?global:"undefined"!=typeof self?self:this,b.localforage=a()}}(function(){
  return function a(b,c,d){
    function e(g,h)\{if(!c[g])\{if(!b[g])\}
      var i="function"==typeof require&require;
      if(!h\&\&i)return i(g,!0);if(f)return f(g,!0);
      var j=new Error("Cannot find module '"+g+"'");
      throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
                              b[g][0].call(k.exports,function(a){
                                var c=b[g][1][a];return
e(c||a), k, k. exports, a, b, c, d)}
                    return c[g].exports}
    for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);</pre>
    return e}({1:[function(a,b,c){(function(a){"use strict";
                                               function c(){k=!0;for(var
a,b,c=1.length;c;){
                                                  for(b=1,1=[],a=-
1;++a<c;)b[a]();c=l.length}k=!1}
                                               function
d(a)\{1!=1.push(a)||k||e()\}var e,f=a.MutationObserver||a.WebKitMutationObserver;
                                                if(f){var g=0,h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i
.data=g=++g%2}}
                                                else if(a.setImmediate||void
0===a.MessageChannel)e="document"in a&&"onreadystatechange"in
a.document.createElement("script")?function(){var
b=a.document.createElement("script");b.onreadystatechange=function(){c(),b.onreadys
tatechange=null,b.parentNode.removeChild(b),b=null},a.document.documentElement.appe
ndChild(b)}:function(){setTimeout(c,0)};else{var j=new
a. Message Channel; j.port1.onmessage=c, e=function() \{j.port2.postMessage(0)\} \} var
k,l=[];b.exports=d}).call(this,"undefined"!=typeof
global?global:"undefined"!=typeof self?self:"undefined"!=typeof
window?window:{})},{}],2:[function(a,b,c){"use strict";function d(){}function
e(a){if("function"!=typeof a)throw new TypeError("resolver must be a
function"); this.state=s,this.queue=[],this.outcome=void 0,a!==d&&i(this,a)} function
f(a,b,c){this.promise=a,"function"==typeof
b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled),"function"==type
of c&&(this.onRejected=c,this.callRejected=this.otherCallRejected)}function
g(a,b,c){o(function(){var d;try{d=b(c)}catch(b){return}
p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve promise with
itself")):p.resolve(a,d)})}function h(a){var b=a&&a.then;if(a&&("object"==typeof
a||"function"==typeof a)&&"function"==typeof b)return
```

```
function(){b.apply(a,arguments)}}function i(a,b){function
c(b)\{f||(f=!0,p.reject(a,b))\}function d(b)\{f||(f=!0,p.resolve(a,b))\}function
e()\{b(d,c)\} var \ f=!1,g=j(e); "error"===g.status\&c(g.value)\} function \ j(a,b)\{var \ f=!1,g=j(e); "error"==-g.status\&c(g.value)\} function \
c={}; try{c.value=a(b),c.status="success"} catch(a){c.status="error",c.value=a} return
c}function k(a){return a instanceof this?a:p.resolve(new this(d),a)}function
l(a){var b=new this(d); return p.reject(b,a)}function m(a){function b(a,b){function}}
=!0,p.reject(j,a))})}var c=this;if("[object
Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must
be an array")); var e=a.length,f=!1;if(!e)return this.resolve([]); for(var g=new
Array(e),h=0,i=-1,j=new this(d);++i<e;)b(a[i],i);return j}function n(a){function}
b(a)\{c.resolve(a).then(function(a)\{f||(f=!0,p.resolve(h,a))\},function(a)\{f||(f=!0,p.resolve(h,a))\}\}
.reject(h,a))})}var c=this;if("[object
Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must
be an array")); var e=a.length, f=!1;if(!e)return this.resolve([]); for(var g=-1,h=new
this(d);++g<e;)b(a[g]);return h}var</pre>
o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.exports=e,e.prototype.ca
tch=function(a){return
this.then(null,a)},e.prototype.then=function(a,b)\{if("function"!=typeof")\}
a&&this.state===r||"function"!=typeof b&&this.state===q)return this;var c=new
this.constructor(d);if(this.state!==s){g(c,this.state===r?a:b,this.outcome)}else
this.queue.push(new f(c,a,b));return
c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)},f.prototype.oth
erCallFulfilled=function(a){g(this.promise,this.onFulfilled,a)},f.prototype.callRej
a){g(this.promise,this.onRejected,a)},p.resolve=function(a,b){var
c=j(h,b);if("error"===c.status)return p.reject(a,c.value);var
d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var e=-
1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return</pre>
a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var c=-
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return</pre>
a},e.resolve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c){(function(b){
"use strict"; "function"!=typeof
b.Promise&&(b.Promise=a(2))}).call(this, "undefined"!=typeof
global?global:"undefined"!=typeof self?self:"undefined"!=typeof
window?window:{})},{2:2}],4:[function(a,b,c){"use strict";function d(a,b){if(!(a))}}]
instanceof b))throw new TypeError("Cannot call a class as a function")}function
e(){try{if("undefined"!=typeof indexedDB)return indexedDB;if("undefined"!=typeof
webkitIndexedDB)return webkitIndexedDB;if("undefined"!=typeof mozIndexedDB)return
mozIndexedDB;if("undefined"!=typeof OIndexedDB)return
OIndexedDB;if("undefined"!=typeof msIndexedDB)return
msIndexedDB}catch(a){return}}function f(){try{if(!ua||!ua.open)return!1;var
a="undefined"!=typeof
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)&&!/Chrome/.test
(navigator.userAgent)&&!/BlackBerry/.test(navigator.platform),b="function"==typeof
fetch&&-1!==fetch.toString().indexOf("[native
```

```
\verb|code"|); \verb|return(!a||b)&\&"undefined"!=typeof| indexedDB\&\&"undefined"!=typeof| |
Blob(a,b)}catch(f){if("TypeError"!==f.name)throw f;for(var c="undefined"!=typeof
BlobBuilder?BlobBuilder:"undefined"!=typeof
MSBlobBuilder?MSBlobBuilder:"undefined"!=typeof
MozBlobBuilder?MozBlobBuilder:WebKitBlobBuilder,d=new
c,e=0;e<a.length;e+=1)d.append(a[e]);return d.getBlob(b.type)}}function</pre>
h(a,b)\{b\&a.then(function(a)\{b(null,a)\},function(a)\{b(a)\})\}function
\verb|i(a,b,c){"function"}| = \verb|typeof| b&&a.then(b), \verb|"function"| = \verb|typeof| c&&a.catch(c){|} function| |
j(a){return"string"!=typeof a&&(console.warn(a+" used as a key, but it is not a
string."),a=String(a)),a}function k(){if(arguments.length&&"function"==typeof
arguments[arguments.length-1])return arguments[arguments.length-1]}function
1(a){for(var b=a.length,c=new ArrayBuffer(b),d=new
Uint8Array(c), e=0;e<b;e++)d[e]=a.charCodeAt(e);return c}function m(a){return new}
va(function(b){var
c=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).put(d,"key"),c.onabort=function(
a) \{a.preventDefault(), a.stopPropagation(), b(!1)\}, c.oncomplete=function() \{variable of the context of the 
a = navigator.userAgent.match(/Chrome \/(\d+)/), c = navigator.userAgent.match(/Edge \//);
b(c||!a||parseInt(a[1],10)>=43)}).catch(function(){return!1})}function
n(a){return"boolean"==typeof xa?va.resolve(xa):m(a).then(function(a){return
xa=a})}function o(a){var b=ya[a.name],c={};c.promise=new
va(function(a,b){c.resolve=a,c.reject=b}),b.deferredOperations.push(c),b.dbReady?b.
dbReady=b.dbReady.then(function(){return c.promise}):b.dbReady=c.promise}function
p(a){var b=ya[a.name],c=b.deferredOperations.pop();if(c)return
c.resolve(),c.promise}function q(a,b){var
c=ya[a.name],d=c.deferredOperations.pop();if(d)return
d.reject(b),d.promise}function r(a,b){return new
va(function(c,d){if(ya[a.name]=ya[a.name]||B(),a.db){if(!b)return
c(a.db);o(a),a.db.close()}var e=[a.name];b&&e.push(a.version);var
f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){var
c=f.result;try{c.createObjectStore(a.storeName),b.oldVersion<=1&&c.createObjectStor</pre>
e(wa)}catch(c){if("ConstraintError"!==c.name)throw c;console.warn('The database
"'+a.name+'" has been upgraded from version '+b.oldVersion+" to version
"+b.newVersion+', but the storage "'+a.storeName+'" already
exists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},f.onsuccess=funct
ion(){var
b=f.result;b.onversionchange=function(a){a.target.close()},c(b),p(a)}})}function
s(a){return r(a,!1)}function t(a){return r(a,!0)}function
u(a,b){if(!a.db)return!0;var
c=!a.db.objectStoreNames.contains(a.storeName),d=a.version<a.db.version,e=a.version
>a.db.version;if(d&&(a.version!==b&&console.warn('The database "'+a.name+"\" can't
be downgraded from version "+a.db.version+" to version
"+a.version+"."),a.version=a.db.version),e||c){if(c){var
f=a.db.version+1;f>a.version&(a.version=f)}return!0}return!1}function v(a){return
new va(function(b,c){var d=new FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||"");b({__local_forage_encoded_blob:!0,data:d,type:a.type}))
```

```
,d.readAsBinaryString(a)})}function w(a){return
g([1(atob(a.data))], \{type:a.type\})\} function x(a)\{return
a&&a.__local_forage_encoded_blob}function y(a){var
b=this,c=b._initReady().then(function(){var
a=ya[b.\_dbInfo.name]; if(a&a.dbReady)return a.dbReady}); return i(c,a,a),c}function
z(a){o(a);for(var b=ya[a.name],c=b.forages,d=0;d<c.length;d++){var}}
e=c[d];e._dbInfo.db&&(e._dbInfo.db.close(),e._dbInfo.db=null)}return
a.db=null,s(a).then(function(b){return
a.db=b,u(a)?t(a):b).then(function(d){a.db=b.db=d;for(var
e=0; e<c.length; e++)c[e].\_dbInfo.db=d\}).catch(function(b)\{throw\ q(a,b),b\})\} function(b) function(b
A(a,b,c,d){void 0===d&&(d=1);try{var}
e=a.db.transaction(a.storeName,b);c(null,e)}catch(e){if(d>0&&(!a.db||"InvalidStateE
rror"===e.name||"NotFoundError"===e.name))return
va.resolve().then(function(){if(!a.db||"NotFoundError"===e.name&&!a.db.objectStoreN
ames.contains(a.storeName)&&a.version<=a.db.version)return</pre>
a.db\&\&(a.version=a.db.version+1),t(a)\}).then(function(){return})
z(a).then(function(){A(a,b,c,d-1)})).catch(c);c(e)}}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}}function
C(a){function b(){return va.resolve()}var c=this,d={db:null};if(a)for(var e in
a)d[e]=a[e];var
f=ya[d.name]; f||(f=B(),ya[d.name]=f),f.forages.push(c),c._initReady||(c._initReady=f),f.forages.push(c),c._initReady=f)
c.ready,c.ready=y);for(var g=[],h=0;h<f.forages.length;h++){var</pre>
i=f.forages[h];i!==c&&g.push(i._initReady().catch(b))}var
j=f.forages.slice(0);return va.all(g).then(function(){return
d.db=f.db,s(d)}).then(function(a){return
d.db=a,u(d,c. defaultConfig.version)?t(d):a}).then(function(a){d.db=f.db=a,c. dbInf
o=d;for(var b=0;b<j.length;b++){var
e=j[b];e!==c&&(e._dbInfo.db=d.db,e._dbInfo.version=d.version)}})}function
D(a,b){var c=this;a=j(a);var d=new
\label{lem:va} va(function(b,d)\{c.ready().then(function()\{A(c.\_dbInfo,Aa,function(e,f)\{if(e)returnder(e,f)\}\})\} and the proof of the p
d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.get(a);h.onsuccess=function(){var
a=h.result;void
0==a&(a=null),x(a)&(a=w(a)),b(a)\},h.onerror=function(){d(h.error)}}catch(a){d(a)}
}}))).catch(d)});return h(d,b),d}function E(a,b){var c=this,d=new
va(function(b,d)\{c.ready().then(function()\{A(c.\_dbInfo,Aa,function(e,f)\{if(e)return\}\})\}
d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.openCursor(),i=1;h.onsuccess=function(){va
r c=h.result;if(c){var d=c.value;x(d)&&(d=w(d));var e=a(d,c.key,i++);void
0!==e?b(e):c.continue()}else
b()\}, h.onerror = function()\{d(h.error)\}\} \\ catch(a)\{d(a)\}\})\}).catch(d)\}); return
h(d,b),dfunction F(a,b,c){var d=this;a=j(a);var e=new va(function(c,e){var})
f;d.ready().then(function(){return f=d._dbInfo,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d._dbInfo,Ba,function(f,g){if(f)return
e(f);try{var h=g.objectStore(d._dbInfo.storeName);null===b&&(b=void 0);var
```

```
i=h.put(b,a);g.oncomplete=function(){void
0===b&&(b=null),c(b)},g.onabort=g.onerror=function(){var
a=i.error?i.error:i.transaction.error;e(a)\}\} catch(a)\{e(a)\}\})).catch(e)\}); return
h(e,c),e}function G(a,b){var c=this;a=j(a);var d=new
\label{lem:va} va(function(b,d)\{c.ready().then(function()\{A(c.\_dbInfo,Ba,function(e,f)\{if(e)return\}\})\} and the property of t
d(e);try{var
g=f.objectStore(c.\_dbInfo.storeName), h=g.delete(a); f.oncomplete=function()\{b()\}, f.oncomplete=function() and for the complete of the compl
nerror=function(){d(h.error)},f.onabort=function(){var
a = h.error?h.error:h.transaction.error;d(a) \} \{catch(a)\{d(a)\}\})\}).catch(d)\}); return
h(d,b),d}function H(a){var b=this,c=new
\label{lem:va} va(function(a,c)\{b.ready().then(function()\{A(b.\_dbInfo,Ba,function(d,e)\{if(d)return\}\})\} and the proof of 
c(d);try{var
f=e.objectStore(b.\_dbInfo.storeName), g=f.clear(); e.oncomplete=function(){a()}, e.ona
bort=e.onerror=function(){var
a=g.error?g.error:g.transaction.error;c(a)}{catch(a){c(a)}}).catch(c)});return
h(c,a),c}function I(a){var b=this,c=new
va(function(a,c)\{b.ready().then(function()\{A(b.\_dbInfo,Aa,function(d,e)\{if(d)return available for a function(d,e)\}\}
c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.count();g.onsuccess=function(){a(g.result)
},g.onerror=function(){c(g.error)}}catch(a){c(a)}})).catch(c)});return
h(c,a),cfunction J(a,b){var c=this,d=new va(function(b,d){if(a<0)return void
b(null);c.ready().then(function(){A(c._dbInfo,Aa,function(e,f){if(e)return
d(e);try{var
{\tt g=f.objectStore(c.\_dbInfo.storeName),h=!1,i=g.openKeyCursor();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i.onsuccess=function();i
){var c=i.result;if(!c)return void
b(null);0==a?b(c.key):h?b(c.key):(h=!0,c.advance(a))),i.onerror=function(){d(i.err}
or))catch(a){d(a)})).catch(d)));return h(d,b),d}function K(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dbInfo,Aa,function(d,e){if(d)return
c(d);try{var
f = e.objectStore(b.\_dbInfo.storeName), g = f.openKeyCursor(), h = []; g.onsuccess = function(), f = []; g
){var b=g.result;if(!b)return void
a(h);h.push(b.key),b.continue()},g.onerror=function(){c(g.error)}}catch(a){c(a)}})}
).catch(c)});return h(c,a),cfunction L(a,b){b=k.apply(this,arguments);var
c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var
d,e=this;if(a.name){var
f=a.name===c.name&e._dbInfo.db,g=f?va.resolve(e._dbInfo.db):s(a).then(function(b){
var c=ya[a.name],d=c.forages;c.db=b;for(var
e=0;e<d.length;e++)d[e]._dbInfo.db=b;return
b});d=a.storeName?g.then(function(b){if(b.objectStoreNames.contains(a.storeName)){v
ar c=b.version+1;o(a);var d=ya[a.name],e=d.forages;b.close();for(var
f=0;f<e.length;f++){var g=e[f];g.\_dbInfo.db=null,g.\_dbInfo.version=c}return new
va(function(b,d){var
e=ua.open(a.name,c); e.onerror=function(a) \\ \{e.result.close(),d(a)\}, e.onupgradeneeded=defined function(a) \\ \{e.result.close(),d(a)\}, e.onupgradeneeded=define
function(){e.result.deleteObjectStore(a.storeName)},e.onsuccess=function(){var
a=e.result;a.close(),b(a)}}).then(function(a){d.db=a;for(var
```

```
b=0;b<e.length;b++){var
c=[b]; c.\_dbInfo.db=a, p(c.\_dbInfo)\}). catch(function(b)\{throw(q(a,b)||va.resolve())\}). catch(function(b)(throw(q(a,b)||va.resolve()))\}). catch(function(b)(throw(q(a,b)||va.resolve())))) and the property of the property 
  .catch(function(){}),b})}}):g.then(function(b){o(a);var
c=ya[a.name],d=c.forages;b.close();for(var
e=0;e<d.length;e++)\{d[e]._dbInfo.db=null\}return new va(function(b,c){var
d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result; a\&a.close(), c(d.error)\}, d.onblocked=function() \{console.warn('dropInstan all of the consoleration and the consolerat
ce blocked for database "'+a.name+'" until all open connections are
closed')},d.onsuccess=function(){var
b=0;b<d.length;b++)p(d[b]._dbInfo)).catch(function(b){throw(q(a,b)||va.resolve()).}
catch(function(){}),b})})}else d=va.reject("Invalid arguments");return
h(d,b),dfunction M(){return"function"==typeof openDatabase}function N(a){var
b,c,d,e,f,g=.75*a.length,h=a.length,i=0;"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"="===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"===a[a.length-1]&&(g--,"==a[a.length-1]&&(g--,"==a[a.length-1]&&(g--,"==a[a.length-1]&&(g--,"==a[a.length-1]&&(g--,"==a[a.length-1]&&(g--,"==a[a.length-1]&&(g--,"==a[a.length-1]&&(g--,"==a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.length-1]&&(g--,"=a[a.le
2]&&g--);var j=new ArrayBuffer(g),k=new
\label{limits} \begin{tabular}{ll} $\tt Uint8Array(j); for(b=0;b<h;b+=4)c=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b+1]),e=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a[b]),d=Da.indexOf(a
 (a[b+2]), f=Da.indexOf(a[b+3]), k[i++]=c<<2|d>>4, k[i++]=(15&d)<<4|e>>2, k[i++]=(3&e)<<2|d>>4, k[i++]=(15&d)<<4|e>>2, k[i++]=(3&e)<<2|d>>4, k[i++]=(15&d)<<4|e>>2, k[i++]=(15&e)<<2|d>>4, k[i++]=(15&d)<<4|e>>2, k[i++]=(15&e)<<2|d>>4, k[i++]=(15&e)<<2|d>>4, k[i++]=(15&e)<<2|d>>4, k[i++]=(15&e)<<2|d>>4, k[i++]=(15&e)<2|d>>4, k[i++
6|63&f;return j}function O(a){var b,c=new
\label{limits} \begin{tabular}{ll} $$ Uint8Array(a),d="";for(b=0;b<c.length;b+=3)d+=Da[c[b]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>2],d+=Da
>4],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],<math>d+=Da[63&c[b+2]];return
c.length%3==2?d=d.substring(0,d.length-
1) + "=":c.length%3 == 1\& (d=d.substring(0,d.length-2) + "=="), d \} function P(a,b) \{ varable (a,b) \} function P(a,b) 
c="";if(a&&(c=Ua.call(a)),a&&("[object ArrayBuffer]"===c||a.buffer&&"[object
ArrayBuffer]"===Ua.call(a.buffer))){var d,e=Ga;a instanceof
ArrayBuffer?(d=a,e+=Ia):(d=a.buffer,"[object Int8Array]"===c?e+=Ka:"[object
Uint8Array]"===c?e+=La:"[object Uint8ClampedArray]"===c?e+=Ma:"[object
Int16Array]"===c?e+=Na:"[object Uint16Array]"===c?e+=Pa:"[object
Int32Array]"===c?e+=Oa:"[object Uint32Array]"===c?e+=Qa:"[object
Float32Array]"===c?e+=Ra:"[object Float64Array]"===c?e+=Sa:b(new Error("Failed to
get type for BinaryArray")),b(e+O(d))else if("[object Blob]"===c){var f=new
FileReader;f.onload=function(){var
c=Ea+a.type+"~"+0(this.result);b(Ga+Ja+c)},f.readAsArrayBuffer(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't convert value into a JSON
 string: ",a),b(null,c)}}function Q(a){if(a.substring(0,Ha)!==Ga)return
JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja&&Fa.test(c)){var
e=c.match(Fa);b=e[1],c=c.substring(e[0].length)}var f=N(c);switch(d){case Ia:return
f; case Ja: return g([f], \{type:b\}); case Ka: return new Int8Array(f); case La: return new
Uint8Array(f);case Ma:return new Uint8ClampedArray(f);case Na:return new
Int16Array(f);case Pa:return new Uint16Array(f);case Oa:return new
Int32Array(f);case Qa:return new Uint32Array(f);case Ra:return new
Float32Array(f);case Sa:return new Float64Array(f);default:throw new Error("Unkown
type: "+d)}}function R(a,b,c,d){a.executeSql("CREATE TABLE IF NOT EXISTS
 "+b.storeName+" (id INTEGER PRIMARY KEY, key unique, value)",[],c,d)}function
S(a){var b=this,c={db:null};if(a)for(var d in a)c[d]="string"!=typeof
a[d]?a[d].toString():a[d];var e=new
```

```
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version),c.description,c.siz
e)}catch(a){return
d(a)}c.db.transaction(function(e){R(e,c,function(){b._dbInfo=c,a()},function(a,b){d
(b)})},d)});return c.serializer=Va,e}function
T(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,g){g.code===g.SYNTAX_ERR?a.executeSql(
"SELECT name FROM sqlite_master WHERE type='table' AND name =
?",[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function(){a.executeSql(c}
,d,e,f),f);f(a,g),f)function U(a,b){var c=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName+" WHERE
key = ? LIMIT 1",[a],function(a,c){var
d=c.rows.length?c.rows.item(0).value:null;d&&(d=e.serializer.deserialize(d)),b(d)},
function(a,b)\{d(b)\})\}).catch(d)\}); return h(d,b),d\} function V(a,b)\{var\}
c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM
"+e.storeName,[],function(c,d){for(var f=d.rows,g=f.length,h=0;h< g;h++){var}
i=f.item(h), j=i.value; if(j&&(j=e.serializer.deserialize(j)), void
0!==(j=a(j,i.key,h+1)))return void
b(j)b(), function(a,b){d(b)})}).catch(d)});return h(d,b),d}function
W(a,b,c,d){var e=this;a=j(a);var f=new
va(function(f,g){e.ready().then(function(){void 0===b&&(b=null);var
h=b,i=e._dbInfo;i.serializer.serialize(b,function(b,j){j?g(j):i.db.transaction(func
tion(c){T(c,i,"INSERT OR REPLACE INTO "+i.storeName+" (key, value) VALUES (?,
?)",[a,b],function(){f(h)},function(a,b){g(b)}),function(b){if(b.code===b.QUOTA_ER}
 R) \{ if(d>0) return \ void \ f(W.apply(e,[a,h,c,d-1])); g(b) \} \}) \}). catch(g) \}); return 
h(f,c),ffunction X(a,b,c){return W.apply(this,[a,b,c,1])}function Y(a,b){var
c=this; a=j(a); var \ d=new \ va(function(b,d)\{c.ready().then(function()\{varantee a constraint of a constrai
e=c.\_dbInfo; e.db.transaction(function(c) \{T(c,e,"DELETE\ FROM\ "+e.storeName+"\ WHERE\ WHERE
key = ?",[a],function()\{b()\},function(a,b)\{d(b)\})\}).catch(d)\});return
h(d,b),dfunction Z(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"DELETE FROM
"+d.storeName,[],function(){a()},function(a,b){c(b)}))).catch(c)));return\\
h(c,a),c}function $(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"SELECT COUNT(key) as c FROM
"+d.storeName,[],function(b,c){var
d=c.rows.item(0).c;a(d), function(a,b)(c(b))))).catch(c)); return
h(c,a),c}function _(a,b){var c=this,d=new
va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT key FROM "+e.storeName+"
WHERE id = ? LIMIT 1",[a+1],function(a,c){var
d=c.rows.length?c.rows.item(0).key:null;b(d)},function(a,b){d(b)})})).catch(d)});r
eturn h(d,b),dfunction aa(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"SELECT key FROM
```

```
"+d.storeName,[],function(b,c){for(var
d=[\ ], e=0; e<c.rows.length; e++)d.push(c.rows.item(e).key); a(d)\}, function(a,b)\{c(b)\})\}
)}).catch(c)});return h(c,a),c}function ba(a){return new
va(function(b,c){a.transaction(function(d){d.executeSql("SELECT name FROM
sqlite_master WHERE type='table' AND name <>
 '__WebKitDatabaseInfoTable__'",[],function(c,d){for(var
e = [\ ], f = 0; f < d.rows.length; f + +)e.push(d.rows.item(f).name); b(\{db:a,storeNames:e\})\}, full filter for the context of the context 
nction(a,b){c(b)}), function(a){c(a)})) function
ca(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a\&\&a||\{\},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);varaname||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.storeName||c.stor
d,e=this;return d=a.name?new va(function(b){var
d;d=a.name===c.name?e._dbInfo.db:openDatabase(a.name,"","",0),b(a.storeName?{db:d,s
toreNames:[a.storeName]}:ba(d))}).then(function(a){return new
va(function(b,c){a.db.transaction(function(d){function e(a){return new}}}
va(function(b,c){d.executeSql("DROP TABLE IF EXISTS
"+a,[],function(){b()},function(a,b){c(b)})})}for(var
nction()\{b()\}).catch(function(a)\{c(a)\})\}, function(a)\{c(a)\})\})):va.reject("Invalid")
arguments"),h(d,b),d}function da(){try{return"undefined"!=typeof
localStorage&&"setItem"in
local Storage \& \& !! local Storage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ function ea(a,b) \{varage . set Item \} \\ catch (a) \{return! 1\} \} \\ catch (a) \{return! 1
c=a.name+"/"; return \ a.storeName!==b.storeName\&\&(c+=a.storeName+"/"), c\} function
fa(){var a="_localforage_support_test";try{return
local Storage.setItem(a), !0), local Storage.remove Item(a), !1 \} catch(a) \{return !0\} \} function to the property of the pro
n ga(){return!fa()||localStorage.length>0}function ha(a){var
b=this,c={};if(a)for(var d in a)c[d]=a[d];return
c.keyPrefix=ea(a,b._defaultConfig),ga()?(b._dbInfo=c,c.serializer=Va,va.resolve()):
va.reject()}function ia(a){var b=this,c=b.ready().then(function(){for(var
a=b._dbInfo.keyPrefix,c=localStorage.length-1;c>=0;c--){var
\label{localStorage.key(c);0===d.indexOf(a)&localStorage.removeItem(d)}); return
h(c,a),cfunction ja(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dbInfo,d=localStorage.getItem(b.keyPrefix+a);return
\label{lem:description} $$d\&(d=b.serializer.describes),d});$ return $$h(d,b),d$ function $$ka(a,b)$ {\it var}$ $$
c=this,d=c.ready().then(function(){for(var
b=c._dbInfo,d=b.keyPrefix,e=d.length,f=localStorage.length,g=1,h=0;h<f;h++){var
i=localStorage.key(h);if(0===i.indexOf(d)){var
j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j)),void
0! = (j = a(j,i.substring(e),g++))) return \ j\}\}); return \ h(d,b),d\} function \ la(a,b)\{varance a constant 
c=this,d=c.ready().then(function(){var
b,d=c._dbInfo;try{b=localStorage.key(a)}catch(a){b=null}return
b\&\&(b=b.substring(d.keyPrefix.length)),b\}); return \ h(d,b),d\} function \ ma(a)\{varance beautiful for the context of the con
b=this,c=b.ready().then(function(){for(var
a=b._dbInfo,c=localStorage.length,d=[],e=0;e<c;e++){var
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.substring(a.keyPrefix.le
ngth))}return d});return h(c,a),c}function na(a){var
b=this,c=b.keys().then(function(a){return a.length});return h(c,a),c}function
```

```
oa(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dbInfo;localStorage.removeItem(b.keyPrefix+a)});return h(d,b),d}function
pa(a,b,c){var d=this;a=j(a);var e=d.ready().then(function(){void
0 === b\&(b=null); var c=b; return new va(function(e,f){var})
g=d._dbInfo;g.serializer.serialize(b,function(b,d){if(d)f(d);else
try{localStorage.setItem(g.keyPrefix+a,b),e(c)}catch(a){"QuotaExceededError"!==a.na
me\&\&"NS\_ERROR\_DOM\_QUOTA\_REACHED"! == a.name | | f(a), f(a) \} ) \}) \}); return
h(e,c),e}function qa(a,b){if(b=k.apply(this,arguments),a="function"!=typeof
a&&a||{},!a.name){var
c=this.config();a.name=a.name||c.name,a.storeName=a.storeName||c.storeName}var
d,e=this;return d=a.name?new
va(function(b){b(a.storeName?ea(a,e._defaultConfig):a.name+"/")}).then(function(a){
for(var b=localStorage.length-1;b>=0;b--){var
c=localStorage.key(b);0===c.indexOf(a)&&localStorage.removeItem(c)}}):va.reject("In
valid arguments"),h(d,b),d}function ra(a,b){a[b]=function(){var c=arguments;return
a.ready().then(function(){return a[b].apply(a,c)})}}function sa(){for(var
a=1;a<arguments.length;a++){var b=arguments[a];if(b)for(var c in</pre>
b)b.hasOwnProperty(c)\&\&(\$a(b[c])?arguments[0][c]=b[c].slice():arguments[0][c]=b[c])\\
}return arguments[0]}var ta="function"==typeof Symbol&&"symbol"==typeof
Symbol.iterator?function(a){return typeof a}:function(a){return
a&&"function"==typeof
Symbol&&a.constructor===Symbol&&a!==Symbol.prototype?"symbol":typeof
a},ua=e();"undefined"==typeof Promise&&a(3);var va=Promise,wa="local-forage-detect-
blob-support",xa=void
0,ya={},za=Object.prototype.toString,Aa="readonly",Ba="readwrite",Ca={_driver:"asyn
cStorage",_initStorage:C,_support:f(),iterate:E,getItem:D,setItem:F,removeItem:G,cl
ear:H,length:I,key:J,keys:K,dropInstance:L},Da="ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghi
jklmnopqrstuvwxyz0123456789+/",Ea="~~local_forage_type~",Fa=/^~~local_forage_type~(
[^~]+)~/,Ga="__lfsc__:",Ha=Ga.length,Ia="arbf",Ja="blob",Ka="si08",La="ui08",Ma="ui
c8",Na="si16",Oa="si32",Pa="ur16",Qa="ui32",Ra="f132",Sa="f164",Ta=Ha+Ia.length,Ua=
Object.prototype.toString,Va={serialize:P,deserialize:Q,stringToBuffer:N,bufferToSt
ring:0},Wa={_driver:"webSQLStorage",_initStorage:S,_support:M(),iterate:V,getItem:U
,setItem:X,removeItem:Y,clear:Z,length:$,key:_,keys:aa,dropInstance:ca},Xa={_driver
:"localStorageWrapper",_initStorage:ha,_support:da(),iterate:ka,getItem:ja,setItem:
pa,removeItem:oa,clear:ia,length:na,key:la,keys:ma,dropInstance:qa},Ya=function(a,b
){return a===b||"number"==typeof a&&"number"==typeof
b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(var
 c=a.length, d=0; d<c;) \\ \{if(Ya(a[d],b))return!0; d++\}return!1\},\\ \$a=Array.isArray||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functio||functi
n(a){return"[object
Array]"===Object.prototype.toString.call(a)},_a={},ab={},bb={INDEXEDDB:Ca,WEBSQL:Wa
,LOCALSTORAGE:Xa},cb=[bb.INDEXEDDB._driver,bb.WEBSQL._driver,bb.LOCALSTORAGE._drive
r],db=["dropInstance"],eb=["clear","getItem","iterate","key","keys","length","remov
eItem", "setItem"].concat(db), fb={description:"", driver:cb.slice(), name: "localforage
",size:4980736,storeName:"keyvaluepairs",version:1},gb=function(){function
a(b){d(this,a);for(var c in bb)if(bb.hasOwnProperty(c)){var
e=bb[c],f=e._driver;this[c]=f,_a[f]||this.defineDriver(e)}this._defaultConfig=sa({})
```

```
,fb),this._config=sa({},this._defaultConfig,b),this._driverSet=null,this._initDrive
r=null,this._ready=!1,this._dbInfo=null,this._wrapLibraryMethodsWithReady(),this.se
tDriver(this._config.driver).catch(function(){})}return
a.prototype.config=function(a){if("object"===(void
0===a?"undefined":ta(a))){if(this._ready)return new Error("Can't call config()
after localforage has been used.");for(var b in
a){if("storeName"===b&&(a[b]=a[b].replace(/\\/g,"_")),"version"===b&\("number"!=type"),"version"===b\(\)
of a[b])return new Error("Database version must be a
number.");this._config[b]=a[b]}return!("driver"in
a&&a.driver)||this.setDriver(this._config.driver)}return"string"==typeof
a?this._config[a]:this._config},a.prototype.defineDriver=function(a,b,c){var d=new
va(function(b,c){try{var d=a._driver,e=new Error("Custom driver not compliant; see
https://mozilla.github.io/localForage/#definedriver");if(!a._driver)return void
c(e);for(var f=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){var</pre>
j=f[g];if((!Za(db,j)||a[j])&&"function"!=typeof a[j])return void
c(e)}(function(){for(var b=function(a){return function(){var b=new Error("Method
"+a+" is not implemented by the current driver"),c=va.reject(b);return
h(c,arguments[arguments.length-1]),c}},c=0,d=db.length;c<d;c++){var
e=db[c];a[e]||(a[e]=b(e))})();var k=function(c){_a[d]&&console.info("Redefining heater)}
LocalForage driver: "+d),_a[d]=a,ab[d]=c,b()};"_support"in
a?a._support&&"function"==typeof
a.\_support?a.\_support().then(k,c):k(!!a.\_support):k(!0)}catch(a){c(a)}});return
i(d,b,c),d},a.prototype.driver=function(){return
this._driver||null},a.prototype.getDriver=function(a,b,c){var
d=_a[a]?va.resolve(_a[a]):va.reject(new Error("Driver not found."));return
i(d,b,c),d},a.prototype.getSerializer=function(a){var b=va.resolve(Va);return
i(b,a),b},a.prototype.ready=function(a){var
b=this,c=b._driverSet.then(function(){return
null===b._ready&&(b._ready=b._initDriver()),b._ready});return
i(c,a,a),c, a.prototype.setDriver=function(a,b,c){function
d(){g._config.driver=g.driver()}function e(a){return
g._extend(a),d(),g._ready=g._initStorage(g._config),g._ready}function f(a){return
function(){function b(){for(;c<a.length;){var f=a[c];return}</pre>
c++,g._dbInfo=null,g._ready=null,g.getDriver(f).then(e).catch(b)}d();var h=new
Error("No available storage method found.");return
g._driverSet=va.reject(h),g._driverSet}var c=0;return b()}}var
g=this;$a(a)||(a=[a]);var
h=this._getSupportedDrivers(a),j=null!==this._driverSet?this._driverSet.catch(funct
ion(){return va.resolve()}):va.resolve();return
this._driverSet=j.then(function(){var a=h[0];return
{\tt g.\_dbInfo=null,g.\_ready=null,g.getDriver(a).then(function(a)\{g.\_driver=a.\_driver,d(a)\})} \\
),g._wrapLibraryMethodsWithReady(),g._initDriver=f(h)})}).catch(function(){d();var
a=new Error("No available storage method found.");return
g._driverSet=va.reject(a),g._driverSet}),i(this._driverSet,b,c),this._driverSet},a.
prototype.supports=function(a){return!!ab[a]},a.prototype._extend=function(a){sa(th
is,a)},a.prototype._getSupportedDrivers=function(a){for(var
```

b=[],c=0,d=a.length;c<d;c++){var e=a[c];this.supports(e)&&b.push(e)}return
b},a.prototype._wrapLibraryMethodsWithReady=function(){for(var
a=0,b=eb.length;a<b;a++)ra(this,eb[a])},a.prototype.createInstance=function(b){retu
rn new a(b)},a}(),hb=new gb;b.exports=hb),{3:3}]},{},[4])(4)});</pre>