EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

Video Analysis

Sending Alert Message

Date	09 November 2022
Team ID	PNT2022TMID19286
Project Name	Emerging Methods for Early Detection of ForestFires

Importing The ImageDataGenerator Library

import keras

 $from \ keras.preprocessing.image\ import\ Image Data Generator$

Define the parameters/arguments for ImageDataGenerator class

```
train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2, rotation_range=180,zoom_range=0.2, horizontal_flip=True) test_datagen=ImageDataGenerator(rescale=1./255)
```

Applying ImageDataGenerator functionality to trainset

```
x_train=train_datagen.flow_from_directory(r'/content/drive/MyDrive/Dataset/train_set', target_size=(128,128),batch_size=32, class_mode='binary')
```

Found 436 images belonging to 2 classes.

Applying ImageDataGenerator functionality to testset

x_test=test_datagen.flow_from_directory(r'/content/drive/MyDrive/Dataset/test_set', target_size=(128,128),batch_size=32, class_mode='binary')

Found 121 images belonging to 2 classes.

Import model building libraries

#To define Linear initialisation import Sequential

from keras.models import Sequential

#To add layers import Dense

from keras.layers import Dense

#To create Convolution kernel import Convolution2D

from keras.layers import Convolution2D

#import Maxpooling layer

from keras.layers import MaxPooling2D

#import flatten layer

from keras.layers import Flatten import warnings warnings.filterwarnings('ignore')

Initializing the model

model=Sequential()

Add CNN Layer

model.add(Convolution2D(32, (3,3),input_shape=(128,128,3),activation='relu')) #add maxpooling layer model.add(MaxPooling2D(pool_size=(2,2))) #add flatten layer model.add(Flatten())

Add Dense Layer

#add hidden layer model.add(Dense(150,activation='relu')) #add output layer model.add(Dense(1,activation='sigmoid'))

Configure the learning process

model.compile(loss='binary_crossentropy',optimizer="adam",metrics=["accuracy"])

Train the model

```
model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation_da
ta=x_test, validation_steps=4)
Epoch 1/10
accuracy: 0.7454 - val_loss: 0.2016 - val_accuracy: 0.9256
Epoch 2/10
val loss: 0.2290 - val accuracy: 0.9339
Epoch 3/10
val loss: 0.0524 - val accuracy: 0.9835
Epoch 4/10
val loss: 0.1570 - val accuracy: 0.9421
Epoch 5/10
val_loss: 0.0767 - val_accuracy: 0.9752
Epoch 6/10
val loss: 0.0749 - val accuracy: 0.9752
Epoch 7/10
val loss: 0.1264 - val accuracy: 0.9421
Epoch 8/10
val loss: 0.0652 - val accuracy: 0.9835
Epoch 9/10
val loss: 0.0567 - val accuracy: 0.9835
Epoch 10/10
val_loss: 0.0448 - val_accuracy: 0.9917
0.3267 -
0.2991 -
0.2418 -
0.1984 -
0.1643 -
0.1538 -
0.1732 -
0.1514 -
0.1445 -
<keras.callbacks.History at 0x7f51fdf33610>
```

Save The Model

```
model.save("forest1.h5")
```

Predictions

```
#import load_model from keras.model
```

from keras.models import load_model

#import image class from keras

from tensorflow.keras.preprocessing import image #import numpy import numpy as np

#import cv2

import cv2

#load the saved model model = load model("forest1.h5")

 $img = image.load_img(r'/content/drive/MyDrive/Dataset/test_set/forest/$

0.48007200_1530881924_final_forest.jpg')

x=image.img_to_array(img)

res = cv2.resize(x, dsize=(128, 128), interpolation=cv2.INTER_CUBIC) #expand the image shape

x=np.expand_dims(res,axis=0)

pred= model.predict(x)

1/1 [======] - 0s 94ms/step pred

array([[0.]], dtype=float32)

OpenCV For Video Processing

pip install twilio

Looking in indexes: https://pypi.org/simple, https://us-

python.pkg.dev/colab-wheels/public/simple/

Collecting twilio

Downloading twilio-7.15.1-py2.py3-none-any.whl (1.4 MB)

ent already satisfied: pytz in /usr/local/lib/python3.7/dist-packages (from twilio) (2022.5)

Collecting PyJWT<3.0.0,>=2.0.0

Downloading PyJWT-2.6.0-py3-none-any.whl (20 kB)

Requirement already satisfied: requests>=2.0.0 in /usr/local/lib/python3.7/dist-packages (from twilio) (2.23.0) Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (3.0.4)

Requirement already satisfied: idna<3,>=2.5 in/usr/local/lib/python3.7/dist-packages

(from requests>=2.0.0->twilio)

(2.10)

Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.7/dist-

```
packages (from requests>=2.0.0->twilio) (2022.9.24)
```

Requirement already satisfied: urllib3!=1.25.0,!=1.25.1,<1.26,>=1.21.1 in

/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (1.24.3)

Installing collected packages: PyJWT, twilio

Successfully installed PyJWT-2.6.0 twilio-7.15.1

pip install playsound

Looking in indexes: https://pypi.org/simple, https://us-

python.pkg.dev/colab-wheels/public/simple/

Collecting playsound

Downloading playsound-1.3.0.tar.gz (7.7 kB) Building wheels for collected

packages: playsound

Building wheel for playsound (setup.py) ... e=playsound-1.3.0-py3- none-any.whl size=7035

sha256=e7e96c774a98522e182b59b7b292f0f932097658d8bfce86c922c363f862b0e

Stored in directory:

/root/.cache/pip/wheels/ba/f8/bb/ea57c0146b664dca3a0ada4199b0ecb5f9dfc

b7b7e22b65ba2

Successfully built playsound

Installing collected packages: playsound

Successfully installed playsound-1.3.0

#import opency library

import cv2

#import numpy

import numpy as np

#import image function from keras

from keras.preprocessing import image

#import load_model from keras

from keras.models import load_model

#import client from twilio API

from twilio.rest import Client

#import playsound package

from playsound import playsound

WARNING:playsound:playsound is relying on another python subprocess. Please use `pip install pygobject` if you want playsound to run more efficiently.

#load the saved model

model=load_model("forest1.h5") #define video video=cv2.VideoCapture(0) #define the features name=['forest', 'with fire']

Creating An Account In Twilio Service

account_sid='ACfb4e6d0e7b0d25def63044919f1b96e3'
auth_token='f9ae4fc4a617a527da8672e97eefb2d8'
client=Client(account_sid,auth_token)
message=client.messages \
.create(
body='Forest Fire is detected, stay alert',

```
from_='+1 302 248 4366',
to='+91 99400 12164'
)
print(message.sid)
SM4aa5a4751b7bcec159dc4c695752293d
```

Sending Alert Message

```
while(1):
sucess, frame= video.read()
cv2.imwrite("image.jpg",frame)
img=image.load_img("image.jpg",target_size=(64,64)) x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred=model.predict_classes(x)
p=pred[0]
print(pred)
cv2.putText(frame,"predicted class="+str(name[p]),(100,100),
cv2.FONT HERSHEY SIMPLEX, 1, (0,0,0), 1) pred = model.predict classes(x) if
pred[0] == 1:
account_sid='ACfb4e6d0e7b0d25def63044919f1b96e3'
auth token='f9ae4fc4a617a527da8672e97eefb2d8'
client=Client(account_sid,auth_token) message=client.messages \
.create(
body='Forest Fire is detected, stay alert', from_='+1 302 248 4366',
to='+91 99400 12164'
print(message.sid) print('Fire Detected') print('SMS sent!')
else:
print('No Danger') cv2.imshow("image",frame)
if cv2.waitkey(1) & 0xFF == ord('a'): break
video.release() cv2.destryoAllWindows()
```