


## Assignment -4

Assignment Date	1 October 2022
Student Name	SANTHIYA R
Student Roll Number	622119104088
Maximum Marks	2 Marks

### Question-1:

Write code and connections in wokwi for ultrasonic sensors. Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.



WOKWI

SAVE

SHARE

Docs

sketch.ino

diagram.json

libraries.txt

Library Manager

```

32 pinMode(LED,OUTPUT);
33 delay(10);
34 wifiConnect();
35 mqttConnect();
36 }
37 void loop()//recursive Function
38 {
39   digitalWrite(trig,LOW);
40   digitalWrite(trig,HIGH);
41   delayMicroseconds(10);
42   digitalWrite(trig,LOW);
43   float dur=pulseIn(echo,HIGH);
44   float dist=(dur * 0.0343)/2;
45   Serial.print("distance in cm");
46   Serial.println(dist);
47   PublishData(dist);
48   delay(1000);
49   if (!client.loop()){
50     mqttConnect();
51   }
52 }
53 /*.....retriving to cloud.....*/
54 void PublishData(float dist){
55   mqttConnect();//function call for connecting to ibm
56   /*creating the string in form of JSON to update the data to ibm cloud*/
57   String object;
58   if(dist<100)
59   {
60     digitalWrite(LED,HIGH);
61     Serial.println("no object is near");
62     object="Near";
63   }

```

Simulation

WOKWI

SAVE

SHARE

Docs

sketch.ino

diagram.json

libraries.txt

Library Manager

```

63   }
64   else
65   {
66     digitalWrite(LED,LOW);
67     Serial.println("no object found");
68     object="No";
69   }
70   String payload="{\"distance\":";
71   payload +=dist;
72   payload +=",\" \"object\":\":";
73   payload += object;
74   payload += "\":";
75
76   Serial.print("Sending payload: ");
77   Serial.println(payload);
78   if(client.publish(publishtopic, (char*) payload.c_str())){
79     Serial.println("Publish ok");/* If its sucessfully upload data on the cloud then
80     publish ok in serial monitor or else it will print publish failed*/
81   } else{
82     Serial.println("Publish failed");
83   }
84 }
85 void mqttConnect(){
86   if(!client.connected()){
87     Serial.print("Reconnecting client to ");
88     Serial.println(server);
89     while(!client.connect(clientid,authMethod, token)){
90       Serial.print(".");
91       delay(500);
92     }
93     initManagedDevice();
94     Serial.println();

```

Simulation

WOKWI
SAVE
SHARE
Docs

sketch.ino
diagram.json
libraries.txt
Library Manager

```

94   initManagedDevice(){
95       Serial.println();
96   }
97   void wificonnect()//function definition for wificonnect
98   {
99       Serial.println();
100      Serial.print("Connecting to ");
101      WiFi.begin("Wokwi.GUEST", ""); //PASSING THE WIFI CREDENTIALS TO ESTABLISH CONNE
102      while (WiFi.status() != WL_CONNECTED){
103          delay(500);
104          Serial.print(".");
105      }
106      Serial.println("");
107      Serial.println("WiFi connected");
108      Serial.println("IP address:");
109      Serial.println(WiFi.localIP());
110  }
111  void initManagedDevice(){
112      if(client.subscribe(subscribetopic)){
113          Serial.println((subscribetopic));
114          Serial.println("subscribe to cmd OK");
115      }else{
116          Serial.println("subscribe to cmd failed");
117      }
118  }
119  void callback(char* subscribetopic,byte*payload,unsigned int payloadLength)
120  {
121      Serial.print("callback invoked for topic: ");
122      Serial.println(subscribetopic);
123      for(int i=0; i< payloadLength; i++){
124          //Serial.print((char)payload[i]);
125          data3 +=(char)payload[i];

```

Simulation

WOKWI
SAVE
SHARE
Docs

sketch.ino
diagram.json
libraries.txt
Library Manager


```

111 void initManagedDevice(){
112     if(client.subscribe(subscribetopic)){
113         Serial.println((subscribetopic));
114         Serial.println("subscribe to cmd OK");
115     }else{
116         Serial.println("subscribe to cmd failed");
117     }
118 }
119 void callback(char* subscribetopic,byte*payload,unsigned int payloadLength)
120 {
121     Serial.print("callback invoked for topic: ");
122     Serial.println(subscribetopic);
123     for(int i=0; i< payloadLength; i++){
124         //Serial.print((char)payload[i]);
125         data3 +=(char)payload[i];
126     }
127     //Serial.println("data: "+ data3);
128     //if(data3=="Near")
129     //{
130     //    Serial.println(data3);
131     //    digitalWrite(LED,HIGH);
132     //}
133     //else
134     //{
135     //    Serial.println(data3);
136     //    digitalWrite(LED,LOW);
137     //}
138     data3="";
139 }

```

Simulation


## DATA SENT TO IBM CLOUD ON NO OBJECT DETECTED



The screenshot shows the IBM Cloud IoT Platform interface for a device named 'DISTANCEDETECT'. The device is in a 'Disconnected' state. The 'Recent Events' tab is selected, displaying a table of events. The table has four columns: 'Event', 'Value', 'Format', and 'Last Received'. There are five rows of data, all showing a distance of 79.66 cm and the object status 'None'.

Event	Value	Format	Last Received
Data	{"distance":79.66,"object":"None"}	json	12 days 22 hours ago
Data	{"distance":79.66,"object":"None"}	json	12 days 22 hours ago
Data	{"distance":79.66,"object":"None"}	json	12 days 22 hours ago
Data	{"distance":79.66,"object":"None"}	json	12 days 22 hours ago
Data	{"distance":79.66,"object":"None"}	json	12 days 22 hours ago

## WHEN OBJECT DETECTED BY ULTRASONIC DETECTOR SENSOR



The simulation shows an ESP32 microcontroller connected to an HC-SR04 ultrasonic sensor. The sensor is connected to the ESP32 via a red wire (VCC), a green wire (GND), and a blue wire (Trig). The sensor is also connected to a red LED. The simulation output shows the following sequence of events:

```
no object found
Sending payload: {"distance":141.21,"object":"No"}
Publish ok
Distancein cm141.21
no object found
Sending payload: {"distance":141.21,"object":"No"}
Publish ok
```

