SPRINT 2

Date : 16.11.2022

Team ID : PNT2022TMID22643

Project Name : FERTILIZERS RECOMMENDATION

SYSTEM FOR DISEASE PREDICTION

Import The Libraries

from keras.models import

Sequential from keras.layers import

Dense

from keras.layers import Convolution2D

from keras.layers import MaxPooling2D

from keras.layers import Flatten

Initializing The Model

Keras has 2 ways to define a neural network:

- Sequential
- Function API

The Sequential class is used to define linear initializations of network layers which then, collectively, constitute model.

We will use the Sequential constructor to create a model, which will then have layers added to it using the add ()method. Now, will initialize our model. Initialize the neural network layer by creating a reference/object to the Sequential class.

model=Sequential()

ADD CNN Layers

We will be adding three layers for CNN

- Convolution layer
- Pooling layer
- Flattening layer

```
model.add(Convolution2D(32,(3,3),input_shape = (128,128,3),activation =
'relu'))
model.add(MaxPooling2D(pool_size = (2,2)))
model.add(Flatten())
```

Add Dense Layers

This step is to add a dense layer (output layer) where you will be specifying the number of classes your dependent variable has, activation function, and weight initializer as the arguments. We use the add () method toadd dense layers. the output dimensions here is 6

```
model.add(Dense(40, 'relu'))
model.add(Dense(20, 'relu'))
model.add(Dense(6, 'softmax', ))
```

Train And Save The Model

Compile the model

```
model.compile(optimizer='adam', loss = "categorical_crossentropy" , metrics
=['accuracy'])
```

Model.Summary()

Can be used to see all parameters and shapes in each layer in our models.

model.summary()

Fit and save the model

model.fit(x_train,epochs=20,steps_per_epoch=89,validation_data = x_test, validation_steps = 27)

The weights are to be saved for future use. The weights are saved in as .h5 file using save().

model.save("fruit.h5")

Output:

Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 126, 126, 32)	896
max_pooling2d (MaxPooling2D)	(None, 63, 63, 32)	0
flatten (Flatten)	(None, 127008)	0

dense (Dense)	(None, 300)	38102700
dense_1 (Dense)	(None, 150)	45150
dense_2 (Dense)	(None, 75)	11325
dense_3 (Dense)	(None, 9)	684

==========

Total params: 38,160,755

Trainable params: 38,160,755

Non-trainable params: 0

Epoch 1/20

89/89 [============] - 52s 576ms/step -

loss: 2.4956 - accuracy: 0.2686 - val_loss: 246.3766 - val_accuracy:

0.3426

Epoch 2/20

89/89 [=============] - 44s 498ms/step -

loss: 1.2983 - accuracy: 0.5468 - val_loss: 651.4410 - val_accuracy:

0.2894

Epoch 3/20

```
loss: 0.9406 - accuracy: 0.6735 - val loss: 1125.0737 - val accuracy: 0.2442
Epoch 4/20
89/89 [==========] - 39s 440ms/step -
loss: 0.7779 - accuracy: 0.7300 - val loss: 1022.7507 - val accuracy: 0.2847
Epoch 5/20
loss: 0.7470 - accuracy: 0.7465 - val loss: 1396.1002 - val accuracy: 0.2581
Epoch 6/20
loss: 0.6462 - accuracy: 0.7718 - val loss: 1383.3610 - val accuracy: 0.2616
Epoch 7/20
89/89 [==============] - 34s 387ms/step -
loss: 0.5867 - accuracy: 0.7928 - val loss: 1626.8010 - val accuracy: 0.1771
Epoch 8/20
89/89 [===========] - 45s 504ms/step -
loss: 0.5461 - accuracy: 0.8058 - val loss: 1733.9170 - val accuracy: 0.2014
Epoch 9/20
89/89 [==============] - 55s 617ms/step -
loss: 0.4965 - accuracy: 0.8283 - val loss: 2105.0442 - val accuracy: 0.2523
Epoch 10/20
```

```
loss: 0.5316 - accuracy: 0.8125 - val loss: 1585.0485 - val accuracy: 0.2766
Epoch 11/20
89/89 [===========] - 52s 577ms/step -
loss: 0.5039 - accuracy: 0.8258 - val loss: 1588.1725 - val accuracy: 0.3032
Epoch 12/20
loss: 0.4196 - accuracy: 0.8546 - val loss: 2111.2288 - val accuracy: 0.2824
Epoch 13/20
89/89 [===========] - 52s 582ms/step -
loss: 0.4402 - accuracy: 0.8504 - val loss: 1728.3689 - val accuracy: 0.2824
Epoch 14/20
89/89 [==============] - 51s 568ms/step -
loss: 0.4035 - accuracy: 0.8560 - val loss: 1953.9325 - val accuracy: 0.2477
Epoch 15/20
89/89 [==============] - 52s 578ms/step -
loss: 0.3994 - accuracy: 0.8606 - val loss: 1739.5107 - val accuracy: 0.2894
Epoch 16/20
89/89 [==============] - 51s 575ms/step -
loss: 0.3509 - accuracy: 0.8754 - val loss: 1912.0873 - val accuracy: 0.3252
Epoch 17/20
```

Model Building For Vegetable Disease Prediction

```
from keras.models import

Sequentialfrom keras.layers import

Dense

from keras.layers import Convolution2D

from keras.layers import MaxPooling2D

from keras.layers import Flatten

model=Sequential()

model.add(Convolution2D(32,(3,3),input_shape = (128,128,3),activation = 'relu'))

model.add(MaxPooling2D(pool_size = (2,2)))
```

```
model.add(Flatten())
model.add(Dense(300, 'relu'))
model.add(Dense(150, 'relu'))
model.add(Dense(75, 'relu'))
model.add(Dense(9, 'softmax',
))
model.compile(optimizer='adam', loss = "categorical crossentropy",
metrics =['accuracy'])
model.summary()
model.fit(x train,epochs=20,steps per epoch=89,validation data
=x test, validation steps = 27)
model.save("veg.h5")
Output:
C:\Users\mumma\PycharmProjects\plant disease detection\venv\Sc
ripts\python.exe
C:\Users\mumma\PycharmProjects\plant disease detection\veg m
odel.py
Found 11386 images belonging to 9 classes.
Found 3416 images belonging to 9 classes.
Model: "sequential"
Layer (type)
                          Output Shape
                                                         Param #
===========
```

conv2d (Conv2D) (None, 126, 126, 32)

896

max_	poo	ling2d
------	-----	--------

(None, 03, 32)	xPooling2D)	(None, 63, 63, 32)	0
----------------	-------------	--------------------	---

natten (Flatten)	(None, 127008)	U

dense (Dense) (None, 300)	38102700

	dense 1 (Dense)) (None, 150)	45150
--	-----------------	---------------	-------

Total params: 38,160,755

Trainable params: 38,160,755

Non-trainable params: 0

Epoch 1/20

89/89 [==========] - 42s 459ms/step -

loss: 2.3594 - accuracy: 0.3153 - val_loss: 194.4259 - val_accuracy:

0.4931

```
Epoch 2/20
89/89 [============] - 48s 540ms/step -
loss: 1.2180 - accuracy: 0.5829 - val loss: 532.0151 - val accuracy:
0.3472
Epoch 3/20
loss: 0.8772 - accuracy: 0.6822 - val loss: 699.0117 - val accuracy:
0.3669
Epoch 4/20
loss: 0.7295 - accuracy: 0.7468 - val loss: 1188.0234 - val accuracy: 0.2616
Epoch 5/20
loss: 0.6464 - accuracy: 0.7738 - val loss: 1339.5924 - val accuracy: 0.3241
Epoch 6/20
loss: 0.5844 - accuracy: 0.7949 - val loss: 1505.8514 - val accuracy: 0.2477
Epoch 7/20
loss: 0.5777 - accuracy: 0.7960 - val loss: 1878.0940 - val accuracy: 0.2407
Epoch 8/20
89/89 [===========] - 45s 509ms/step -
loss: 0.5296 - accuracy: 0.8146 - val loss: 1235.0643 - val accuracy: 0.3264
Epoch 9/20
```

```
loss: 0.4724 - accuracy: 0.8332 - val loss: 1428.7808 - val accuracy: 0.2662
Epoch 10/20
loss: 0.4665 - accuracy: 0.8350 - val loss: 1449.1967 - val accuracy: 0.2951
Epoch 11/20
loss: 0.4025 - accuracy: 0.8592 - val loss: 1373.3068 - val accuracy: 0.2581
Epoch 12/20
loss: 0.4034 - accuracy: 0.8574 - val loss: 1854.9781 - val accuracy: 0.2292
Epoch 13/20
loss: 0.3759 - accuracy: 0.8648 - val loss: 2173.3513 - val accuracy: 0.2188
Epoch 14/20
89/89 [===========] - 48s 539ms/step -
loss: 0.3696 - accuracy: 0.8687 - val loss: 1862.3169 - val accuracy: 0.2431
Epoch 15/20
89/89 [==============] - 49s 555ms/step -
loss: 0.3470 - accuracy: 0.8834 - val loss: 1886.7236 - val accuracy: 0.2245
Epoch 16/20
```