HARSHAVARTHINI A 732919ECR044

Assignment -4

Question-1:

Write code and connections in wokwi for the ultrasonic sensor.


Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events.


Upload document with wokwi share link and images of IBM cloud

Solution:

```
#include <WiFi.h>
#include <PubSubClient.h>
#include <ArduinoJson.h>
WiFiClient wifiClient;
#define ORG "nhpwjc"
#define DEVICE_TYPE "raspberypi"
#define DEVICE_ID "12345"
#define TOKEN "123456789"
#define speed 0.034
char server[] = ORG ".messaging.internetofthings.ibmcloud.com"; char
publishTopic[] = "iot-2/evt/Data/fmt/json"; char topic[] = "iot-
2/cmd/home/fmt/String"; char authMethod[] = "use-tokenauth"; char
token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient); void publishData();
const int trigpin=5; const
int echopin=18; String
command; String
data="";
long duration; int
dist;
void setup()
 Serial.begin(115200);
pinMode(trigpin, OUTPUT);
pinMode(echopin, INPUT); wifiConnect();
mqttConnect();
void loop() {
  publishData();
delay(500);
  if (!client.loop()) {
mqttConnect();
 }
}
void wifiConnect() {
 Serial.print("Connecting to "); Serial.print("Wifi");
WiFi.begin("Wokwi-GUEST", "", 6); while
```

```
(WiFi.status() != WL_CONNECTED) {
                                     delay(500);
   Serial.print(".");
 }
 Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
void mqttConnect() {
   if
(!client.connected()) {
   Serial.print("Reconnecting MQTT client to "); Serial.println(server);
while (!client.connect(clientId, authMethod, token)) {
                                                             Serial.print(".");
delay(1000);
   }
   initManagedDevice();
Serial.println();
 }
}
void initManagedDevice() {
   if
(client.subscribe(topic)) {
     Serial.println(client.subscribe(topic));
   Serial.println("subscribe to cmd OK");
 } else {
   Serial.println("subscribe to cmd FAILED");
 } } void publishData() {
digitalWrite(trigpin,LOW);
digitalWrite(trigpin,HIGH);
delayMicroseconds(10);
digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2;
    if(dist<100){</pre>
   DynamicJsonDocument doc(1024);
                                       String
            doc["AlertDistance:"]=dist;
payload;
serializeJson(doc, payload);
                                delay(3000);
   Serial.print("\n");
   Serial.print("Sending payload: ");
Serial.println(payload);
                              if (client.publish(publishTopic,
(char*) payload.c_str())) {
     Serial.println("Publish OK");
   } else {
     Serial.println("Publish FAILED");
 }
}
```





iending payload: ("Alert distance":93.96)

ending payload: {"Alert distance":93.96}

Publish OK

