

SPIRINT -1

DATE	10 NOV 2022
TEAM ID	PNT2022TMID45311
PROJECT NAME	SMART FASHION RECOMMENDER APPLICATION

CODE AND TEST CASES:

Homepage.html:

```
<html>

<head>

<title>Home</title>

</head>

<body>

<header>

<!-- Nav Menu Section -->

<section>

<nav class="navbar navbar-expand-lg fixed-top top-banner">

<div class="container">

<a class="navbar-brand" href="#">



</a>

<button class="navbar-toggler" type="button" data-bs-toggle="collapse"

data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"

aria-expanded="false" aria-label="Toggle navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarSupportedContent">

<ul class="navbar-nav me-auto mb-2 mb-lg-0">
```

```
<!-- Middle Space -->

</ul>

<div class="d-flex nav-menu">

  <ul class="navbar-nav me-auto mb-2 mb-lg-0">

    <li class="nav-item">

      <a class="nav-link active" aria-current="page" href="#">Home</a>

    </li>

    <li class="nav-item">

      <a class="nav-link" href="#product">Product</a>

    </li>

    <li class="nav-item">

      <a class="nav-link" href="#about">About Us</a>

    </li>

    <li class="nav-item">

      <a class="nav-link" href="#contact">Contact Us</a>

    </li>

    <li class="nav-item">

      <a class="nav-link" href="/login/login.html">SignUp</a>

    </li>

  </ul>

</div>

</div>

</div>

</nav>

</section>
```

```
<!-- banner Section Slider -->

<section class="banner mb-5">

  <div id="carouselExampleSlidesOnly" class="carousel slide" data-bs-ride="carousel">

    <div class="carousel-inner">

      <div class="carousel-item active">

        <div class="row">

          <div class="col-md-6">

            

          </div>

          <div class="col-md-6 m-auto">

            <h1 class="fw-bold display-4"><span style="color:#FA804C">NIKE

              REACT</span><br> NFINITY RUN 1</h1>

            <p>Everybody is different, which is why we offer styles for every body. One of the

many

              reasons you

              can shop with peace of mind.</p>

            <a class="btn nike-btn px-3 py-2" href=""><i class="fa-solid fa-cart-shopping me-

2"></i>

              BUY

              NOW</a>

          </div>

        </div>

      </div>

    </div>

  </div>

  <div class="carousel-item">

    <div class="row">

      <div class="col-md-6">
```

```

```

```
</div>
```

```
<div class="col-md-6 m-auto">
```

```
<h1 class="fw-bold display-4"><span style="color:#FA804C">NIKE
```

```
  REACT</span><br> NFINITY RUN 2</h1>
```

```
<p>Everybody is different, which is why we offer styles for every body. One of the
```

many

```
  reasons you
```

```
  can shop with peace of mind.</p>
```

```
<a class="btn nike-btn px-3 py-2" href=""><i class="fa-solid fa-cart-shopping me-
```

2"></i>

```
  BUY
```

```
  NOW</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="carousel-item">
```

```
<div class="row">
```

```
<div class="col-md-6 ">
```

```

```

```
</div>
```

```
<div class="col-md-6 m-auto">
```

```
<h1 class="fw-bold display-4"><span style="color:#FA804C">NIKE
```

```
  REACT</span><br> NFINITY RUN 3</h1>
```

```
<p>Everybody is different, which is why we offer styles for every body. One of the
```

many

```
  reasons you
```

fa-solid fa-cart-shopping me-2

NOW

</div>

</div>

</section>

</body>

</html>

Product page.html

```
<html>

<head>

<title>Product</title>

</head>

<body>

<section id="product" class="container mb-5">

    <div class="casual-shoes">

        <h1 class="fw-bold py-3">CASUAL SHOES</h1>

        <div class="row">

            <div class="col-md-6 col-lg-4 col-sm-12 mb-sm-3">

                <div class="card">

                    <div class="card-body">

                        

                        <h5 class="card-title fw-bold mt-4">Nike Shoe</h5>

                        <p class="card-text">With supporting text below as a natural lead-in to additional
                            content.</p>

                        <div class="d-flex justify-content-between">

                            <h3 class="fw-bold" style="color:#FA804C">₹1200</h3>

                            <button class="btn nike-btn px-3 py-2"><i

                                class="fa-solid fa-cart-shopping me-2"></i> BUY NOW</button>

                        </div>

                    </div>

                </div>

            </div>

        </div>

    </div>
```

```
<div class="col-md-6 col-lg-4 col-sm-12 mb-sm-3">

  <div class="card">

    <div class="card-body">

      

      <h5 class="card-title fw-bold mt-4">Sneakers Skate Shoe </h5>

      <p class="card-text">With supporting text below as a natural lead-in to additional
        content.</p>

      <div class="d-flex justify-content-between">

        <h3 class="fw-bold" style="color:#FA804C">₹2500</h3>

        <button class="btn nike-btn px-3 py-2"><i
          class="fa-solid fa-cart-shopping me-2"></i> BUY NOW</button>

      </div>

    </div>

  </div>

</div>
```

```
<div class="col-md-6 col-lg-4 col-sm-12 mb-sm-3">

  <div class="card">

    <div class="card-body">

      

      <h5 class="card-title fw-bold mt-4">Sneakers Basketball shoe</h5>

      <p class="card-text">With supporting text below as a natural lead-in to additional
        content.</p>

      <div class="d-flex justify-content-between">

        <h3 class="fw-bold" style="color:#FA804C">₹5000</h3>

        <button class="btn nike-btn px-3 py-2"><i
```

```

        class="fa-solid fa-cart-shopping me-2"></i> BUY NOW</button>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
<!-- Formal shoes -->
<section class="container mb-5">
    <div class="formal-shoes">
        <h1 class="fw-bold py-3">FORMAL SHOES</h1>
        <div class="row">
            <div class="col-md-6 col-lg-4 col-sm-12 mb-sm-3">
                <div class="card">
                    <div class="card-body">
                        
                        <h5 class="card-title fw-bold mt-4">Prestige High-Cut Leather</h5>
                        <p class="card-text">With supporting text below as a natural lead-in to additional
                            content.</p>
                        <div class="d-flex justify-content-between">
                            <h3 class="fw-bold" style="color:#FA804C">₹5400</h3>
                            <button class="btn nike-btn px-3 py-2"><i
                                class="fa-solid fa-cart-shopping me-2"></i> BUY NOW</button>
                        </div>

```


</div>

</div>

</div>

<div class="col-md-6 col-lg-4 col-sm-12 mb-sm-3">

<div class="card">

<div class="card-body">

<h5 class="card-title fw-bold mt-4">Slip-On Formal Shoe</h5>

<p class="card-text">With supporting text below as a natural lead-in to additional content.</p>

<div class="d-flex justify-content-between">

<h3 class="fw-bold" style="color:#FA804C">₹2500</h3>

<button class="btn nike-btn px-3 py-2"><i

class="fa-solid fa-cart-shopping me-2"></i> BUY NOW</button>

</div>

</div>

</div>

</div>

<div class="col-md-6 col-lg-4 col-sm-12 mb-sm-3">

<div class="card">

<div class="card-body">

<h5 class="card-title fw-bold mt-4">Slip-On Formal Shoe</h5>

<p class="card-text">With supporting text below as a natural lead-in to additional content.</p>

Login .html

```
<html>

<head>

<title>Home</title>

</head>

<body>

    <div class="center-box" id="login-div">

        <h2>Login</h2>

        <input type="email" class="text-field" id="login-email" name="login-email" placeholder="Email"/>

        <input type="password" class="text-field" id="login-password" name="login-password"
placeholder="Password"/>

        <button class="btn-style" id="login-btn"> <a href="index.html">LOGIN</a> </button><br>

        <button id="reg-btn" class="an-btn"> Don't have an account? REGISTER</button>

    </div>


    <div class="center-box" id="register-div">

        <h2>Register</h2>

        <input type="email" class="text-field" id="register-email" name="register-email"
placeholder="Email"/>

        <input type="password" class="text-field" id="register-password" name="register-password"
placeholder="Password"/>

        <button id="register-btn" class="btn-style">Register</button><br>

        <button id="log-btn" class="an-btn"> Have an account ? LOGIN</button>

    </div>


    <div id="result-box">

        <h2 id="result"></h2>
```

</div>

</body>

</html>

Signinpage Screenshot:

