



Docker Desktop



FRONT END workflow

Command Prompt

Microsoft Windows [Version 10.0.19043.2130]  
(c) Microsoft Corporation. All rights reserved.

C:\Users\Black\_Beard>docker help

Usage: docker [OPTIONS] COMMAND

A self-sufficient runtime for containers

Options:

--config string	Location of client config files (default "C:\\Users\\Black_Beard\\.docker")
-c, --context string	Name of the context to use to connect to the daemon (overrides DOCKER_HOST env var and default context set with "docker context use")
-D, --debug	Enable debug mode
-H, --host list	Daemon socket(s) to connect to
-l, --log-level string	Set the logging level ("debug" "info" "warn" "error" "fatal") (default "info")
--tls	Use TLS; implied by --tlsverify
--tlscacert string	Trust certs signed only by this CA (default "C:\\Users\\Black_Beard\\.docker\\ca.pem")
--tlscert string	Path to TLS certificate file (default "C:\\Users\\Black_Beard\\.docker\\cert.pem")
--tlskey string	Path to TLS key file (default "C:\\Users\\Black_Beard\\.docker\\key.pem")
--tlsverify	Use TLS and verify the remote
-v, --version	Print version information and quit

Command Prompt

Microsoft Windows [Version 10.0.19043.2130]  
(c) Microsoft Corporation. All rights reserved.

C:\Users\Black\_Beard>docker --version  
Docker version 20.10.17, build 100c701

C:\Users\Black\_Beard>