

## Develop a python script Publish Data to the IBM Cloud

Date	13 November 2022
Team ID	PNT2022TMID33549
Project Name	Project - Signs with smart connectivity for Better road safety
Maximum Marks	4 Marks

### Signs with smart connectivity for Better road safety

The screenshot shows a Python script in a text editor and its execution in a terminal. The script, named `publish.py`, uses the `paho.mqtt.client` library to connect to a broker at `broker.mqttdashboard.com` on port 1883. It publishes random integers between 1 and 30 to the topic `iottopic` every 10 seconds. The terminal output shows the script running successfully, publishing data at intervals.

```
#Through python coding we are going to access the subscriber
import paho.mqtt.client as paho
import time
import random

def on_publish(client, usrdata, mid):
    print("Publish the data ")

client = paho.Client()
client.on_publish = on_publish
client.connect('broker.mqttdashboard.com', 1883)
client.loop_start()
while True:
    temp = random.randint(1,30)
    (re,mid) = client.publish('iottopic',str(temp),qos=1)
    print(temp)
    time.sleep(10)
```

```
Python 3.6.5 (v3.6.5:f59c0932b4, Mar 28 2018, 17:00:18) [MS
C v.1900 64 bit (AMD64)] on win32
Type "copyright", "credits" or "license()" for more informatio
n.
>>>
===== RESTART: E:/IBM/Others/Develop a python script/
publish.py =====
7
Publish the data
19
Publish the data
10
Publish the data
```



The screenshot shows a Python script in a text editor and its execution in a terminal. The script, named `subscribe.py`, uses the `paho.mqtt.client` library to connect to a broker at `broker.mqttdashboard.com` on port 1883. It subscribes to the topic `iottopic` and prints the received messages. The terminal output shows the script running successfully, receiving and printing data at intervals.


```
import paho.mqtt.client as paho
def on_subscribe(client,userdata,mid,grated_qos):
    print("subscriber:" + str(mid)+str(granted_qos))

def on_message(client,userdata,msg):
    print(msg.topic + "" + str(msg.qos) + "" + str(msg.payload))

client = paho.Client()
client.on_subscribe = on_subscribe
client.on_message = on_message
client.connect('broker.mqttdashboard.com', 1883)
client.subscribe('iottopic',qos=1)
client.loop_forever()
```

```
Publish the data
13
Publish the data
3
Publish the data
25
Publish the data
19
Publish the data
2
Publish the data
7
Publish the data
9
Publish the data
```





```
1 #IBM Watson IOT Platform
2 #pip install wiotp-sdk
3 import wiotp.sdk.device
4 import time
5 import random
6 myConfig = {
7     "identity": {
8         "orgId": "hj5fmy",
9         "typeId": "NodeMCU",
10        "deviceId": "12345" },
11    "auth": { "token": "12345678" }
12 }
13 def myCommandCallback(cmd):
14     print("Message received from IBM IoT Platform: %s" % cmd.data['command'])
15     m=cmd.data['command']
16     client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
17     client.connect()
18     while True:
19         temp=random.randint(-20,125)
20         hum=random.randint(0,100)
21         myData={'temperature':temp, 'humidity':hum}
22         client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
23         print("Published data Successfully: %s", myData)
24         client.commandCallback = myCommandCallback
25         time.sleep(2)
26     client.disconnect()
```

## CODE:

#IBM Watson IOT Platform

#pip install wiotp-sdk

import wiotp.sdk.device

import time

import random

myConfig = {

"identity":{

"orgId": "hj5fmy",

"typeId": "NodeMCU",

"deviceId": "12345" },

"auth": { "token": "12345678" }

def myCommandCallback(cmd):

```
print("Message received from IBM IoT Platform: %s" % cmd.data['command'])

m=cmd.data['command']

client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)

client.connect()

while True:

    temp=random.randint(-20,125)

    hum=random.randint(0,100)

    myData={'temperature': temp, 'humidity':hum}

    client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
    print("Published data Successfully: %s", myData)

    client.commandCallback = myCommandCallback

    time.sleep(2)

    client.disconnect
```