## **SOURCE CODE**

```
import time
import sys
import ibmiotf.application
import ibmiotf.device
import random
#Provide your IBM Watson Device Credentials
organization = "nckdv7"
deviceType = "NodeMCU"
deviceId = "12345"
authMethod = "token"
authToken = "12345678"
# Initialize GPIO
def myCommandCallback(cmd):
  print("Command received: %s" % cmd.data['command'])
  status=cmd.data['command']
  if status=="motoron":
    print("Motor is ON")
  else:
    print("Motor is OFF")
  #print(cmd)
```

```
try:
      deviceOptions = {"org": organization, "type": deviceType, "id": deviceId,
"auth-method": authMethod, "auth-token": authToken}
      deviceCli = ibmiotf.device.Client(deviceOptions)
      #.....
except Exception as e:
      print("Caught exception connecting device: %s" % str(e))
      sys.exit()
# Connect and send a datapoint "hello" with value "world" into the cloud as an
event of type "greeting" 10 times
deviceCli.connect()
while True:
    #Get Sensor Data from DHT11
    temp=random.randint(0,100)
    pulse=random.randint(0,100)
    moisture= random.randint(0,100)
    humidity=random.randint(0,100);
    lat = 17
    lon = 18
    data = { 'temp' : temp, 'humidity' : humidity, 'Soil Moisture' : moisture}
    #print data
    def myOnPublishCallback():
```

```
print ("Published Temperature = %s C" % temp, "Humidity = %s %%" %
humidity, "Soil Moisture = %s %%" % moisture,"to IBM Watson")

success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0,
on_publish=myOnPublishCallback)

if not success:
    print("Not connected to IoTF")

time.sleep(1)

deviceCli.commandCallback = myCommandCallback

# Disconnect the device and application from the cloud
deviceCli.disconnect()
```