

Team ID : **PNT2022TMID14992**

Date : 27 October 2022

= ASSIGNMENT_3 :- JITHENDRA

```
from google.colab import drive
drive.mount('/content/drive')
```

```
Mounted at /content/drive
```

```
#Extracting Data
```

```
!unzip "/content/drive/MyDrive/Colab Notebooks/Flowers-Dataset ( Splitted ).zip"
```

- Image Augmentation

```
#Import req. Lib.
```

```
from tensorflow.keras.preprocessing.image import ImageDataGenerator
```

```
#Augmentation On Training Variable
```

```
train_datagen = ImageDataGenerator(rescale= 1./255,
                                   zoom_range=0.2,
                                   horizontal_flip
                                   =True)
```

```
#Augmentation On Training Variable
```

```
test_datagen = ImageDataGenerator(rescale= 1./255)
```

```
#Augmentation On Training Variable
```

```
ftrain = train_datagen.flow_from_directory('/content/Flowers-Dataset ( Splitted
)/Training',
```

```
target_size=(64,64),
class_mode='categorical',
batch_size=100)
```

```
Found 4086 images belonging to 5 classes.
```

```
#Augmentation On Training Variable
```

```
ftest test_datagen.flow_from_directory('/content/Flowers-Dataset ( Splitted
)/Testing',
```

```
target_size=(64,64),
class_mode='categorical',
```

```
batch_size=100)
```

Found 231 images belonging to 5 classes.

- Creating The Model :

Adding Layers :

```
#Import req. Lib.
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Convolution2D, MaxPooling2D, Flatten, Dense

# Build a CNN Block:
model = Sequential() #initializing sequential model
model.add(Convolution2D(32, (3,3), activation='relu', input_shape=(64,64,3)))
#convolution laye model.add(MaxPooling2D(pool_size=(2, 2))) #Maxpooling layer
model.add(Flatten()) #Flatten layer
model.add(Dense(400, activation='relu')) #Hidden Layer
1
model.add(Dense(200, activation='relu')) #Hidden Layer 2
model.add(Dense(5, activation='softmax')) #Output Layer
```

Compiling :

```
# Compiling The Model...
model.compile(optimizer='adam', loss='categorical_crossentropy', metrics=['accuracy'])
```

Fit / Train The Model :

```
#Train Model:
model.fit_generator(ftrain,
                    steps_per_epoch=len(ftrain),
                    epochs=10,
                    validation_data=ftest,
                    validation_steps=len(ftest))

/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:6: UserWarning:
'Model.fit

Epoch 1/10
41/41 [=====] - 30s 711ms/step - loss: 1.3702 -
accuracy: 0.43
Epoch 2/10
41/41 [=====] - 29s 701ms/step - loss: 1.0398 -
accuracy: 0.59:
Epoch 3/10
41/41 [=====] - 29s 701ms/step - loss: 0.9675 -
accuracy: 0.62:
Epoch 4/10
```

41/41 [=====] - 29s 701ms/step - loss: 0.8853 -
accuracy: 0.66a
Epoch 5/10
41/41 [=====] - 29s 703ms/step - loss: 0.8395 -
accuracy: 0.68
Epoch 6/10

```
41/41 [=====] - 29s 701ms/step - loss: 0.7740 - accuracy: 0.691
Epoch 7/10

41/41 [=====] - 29s 701ms/step - loss: 0.7467 - accuracy: 0.711
Epoch 8/10
41/41 [=====] - 29s 697ms/step - loss: 0.6988 - accuracy: 0.73:
Epoch 9/10
41/41 [=====] - 29s 700ms/step - loss: 0.6728 - accuracy: 0.74
Epoch 10/10
41/41 [=====] - 30s 721ms/step - loss: 0.6166 - accuracy: 0.76i
<keras.callbacks.History at 0x7fd7e3c5eb90>
```

Saving The Model :

```
#Save Model
model.save('flowers.h5')
```

- Testing The Model :

```
#Import req. Lib.
from tensorflow.keras.preprocessing import image
import numpy as np
```

#Test1ng No 1 :-

```
img = image.load_img('/content/Flowers-Dataset ( Splitted )/Testing/daisy/34275662120_7757a15')
f = image.img_to_array(img) #Convertinng image to array
f = np.expand_dims(f,axis=0) #Expanding dimensions
pred = np.argmax(model.predict(f)) #predicting higher propability
index = ['daisy','dandelion','rose','sunflower','tulip']
#Creating List of [pred] #List indexing with output
```

'daisy'

#Testing No 2 :-

```
img = image.load_img('/content/Flowers-Dataset ( Splitted )/Testing/sunflower/14121915990_4b7')
f = image.img_to_array(img) #Convertinng image to array
f = np.expand_dims(f,axis=0) #Expanding dimensions
pred = np.argmax(model.predict(f)) #predicting higher propability
index = ['daisy','dandelion','rose','sunflower','tulip']
#Creating List of [pred] #List indexing with output
```

'sunflower'

#Test1ng No 3 :-

```
img = image.load_img('/content/Flowers-Dataset ( Splitted  
)/Testing/tulip/19425920580_cdc8f49 f = image.img_to_array(img) #Convertinng image  
to array
```

```
f = np.expand_dims(f,axis=0) #Expanding dimensions
pred = np.argmax(model.predict(f)) #predicting higher propability
index op ['daisy','dandelion','rose','sunflower','tulip']
#Creating List op[pred] #List indexing with output

'tulip'
```

For the above three tests performed the Model has predicted the images correctly..!
