



MACHINE LEARNING-BASED VEHICLE PERFORMANCE ANALYZER

NALAIYA THIRAN PROJECT BASED LEARNING

On

**PROFESSIONAL READINESS FOR INNOVATION,
EMPLOYABILITY, AND ENTREPRENEURSHIP**

A PROJECT REPORT

TEAM ID: PNT2022TMID14687

Team members:

S NETHAJI	-	111619106095
NAREN REDDY		
SK ABDUL JABER	-	111619106130
R PREM KUMAR	-	111619106114
R RAVI TEJA		111619106110
B SRINATH	-	111619106138

BACHELOR OF ENGINEERING

IN

ELECTRONICS AND COMMUNICATION ENGINEERING

RMK COLLEGE OF ENGINEERING AND TECHNOLOGY

(An Affiliated College of Anna University, Chennai)

NOVEMBER 2022

TABLE OF CONTENTS

1 INTRODUCTION

2	LITERATURE SURVEY
3	IDEATION & PROPOSED SOLUTION
4	REQUIREMENT ANALYSIS
5	PROJECT DESIGN
6	PROJECT PLANNING & SCHEDULING
7	CODING & SOLUTIONING
8	TESTING
9	RESULT
10	ADVANTAGES & DISADVANTAGES
11	CONCLUSION

12	FUTURE SCOPE
13	APPENDIX

1. INTRODUCTION

1.1 Project Overview

Forest fires are a major environmental issue, creating economic and ecological damage while endangering human lives. There are typically about 100,000 wildfires in the United States every year. Over 9 million acres of land have been destroyed due to treacherous wildfires. It is difficult to predict and detect Forest Fire in a sparsely populated forest area and it is more difficult if the prediction is done using ground-based methods like Camera or Video-Based approach. Satellites can be an important source of data prior to and also during the Fire due to its reliability and efficiency. The various real-time forest fire detection and prediction approaches, with the goal of informing the local fire authorities.

Automotive Technologies are providing improvised services to the driver's safety and vehicle security under the umbrella of Intelligent Transportation System (ITS). In the development of ITS, advanced Automotive Technologies shall play a crucial role in determining the overall experience of users by making it much at ease in terms of reducing the risk of road accidents, risk of cybercrime in the vehicle, buying a used car etc. It is often noted that judging the driver's driving skill is subjective and is difficult to set a standard for driver's skills. The modern approach to transportation system is focusing on rapidly evolving with the intelligent vehicles. High rise in recorded traffic density, road accidents and crisis faced in regulating the effective management of traffic control in urban and rural 4 areas have concerned us to develop a smart solution in context to ITS.

The automotive industry has great expectations from these futuristic solutions to improve the safety of people and security of vehicles. It is observed that the users are shifting from individualistic approach to the data-centric approach based on OBD-II scanner to avail the augmented driving experience. In spite of the modern command, control, communication, computers and intelligent systems, we are still facing numerous calamities in which thousands of precious humans lives are lost in accidents. Therefore, it should be an immediate need to tackle the small scale yet serious issues using the state-of-the-art techniques. We are mainly focusing on analyzing the data which is collected from the vehicle using the OBD-II scanner and eventually providing the driver's safety solutions. We aim to obtain the solutions by

observing the blind-spots accurately and efficiently using pattern recognition techniques from supervised learning.

1. LITERATURE SURVEY

- ✚ Singh D, Singh M., "Internet of Vehicles for Smart and Safe Driving", International Conference on Connected Vehicles and Expo (ICCVE), Shenzhen, 19 -23 Oct.,2015. (This paper has discussed about smart transportation services in cloud (Cloud-STIS) for safety and convenience. STIS provide driver centric board services in the cloud networks.
- ✚ STIS composed of Vehicle to Wi Fi networks (V to Wi Fi), Vehicle to Cloud Network (V to CN), Vehicle to Vehicle (V to V), and Cloud Network to service provider (CN to SP). The idea is to utilize the (Wi Fi enabled) Smart Highways and 3Dcameraenabled dash board 5 navigation device to enhance accident prevention /monitoring and control.)
- ✚ Zhang, Y., Lin, W., and Chin, Y., "Data -Driven Driving Skill Characterization: Algorithm Comparison and Decision Fusion," SAE Technical Paper2009 -01 -1286, 2009, <https://doi.org/10.4271/2009-01-1286>.Azevedo, C. L Cardoso. (By adapting vehicle control systems to the skill level of the driver, the overall vehicle active safety provided to the driver can be further enhanced for the existing active vehicle controls, such as ABS, Traction Control, Vehicle Stability Enhancement Systems.
- ✚ As a follow-up to the feasibility study in, this paper provides some recent results on data-driven driving skill characterization. In particular, the paper presents an enhancement of discriminant features, the comparison of three different learning algorithms for recognizer design, and the performance enhancement with decision fusion. The paper concludes with the discussions of the experimental results and some of the future work.)
- ✚ J. E. Meseguer, C. T. Calafate, J. C. Cano and P. Manzoni, "Driving Styles: A smartphone application to assess driver behavior," 2013 IEEE Symposium on Computers and Communications (ISCC), Split,2013, pp.000535 -000540. oi:10.1109/ISCC.2013.6755001. (The Driving Styles architecture integrates both data mining techniques and neural networks to generate a classification of driving styles by analyzing the driver behavior along each route.

- ✚ In particular, based on parameters such as speed, acceleration, and revolutions per minute of the engine (rpm), we have implemented a neural network-based algorithm that is able to characterize the type of road on which the vehicle is moving, as well as the degree of aggressiveness of each 6 driver.
- ✚ The final goal is to assist drivers at correcting the bad habits in their driving behavior, while offering helpful tips to improve fuel economy. In this work we take advantage of two key-points: the evolution of mobile terminals and the availability of a standard interface to access car data.)
- ✚ Kenneth L. Clarkson. 1985. Algorithms for Closest -Point Problems (Computational Geometry). Ph.D. Dissertation. Stanford University, Palo Alto, CA. UMI Order Number: AAT 8506171. (This dissertation reports a variety of new algorithms for solving closest point problems. The input to these algorithms is a set or sets of points in d-dimensional space, with an associated $L(p)$ metric.
- ✚ The problems considered are:(1) The all nearest neighbors problem. For point set A, find the nearest neighbors in A of each point in A.(2) The nearest foreign neighbor problem. For point sets A and B, find the closest point in B to each point in A. The geometric minimum spanning tree problem.) Goszczynska H., Kowalczyk L., Kuraszkiewicz B. (2014) Correlation Matrices as a tool to Analyze the Variability of EEG Maps.
- ✚ In: Piętka E., Kawa J., Wieclawek W. (eds) Information Technologies in Biomedicine, Volume 4. Advances in Intelligent Systems and Computing, vol 284. Springer. (The aim of this paper is to present the selected examples of possible applications of image of correlation coefficients matrix of EEG map series in the analysis of variation of the topography of the iso potential areas in EEG maps, and thus in the assessment of stationarity, spatio-temporal variability and trends of changes of bioelectric activity of the brain.

References

- Singh D, Singh M., "Internet of Vehicles for Smart and Safe Driving", International Conference on Connected Vehicles and Expo (ICCVE), Shenzhen, 19-23 Oct., 2015.
- Zhang, Y., Lin, W., and Chin, Y., "Data-Driven Driving Skill Characterization: Algorithm Comparison and Decision Fusion," SAE Technical Paper 2009 -01-1286, 2009, <https://doi.org/10.4271/2009-01-1286>. Azevedo, C. L Cardoso.
- J.E.Meseguer, C.T.Calafate, J.C.Cano and P.Manzoni, "Driving Styles: A smartphone application to assess driver behavior, "2013 IEEE Symposium on Computers and Communications (ISCC), Split, 2013, pp.000535- 000540.doi: 10.1109/ISCC.2013.6755001.
- Schneider, A,Hommel,G.,& Blettner,M.(2010). Linear Regression Analysis: Part 14 of a Series on Evaluation of Scientific Publications. Deutsches Ärzteblatt International, 107(44), pp. 776–782.

Problem Statement Definition




Problem Statement (PS)	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Owner of a vehicle.	Collect the properties of the vehicle to predict the performance.	I don't know which properties to select.	I don't know which are the properties to be considered.	Confused.
PS-2	Owner of a vehicle.	Make predictions.	I don't know how the variables are correlated to each other.	There are many properties and what should I consider.	Little worried.

2. IDEATION & PROPOSED SOLUTION

Empathy Map Canvas

An empathy map is a collaborative tool teams can use to gain a deeper insight into their customers. Much like a user persona, an empathy map can represent a group of users, such as a customer segment.



Ideation & Brainstorming


Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem-solving.

Prioritizing volume over value, out-of-the-box ideas are welcome and built upon, and all participants are encouraged to collaborate, helping each other develop a rich amount of creative solutions.

Use this template in your own brainstorming sessions so your team can unleash the imagination and start shaping concepts even if you're not sitting in the same room.

Step-1: Team Gathering, Collaboration and Select the Problem Statement:

Template



Brainstorm & idea prioritization

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

⌚ 10 minutes to prepare
👥 1 hour to collaborate
👤 2-8 people recommended

[Share template feedback](#)

➔

Before you collaborate

A little bit of preparation goes a long way with this session. Here's what you need to do to get going.

⌚ 10 minutes

A

Team gathering

Define who should participate in the session and send an invite. Share relevant information or pre-work ahead.

B

Set the goal

Think about the problem you'll be focusing on solving in the brainstorming session.

C

Learn how to use the facilitation tools

Use the Facilitation Superpowers to run a happy and productive session.

[Open article](#) ➔

1

Define your problem statement

Predicting the performance level of cars is an important and interesting problem. This can significantly help to improve the system's fuel consumption and increase efficiency.

⌚ 5 minutes

PROBLEM

Predicting the performance level of cars is an important and interesting problem.

Key rules of brainstorming

To run an smooth and productive session

😊 Stay in topic.

💡 Encourage wild ideas.

⌚ Defer judgment.

👂 Listen to others.

🗣️ Go for volume.

👁️ If possible, be visual.

Step-2: Brainstorm, Idea Listing and Grouping:

2 Brainstorm

Write down any ideas that come to mind that address your problem statement.

10 minutes

TIP
You can select a sticky note and hit the pencil button to sketch (don't start drawing!)

Person 1

- To increase the fuel efficiency of the vehicle
- To get the desired data to tune the power to efficiency ratio
- Use the data tune the engine to increase the reliability of the engine
- To reduce the emission by the vehicle

Person 2

- To analyze vehicle performance
- To decrease the fuel consumption
- Analyzing based on engine type and horse power
- Increase fuel efficiency

Person 3

- Predict the performance of the car to improve certain behaviour
- Check the air pressure in car
- Driver must be the skilled one
- Maintain the service after using enough km
- Get the power of the car to avoid from aggressive startup

Person 4

- Add hydraulic suspension
- Tune power of the car to maintain fuel consumption
- Don't rush the car
- To get the balance between power and efficiency
- Check the data once a month

3 Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go. In the last 10 minutes, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you can break it up into smaller sub-groups.

20 minutes

TIP
Add customizable tags to sticky notes to make it easier to find, browse, organize, and categorize important ideas as themes within your mural.

- To increase the fuel efficiency of the vehicle
- To get the desired data to tune the power to efficiency ratio
- Use the data tune the engine to increase the reliability of the engine
- Predict the performance of the car to improve certain behaviour
- Check the air pressure in car
- Get the power of the car to avoid from aggressive startup
- Analyzing based on engine type and horse power
- To decrease the fuel consumption
- To analyze vehicle performance
- Don't rush the car
- To get the balance between power and efficiency
- Check the data once a month


Step-3: Idea Prioritization:

4

Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

20 minutes



→

After you collaborate

You can export the mural as an image or pdf to share with members of your company who might find it helpful.

Quick add-ons

Share the mural
Share a view link to the mural with stakeholders to keep them in the loop about the outcomes of the session.

Export the mural
Export a copy of the mural as a PNG or PDF to attach to emails, include in slides, or save in your drive.

Keep moving forward

Strategy blueprint
Define the components of a new idea or strategy.
Open the template →

Customer experience journey map
Understand customer needs, motivations, and obstacles for an experience.
Open the template →

Strengths, weaknesses, opportunities & threats
Identify strengths, weaknesses, opportunities, and threats (SWOT) to develop a plan.
Open the template →

Share template feedback

Proposed Solution:

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	The objective of this project is to predict the price of used cars using the various Machine Learning models by using User Interface (UI).
2.	Idea / Solution description	To train the system with the dataset using a regression model and it will be integrated to the web-based application where the user is notified with the status.
3.	Novelty / Uniqueness	By using the optimal regression model to predict the value in a less amount to time and predict its value.
4.	Social Impact / Customer Satisfaction	The customer can get an idea about the resale value of their vehicle to predict the performance. By knowing the vehicle brand, fuel type, kilometers driven .
5.	Business Model (Revenue Model)	The web-based application has a friendly UI for the customer to enter their vehicles detail and the system predicts the value within few seconds.
6.	Scalability of the Solution	Machine learning approaches, this project proposed a scalable framework for predicting values for different type of used cars. The solution given by the trained system is efficient and is nearly accurate value of the vehicle.

Problem Solution Fit:

Define CS, fit into CC	1. CUSTOMER SEGMENT(S) CS Who is your customer? i.e. working parents of 0-5 y.o. kids The customer is one who wants to predict the performance of the vehicle.	6. CUSTOMER CONSTRAINTS CC What constraints prevent your customers from taking action or limit their choices of solutions? i.e. spending power, budget, no cash, network connection, available devices <ul style="list-style-type: none"> To determine the worthiness of the car by their own within few minutes A loss function is to be optimized by spending money for dealers, brokers to buy or sell a car. 	5. AVAILABLE SOLUTIONS AS Which solutions are available to the customers when they face the problem or need to get the job done? What have they tried in the past? What pros & cons do these solutions have? i.e. pen and paper is an alternative to digital notetaking <ul style="list-style-type: none"> In the past User cannot find the value of used car buy their own without prior knowledge about cars. A person who don't know much about the car can also make predictions for used cars easily. 	Explore AS, differentiate
	2. JOBS-TO-BE-DONE / PROBLEMS J&P Which jobs-to-be-done (or problems) do you address for your customers? There could be more than one; explore different sides. To build a supervised machine learning model using regression algorithms for forecasting the value of a vehicle based on multiple attributes such as Condition of Engine, Year of Registration, Kilometers, Number of Owner	9. PROBLEM ROOT CAUSE RC What is the real reason that this problem exists? What is the back story behind the need to do this job? i.e. customers have to do it because of the change in regulations. <ul style="list-style-type: none"> The price predicted by the dealers or brokers for used car is not trustful Users can predict the correct valuation of the car remotely without human intervention like car dealers. User can eliminate the valuation predicted by the dealer. 	7. BEHAVIOUR BE What does your customer do to address the problem and get the job done? i.e. directly related: find the right solar panel installer; calculate usage and benefits; indirectly associated: customers spend free time on volunteering work (i.e. Greenpeace) The History of Your Car's condition and documents produced by them will be Suspicious. The model is to be built would give the nearest value of the vehicle by eliminating anonymous value predicted by using humans.	
Identify strong TR & EM	3. TRIGGERS TR What triggers customers to act? i.e. seeing their neighbour installing solar panels, reading about a more efficient solution in the news. Users can predict the correct valuation of the car by their own like Olxcars, Cars24 and other car resale value prediction websites by using model, year, owner, etc	10. YOUR SOLUTION SL If you are working on an existing business, write down your current solution first, fill in the canvas, and check how much it fits reality. If you are working on a new business proposition, then keep it blank until you fill in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour. <ul style="list-style-type: none"> The main aim of this project is to predict the price of used cars using the Machine Learning(ML) algorithms and collection data's about different cars. 	8. CHANNELS of BEHAVIOUR CH 8.1 ONLINE What kind of actions do customers take online? Extract online channels from #7 8.2 OFFLINE What kind of actions do customers take offline? Extract offline channels from #7 and use them for customer development. <ul style="list-style-type: none"> Customer should predict the worth of the car by using different parameters given by the owner. User Should confirm the details provided about the vehicle in RTOonline. 	Identify strong TR & EM
	4. EMOTIONS: BEFORE / AFTER EM How do customers feel when they face a problem or a job and afterwards? i.e. lost, insecure > confident, in control - use it in your communication strategy & design. <u>Before:</u> <ul style="list-style-type: none"> User will be in fear about the biased values predicted by the humans based on the condition of the car. <u>After:</u> <ul style="list-style-type: none"> User can determine the worthiness of the car by their own without human intervention. 	<ul style="list-style-type: none"> The project should take parameters related to used car as inputs and enable the customers to make decisions by their own. 	<ul style="list-style-type: none"> User can decide by seeing the exterior and interior condition of the car. User can test the performance of the car and to buy it up in a affordable price based on its condition. 	

REQUIREMENT ANALYSIS

Functional requirement:

Following are the functional requirements of the proposed solution:

FR No.	Functional Requirement (Epic)
FR-1	Enter the Inputs
FR-2	User Essential
FR-3	Data Prepossessing
FR-4	User input Evaluation
FR-5	Prediction

Non-Functional requirements:


Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Get Inputs through a form	The analyzer allows the user to improve performance based on the results provided. It is easy to use with just the data required.
NFR-2	Predict the performance of the vehicle	The security is improved by using vehicle alarm, wheel lock, vehicle lock and also GPS tracker
NFR-3	Sample Dataset for training purpose	The reliability rating is good due to best performance, less frequency of problem occurrence and cost for repairing is low
NFR-4	Evaluating the given user values	The vehicle is upgraded in their quality and infrastructure to provide better performance like good mileage, smooth travel.
NFR-5	Fuel consumption and efficiency of the vehicle	The data required is collected by research persons and this data can be used to provide better results.

4. PROJECT DESIGN


Data Flow Diagrams

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.



Solution & Technical Architecture

A solution architecture (SA) is an architectural description of a specific solution. Solution Architectures combine guidance from different enterprise architecture viewpoints (business, information and technical), as well as from the enterprise solution architecture (ESA).



User Stories

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer	Access the webpage	USN-1	As a user, anyone can access the webpage to check the specifications of the vehicle.	can access my webpage online at any time.	High	Sprint-1
Customer	Performance of the vehicle	USN-2	As per the usage of the user, the performance of the vehicle should be predicted easily.	Prediction can be done in an easy way.	High	Sprint-2
Customer	Accuracy to check the performance and health of the car	USN-3	By using our prediction, it helps to check the health of the car.	The efficiency of the car can be predicted	High	Sprint-1

PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation

Product Backlog, Sprint Schedule, and Estimation

Use the below template to create product backlog and sprint schedule


Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Data Preparation	USN-1	Collecting Car dataset and pre-processing it	10		
Sprint-1	Data Modeling	USN-2	create an ml model to predict the car Performance	5		
Sprint-1	Model Evaluation	USN-3	Calculate the performance, error rate, and complexity of ML model	5		
Sprint-2	Model Deployment	USN-4	Using flask and deploying model finally in IBM cloud using IBM storage and Watson Studio	20		
Sprint-3	Model prediction	USN-5	Predict the type of model. Here we have used random forest regression	10		
Sprint-3	Local deployment	USN-5	Local deployment will be done	5		

			while running the python file in spyder			
Sprint-3	Application building	USN-6	As a user, I can give the necessary inputs	5		
Sprint-4	dashboard	USN-7	As a user, I can use the application by entering Car data	20		

Velocity:

Average Velocity = $80 / 20 = 4$ Story Points per Day

BurnDown Chart:



CODING & SOLUTIONING

Feature 1

```
In [4]: import numpy as np
import pandas as pd
```

```
In [5]: #Reading The Dataset

datas = pd.read_csv(r"C:\Users\sunda\Desktop\IBM\car performance.csv")
datas.head()
```

```
Out[5]:
```

	mpg	cylinders	displacement	horsepower	weight	acceleration	model year	origin	car name
0	18.0	8	307.0	130	3504	12.0	70	1	chevrolet chevelle malibu
1	15.0	8	350.0	165	3693	11.5	70	1	buick skylark 320
2	18.0	8	318.0	150	3436	11.0	70	1	plymouth satellite
3	16.0	8	304.0	150	3433	12.0	70	1	amc rebel sst
4	17.0	8	302.0	140	3449	10.5	70	1	ford torino

```
In [6]: # Handling Missing Values

datas.isnull().any()
```

```
Out[6]: mpg           False
cylinders        False
displacement     False
horsepower       False
weight           False
acceleration     False
model year       False
origin           False
car name         False
dtype: bool
```

```
In [7]: # Splitting The Dataset Into Dependent And Independent Variable.

x = datas.iloc[:,1:8].values
```

```
In [8]: y = datas.iloc[:,0].values
```

```
In [9]: # Split The Dataset Into Train Set And Test Set

from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test = train_test_split(x,y,test_size=0.2,random_state=0)
```

```
In [10]: # Normalizing

from sklearn.preprocessing import StandardScaler
sd = StandardScaler()
x_train = sd.fit_transform(x_train)
x_test = sd.fit_transform(x_test)
```



```
In [11]: x_train
```

```
Out[11]: array([[ 1.49526939,  1.22961301,  1.24359144, ..., -0.79520768,
                -1.13752513, -0.73301171],
                [-0.85285735, -0.92367663, -1.16092059, ...,  1.24411524,
                -1.41177304,  0.5068698 ],
                [-0.85285735, -0.92367663, -0.68001818, ...,  0.05760009,
                1.05645814,  0.5068698 ],
                ...,
                [-0.85285735, -1.206235 , -1.45480539, ...,  1.42950823,
                -0.86327722,  0.5068698 ],
                [ 0.32120602,  0.56706235, -0.09224857, ..., -0.2390287 ,
                -1.41177304, -0.73301171],
                [-0.85285735, -0.99180037, -0.86703579, ...,  0.31715028,
                -0.31478141,  0.5068698 ]])
```

```
In [12]: # Build The Model With The Random Forest Regressor
```

```
from sklearn.ensemble import RandomForestRegressor
d = RandomForestRegressor(n_estimators=30, random_state = 0)
d.fit(x_train, y_train)
```

```
Out[12]: RandomForestRegressor(n_estimators=30, random_state=0)
```

```
In [13]: # prediction
```

```
y_pred = d.predict(x_test)
y_pred
```

```
Out[13]: array([14.38333333, 24.25666667, 14.21666667, 20.56666667, 18.47333333,
                30.21666667, 34.63333333, 21.15 , 16.30333333, 25.76 ,
                36.60333333, 36.27 , 19.53666667, 27.32333333, 16.54333333,
                32.99333333, 28.32333333, 27.49666667, 17.03 , 35.82 ,
                16.47333333, 23.54 , 23.16666667, 20.7 , 33.69666667,
                26.45 , 33.79666667, 30.37333333, 31.93666667, 16.57333333,
                20.26666667, 32.99 , 19.79666667, 34.08333333, 20.85666667,
                25.02 , 19.65333333, 17.14 , 34.78333333, 12.76666667,
                13.73333333, 15.2 , 28.32 , 32.76666667, 28.74333333,
                22.68666667, 20.54333333, 16.50666667, 23.38 , 29.88333333,
                34.31666667, 26.5 , 17.63 , 27.78333333, 15.96666667,
                12.96666667, 18.86666667, 26.91666667, 31.95666667, 15.68 ,
                20.81 , 25.97 , 19.84666667, 21.6 , 13.46666667,
                15.33333333, 14.2 , 18.90333333, 24.72666667, 14.21666667,
                34.87666667, 13.25 , 22.96666667, 18.77666667, 23.83333333,
                32.16666667, 28.17666667, 31.23666667, 31.94 , 14.35 ])
```

```
In [14]: # Model Evaluation
```

```
from sklearn.metrics import r2_score
accuracy = r2_score(y_test, y_pred)
accuracy
```

```
Out[14]: 0.8914224071232417
```

7.1 Feature 2

```
In [54]: import numpy as np
import pandas as pd
```

```
In [55]: #Reading The Dataset
import os, types
import pandas as pd
from botocore.client import Config
import ibm_boto3

def __iter__(self): return 0

# @hidden_cell
# The following code accesses a file in your IBM Cloud Object Storage. It includes your credentials.
# You might want to remove those credentials before you share the notebook.
cos_client = ibm_boto3.client(service_name='s3',
                              ibm_api_key_id='BqUs0KYfxzrLPRBCAnlsY1i-20vTS38c8Ks157IQ1BS7',
                              ibm_auth_endpoint='https://iam.cloud.ibm.com/oidc/token',
                              config=Config(signature_version='oauth'),
                              endpoint_url='https://s3.private.us.cloud-object-storage.appdomain.cloud')

bucket = 'vehicleperformanceanalyzer-donotdelete-pr-ccgjs2talld8ss5'
object_key = 'car performance.csv'

body = cos_client.get_object(Bucket=bucket,Key=object_key)['Body']
# add missing __iter__ method, so pandas accepts body as file-like object
if not hasattr(body, "__iter__"): body.__iter__ = types.MethodType(__iter__, body)

datas = pd.read_csv(body)
datas.head()
```

```
Out[55]:
```

	mpg	cylinders	displacement	horsepower	weight	acceleration	model year	origin	car name
0	18.0	8	307.0	130	3504	12.0	70	1	chevrolet chevelle malibu
1	15.0	8	350.0	165	3693	11.5	70	1	buick skylark 320
2	18.0	8	318.0	150	3436	11.0	70	1	plymouth satellite
3	16.0	8	304.0	150	3433	12.0	70	1	amc rebel sst
4	17.0	8	302.0	140	3449	10.5	70	1	ford torino

```
In [56]: # Handling Missing Values
```

```
datas.isnull().any()
```

```
Out[56]:
```

mpg	False
cylinders	False
displacement	False
horsepower	False
weight	False
acceleration	False
model year	False
origin	False
car name	False
dtype: bool	

```
In [57]: # Splitting The Dataset Into Dependent And Independent Variable.
```

```
x = datas.iloc[:,1:8].values
```

```
In [58]: y = datas.iloc[:,0].values
```

```
In [59]: # Split The Dataset Into Train Set And Test Set
```

```
from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test = train_test_split(x,y,test_size=0.2,random_state=0)
```

```
In [60]: # Normalizing
```

```
from sklearn.preprocessing import StandardScaler
sd = StandardScaler()
x_train = sd.fit_transform(x_train)
x_test = sd.fit_transform(x_test)
```

```
In [61]: x_train
```

```
Out[61]: array([[ 1.49526939,  1.22961301,  1.24359144, ..., -0.79520768,
                -1.13752513, -0.73301171],
                [-0.85285735, -0.92367663, -1.16092059, ...,  1.24411524,
                -1.41177304,  0.5068698 ],
                [-0.85285735, -0.92367663, -0.68001818, ...,  0.05760009,
                1.05645814,  0.5068698 ],
                ...,
                [-0.85285735, -1.206235 , -1.45480539, ...,  1.42950823,
                -0.86327722,  0.5068698 ],
                [ 0.32120602,  0.56706235, -0.09224857, ..., -0.2390287 ,
                -1.41177304, -0.73301171],
                [-0.85285735, -0.99180037, -0.86703579, ...,  0.31715028,
                -0.31478141,  0.5068698 ]])
```

```
In [62]: # Build The Model with The Random Forest Regressor
```

```
from sklearn.ensemble import RandomForestRegressor
d = RandomForestRegressor (n_estimators=30,random_state = 0)
d.fit(x_train,y_train)
```

```
Out[62]: RandomForestRegressor(n_estimators=30, random_state=0)
```

```
In [63]: # prediction
```

```
y_pred = d.predict(x_test)
y_pred
```

```
Out[63]: array([14.38333333, 24.25666667, 14.21666667, 20.56666667, 18.47333333,
 30.21666667, 34.63333333, 21.15      , 16.30333333, 25.76      ,
 36.60333333, 36.27      , 19.53666667, 27.32333333, 16.54333333,
 32.99333333, 28.32333333, 27.49666667, 17.03      , 35.82      ,
 16.47333333, 23.54      , 23.16666667, 20.7       , 33.69666667,
 26.45      , 33.79666667, 30.37333333, 31.93666667, 16.57333333,
 20.26666667, 32.99      , 19.79666667, 34.08333333, 20.85666667,
 25.02      , 19.65333333, 17.14      , 34.78333333, 12.76666667,
 13.73333333, 15.2       , 28.32      , 32.76666667, 28.74333333,
 22.68666667, 20.54333333, 16.50666667, 23.38      , 29.88333333,
 34.31666667, 26.5       , 17.63      , 27.78333333, 15.96666667,
 12.96666667, 18.86666667, 26.91666667, 31.95666667, 15.68      ,
 20.81      , 25.97      , 19.84666667, 21.6       , 13.46666667,
 15.33333333, 14.2       , 18.90333333, 24.72666667, 14.21666667,
 34.87666667, 13.25      , 22.96666667, 18.77666667, 23.83333333,
 32.16666667, 28.17666667, 31.23666667, 31.94      , 14.35      ])
```

```
In [64]: !pip install ibm_watson_machine_learning
```

```
Requirement already satisfied: ibm_watson_machine_learning in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (1.0.257)
Requirement already satisfied: importlib-metadata in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (4.8.2)
Requirement already satisfied: requests in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (2.26.0)
Requirement already satisfied: pandas<1.5.0,>=0.24.2 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (1.3.4)
Requirement already satisfied: tabulate in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (0.8.9)
Requirement already satisfied: urllib3 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (1.26.7)
Requirement already satisfied: ibm-cos-sdk==2.11.* in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (2.11.0)
Requirement already satisfied: certifi in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (2022.9.24)
Requirement already satisfied: packaging in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (21.3)
Requirement already satisfied: lomond in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (0.3.3)
Requirement already satisfied: jmespath<1.0.0,>=0.7.1 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm-cos-sdk==2.11.*->ibm_watson_machine_learning) (0.10.0)
Requirement already satisfied: ibm-cos-sdk-core==2.11.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm-cos-sdk==2.11.*->ibm_watson_machine_learning) (2.11.0)
Requirement already satisfied: ibm-cos-sdk-s3transfer==2.11.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm-cos-sdk==2.11.*->ibm_watson_machine_learning) (2.11.0)
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm-cos-sdk-core==2.11.0->ibm-cos-sdk==2.11.*->ibm_watson_machine_learning) (2.8.2)
Requirement already satisfied: pytz>=2017.3 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from pandas<1.5.0,>=0.24.2->ibm_watson_machine_learning) (2021.3)
Requirement already satisfied: numpy>=1.17.3 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from pandas<1.5.0,>=0.24.2->ibm_watson_machine_learning) (1.20.3)
Requirement already satisfied: six>=1.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from python-dateutil<3.0.0,>=2.1->ibm-cos-sdk-core==2.11.0->ibm-cos-sdk==2.11.*->ibm_watson_machine_learning) (1.15.0)
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from requests->ibm_watson_machine_learning) (3.3)

Requirement already satisfied: zipp>=0.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from importlib-metadata->ibm_watson_machine_learning) (3.6.0)
Requirement already satisfied: pyparsing<3.0.5,>=2.0.2 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from packaging->ibm_watson_machine_learning) (3.0.4)
```

```
In [65]: from ibm_watson_machine_learning import APIClient
wml_credentials = {
    "url": "https://us-south.ml.cloud.ibm.com",
    "apikey": "APGwCp5rv2AMP9x_had06NK6pizCZA0Bdc10z0TjFHyG"
}
client = APIClient(wml_credentials)
```

```
In [66]: def guid_from_space_name(client, space_name):
space = client.spaces.get_details()
#print(space)
return(next(item for item in space['resources'] if item['entity']['name'] == space_name)['metadata']['id'])
```

```
In [67]: space_uid = guid_from_space_name(client, 'models')
print("Space UID = " + space_uid)

Space UID = 8e9ce932-c021-4332-a82c-9994699d398a
```

```
In [68]: client.set.default_space(space_uid)
```

```
Out[68]: 'SUCCESS'
```



```
In [69]: client.software_specifications.list()
```

NAME	ASSET_ID	TYPE
default_py3.6	0062b8c9-8b7d-44a0-a9b9-46c416adcbd9	base
kernel-spark3.2-scala2.12	020d69ce-7ac1-5e68-ac1a-31189867356a	base
pytorch-onnx_1.3-py3.7-edt	069ea134-3346-5748-b513-49120e15d288	base
scikit-learn_0.20-py3.6	09c5a1d0-9c1e-4473-a344-eb7b665ff687	base
spark-mllib_3.0-scala_2.12	09f4cff0-90a7-5899-b9ed-1ef348aebdee	base
pytorch-onnx_rt22.1-py3.9	0b048dd4-e681-5599-be41-b5f6fccc6471	base
ai-function_0.1-py3.6	0cdb0f1e-537e-4f4d-92dd-da3b69aa9bda	base
shiny-r3.6	0e6e79df-875e-4f24-8ae9-62dccc2148306	base
tensorflow_2.4-py3.7-horovod	1092590a-307d-563d-9b62-4eb7d64b3f22	base
pytorch_1.1-py3.6	10ac12d6-6b30-4ccd-8392-3e922c096a92	base
tensorflow_1.15-py3.6-ddl	111e41b3-de2d-5422-a4d6-bf776828c4b7	base
autoai-kb_rt22.2-py3.10	125b6d9a-5b1f-5e8d-972a-b251688ccf40	base
runtime-22.1-py3.9	12b83a17-24d8-5082-900f-0ab31fbfd3cb	base
scikit-learn_0.22-py3.6	154010fa-5b3b-4ac1-82af-4d5ee5abbc85	base
default_r3.6	1b70aec3-ab34-4b07-8aa0-a4a3c8296a36	base
pytorch-onnx_1.3-py3.6	1bc6029a-cc97-56da-b8e0-39c3880dbbe7	base
kernel-spark3.3-r3.6	1c9e5454-f216-59dd-a20e-47485cdf5988	base
pytorch-onnx_rt22.1-py3.9-edt	1d362186-7ad5-5b59-8b6c-900880bde37f	base
tensorflow_2.1-py3.6	1eb25b84-d6ed-5dde-b6a5-3fbdf1665666	base
spark-mllib_3.2	20047f72-0a98-58c7-9ff5-a77b012eb8f5	base
tensorflow_2.4-py3.8-horovod	217c16f6-178f-56bf-824a-b19f20564c49	base
runtime-22.1-py3.9-cuda	26215f05-08c3-5a41-a1b0-d866306ce658	base
do_py3.8	295addb5-9ef9-547e-9bf4-92ae3563e720	base
autoai-ts_3.8-py3.8	2aa0c932-798f-5ae9-abd6-15e0c2402fb5	base
tensorflow_1.15-py3.6	2b73a275-7cbf-420b-a912-eae7f436e0bc	base
kernel-spark3.3-py3.9	2b7961e2-e3b1-5a8c-a491-482c8368839a	base
pytorch_1.2-py3.6	2c8ef57d-2687-4b7d-acce-01f94976dac1	base
spark-mllib_2.3	2e51f700-bca0-4b0d-88dc-5c6791338875	base
pytorch-onnx_1.1-py3.6-edt	32983cea-3f32-4400-8965-dde874a8d67e	base
spark-mllib_3.0-py37	36507ebe-8770-55ba-ab2a-eafe797600e9	base
spark-mllib_2.4	390d21f8-e58b-4fac-9c55-d7ceda621326	base
autoai-ts_rt22.2-py3.10	396b2e83-0953-5b86-9a55-7ce1628a406f	base
xgboost_0.82-py3.6	39e31acd-5f30-41dc-ae44-60233c80306e	base
pytorch-onnx_1.2-py3.6-edt	40589d0e-7019-4e28-8daa-fb03b6f4fe12	base
pytorch-onnx_rt22.2-py3.10	40e73f55-783a-5535-b3fa-0c8b94291431	base
default_r36py38	41c247d3-45f8-5a71-b065-8580229facf0	base
autoai-ts_rt22.1-py3.9	4269d26e-07ba-5d40-8f66-2d495b0c717f	base
autoai-obm_3.0	42b92e18-d9ab-567f-988a-4240ba1ed5f7	base
pmml_3.0_4.3	493bc9b5-16f1-5bc5-bee8-81b8af80e9c7	base
spark-mllib_2.4-r_3.6	49403dff-92e9-4c87-a3d7-a42d0021c095	base
xgboost_0.90-py3.6	4ff8d6c2-1343-4c18-85e1-689c965304d3	base
pytorch-onnx_1.1-py3.6	50f95b2a-bc16-43bb-bc94-b0bed208c60b	base
autoai-ts_3.9-py3.8	52c57136-80fa-572e-8728-a5e7cbb42cde	base
spark-mllib_2.4-scala_2.11	55a70f99-7320-4be5-9fb9-9edb5a443af5	base
spark-mllib_3.0	5c1b0ca2-4977-5c2e-9439-ffd44ea8ff9e	base
autoai-obm_2.0	5c2e37fa-80b8-5e77-840f-d912469614ee	base
spss-modeler_18.1	5c3cad7e-507f-4b2a-a983-ab53a21dee8b	base
cuda-py3.8	5d3232bf-c86b-5df4-a2cd-7bb870e1cd4e	base
runtime-22.2-py3.10-xc	5e8cd0ff-d04a-586a-b8aa-2d4af9864dab	base
autoai-kb_3.1-py3.7	632d4b22-10aa-5180-88f0-f52dfb6444d7	base

Note: Only first 50 records were displayed. To display more use 'limit' parameter.

```
In [73]: software_spec_uid = client.software_specifications.get_uid_by_name("runtime-22.1-py3.9")
software_spec_uid
```

```
Out[73]: '12b83a17-24d8-5082-900f-0ab31fbfd3cb'
```

```
In [76]: model_details = client.repository.store_model(model=d,meta_props={
client.repository.ModelMetaNames.NAME:"churn deployment",
client.repository.ModelMetaNames.TYPE:"scikit-learn_1.0",
client.repository.ModelMetaNames.SOFTWARE_SPEC_UID:software_spec_uid})
model_id = client.repository.get_model_id(model_details)
```

```
In [77]: model_id
```

```
Out[77]: '1ba6b7e9-4cef-4995-81ed-392f43995c63'
```

```
In [78]: x_train[0]
```

```
Out[78]: array([ 1.49526939,  1.22961301,  1.24359144,  1.38832919, -0.79520768,
-1.13752513, -0.73301171])
```

```
In [79]: d.predict([[ 1.49526939,  1.22961301,  1.24359144,  1.38832919, -0.79520768,
-1.13752513, -0.73301171]])
```

```
Out[79]: array([14.56666667])
```

7. Testing

Test Cases

GIF Gesellschaft für Industry for schung is an automotive company based out of Germany, covering the vehicle transmissions and the design, testing, and development of powertrain system. GSA system, which was developed by GIF, has proven in many years of testing to be a valuable tool, mainly by complex transmission and gear development projects. GSA system is not only applied for objectively assessing the change of gears in a vehicle, but also permits measuring and analyzing the influencing factors of gear shifting quality.


Therefore, during the new development and integration of transmissions, transmission component testing, and quality assurance, GSA system is indispensable as the right tool. Based on GSA shifting performance test evaluation system, this project completes the control strategy research of improving the shifting quality of automobile transmission. The technical route to be adopted. The development process of transmission shifting performance is mainly divided into scheme design stage, performance prediction stage, platform construction stage, performance optimization stage, and popularization application stage.

First, the research idea is clear, the research scheme is determined, and the theoretical research framework of shifting test and evaluation is constructed. Second, relevant materials are collected, the performance parameters of transmission and shifting control mechanism are summarized, and the shifting performance of the whole system is predicted. Third, the shifting control performance bench test and GSA test system are built to carry out the subjective and objective test and research of shifting performance, and the real-time acquisition of shifting performance is carried out.

The performance indicators in the process are analyzed and evaluated to provide data support for improving the shifting performance of the system. Then the optimization improvement measures are specified and the shifting performance is re-evaluated to obtain the best matching relationship of the shifting performance and verify the effectiveness of the 25 control strategy research scheme. Finally, the shifting optimization test and analysis path based on GSA test technology is formed.


GSA test analysis means that the whole test system includes hardware acquisition equipment and software processing analysis tools. Through real-time measurement and analysis of the force, travel, acceleration, and other important parameters of the

shifting lever knob, the performance of the whole vehicle is systematically evaluated from the aspects of the shifting and selection force (travel), system stiffness, free play, and dynamic impact.



User Acceptance Testing (UAT)

It is a process to check that system accepts requirements of a user or not. It's performed at a time when the system used by actual users. User acceptance testing comes after →Unit Testing →Integration Testing →System Testing →Acceptance Testing in the process of testing.



Alpha Testing

It is the type of testing, executed to identify all possible issues/bugs before releasing a product to every data users or public. It simulates real users by using Black Box and White Box testing techniques. The primary function is to carry out tasks executed by a typical user. Alpha testing carried out in a developed environment or in a lab environment where a product developed and the user of a product are internal employees of an organization.

Beta Testing

It is the type of testing in which users of software or application are real users. In this application is tested in a real environment and considered as a form of an external User Acceptance testing. Beta version of a software released to a limited number of a user when tested in a Real-Time environment with the help of real users, to obtain feedback on product quality. Beta testing reduces failures, risks and provides increased quality of a product through customer validation. It is a final test before shipping a product to the customers. In this type of testing, getting direct feedback from users is a significant benefit. It is required to test a product finally in a Real-Time environment.

8.

RESULTS

The screenshot shows the IBM Watson Studio interface. The top navigation bar includes the IBM logo, a search bar, and user account information (Iswarya V's Account, Dallas). The main content area is titled 'Deployments /' and has tabs for Overview, Assets, Deployments (selected), Jobs, and Manage. A table lists the deployment details:

Name	Type	Status	Asset	Last modified
deployment of vehicle performance analyzer	Online	Deployed	churn deployment	in 18 seconds Iswarya V (You)

Below the table, it indicates 'Items per page: 20' and '1-1 of 1 items'. A right-hand sidebar contains a file upload instruction: 'Drop files here or browse for files to upload.' and a status message: 'Stay on the page until upload completes. Incomplete uploads are cancelled.'

The screenshot shows a web application titled 'CAR PERFORMANCE PREDICTION'. The background is a high-speed image of a black sports car with yellow stripes on a road. Overlaid on the image is a form with the following input fields:

- No.of cylinders (count)
- Displacement (in miles)
- Horsepower (per sec)
- Weight (in pounds)
- Model Year (YY)
- Origin

Below these fields is a blue button labeled 'PREDICT'. The browser's address bar shows the URL '127.0.0.1:5000'.

http: x http: x IBM x IBM x IBM x chur: x Chat x Car p: x IBM x Car p: x chur: x +

127.0.0.1:5000

Typing Test English... TCS ION Digital Lea... TCS Careers Code Search SmartInternz IBM-EPBL/IBM-Proj... IBM Cloud Naan Mudhalvan TamilBlasters | Lates...

CAR PERFORMANCE PREDICTION

8

307

130

3504

70

1

PREDICT

9. ADVANTAGES & DISADVANTAGES

ADVANTAGES

- Easy Implementation
- Low cost
- Can know and maintain the driver and car performance

DISADVANTAGE

- It is very difficult to find the place for placing temperature sensor and pressure sensor.

CONCLUSION

In this paper we have obtained some newer insights about the car data analysis such as economic driving index (ECN_DRVG_INDX) and safety driving index (SFTY_DRVG_INDX.) The results have proven to be approximately 80% fitting the given features and are very helpful to be used in different use cases such as a parameter in finding the driver's driving performance in a driving school, as a good estimate for finding an optimal price for a used car that can be based on several factors which we have analyzed in this paper etc. We also found that the model used to train the data can be improved further by finding better hyper parameter values for the features. It is also possible that different features can be considered for improving the hypothesis.

11. FUTURE SCOPE

There is more scope in future for research and analysis of fuel efficiency by including other factors like the road condition and real-time traffic with the help of google maps, this would help in analyzing much deeper. The knowledge discovered from the research and future work can be used by the car manufacturing companies to improve the fuel economy by considering the characteristics that substantially influence the fuel efficiency.

12. APPENDIX

GitHub link: <https://github.com/IBM-EPBL/IBM-Project-33577-1660223527>