

Date	05 October 2022
Team ID	PNT2022TMID15298
Project Name	Plasma Donor Applications
Maximum Marks	4 Marks Diagram

CODE :

```
<?php
    error_reporting(1);
    include('connection.php');
    if(isset($_POST['submit']))
    {
        $user_email = $_POST['user_email'];
        $password=$_POST['password'];
        $confirm_password=$_POST['confirm_password'];
        if($password==$confirm_password)
        {
            $sql="SELECT * FROM eventlogin WHERE
user_email='".$_.$user_email.'" AND status=0 ";
            $result=mysqli_query($conn,$sql);
            $count=mysqli_num_rows($result);
            if($result)
            {
                if($count == 1)
                {
                    echo '<script> alert("Email Id is already
registered Please use another Email Id.");
                    window.location = "
registar_event.php"; </script>';
                }
                else
                {
                    $user_number = $_POST['user_number'];
                    $sqla="SELECT * FROM eventlogin WHERE
user_number='".$_.$user_number.'" AND status=0";
```

```

$resulta=mysqli_query($conn,$sqla);
$counta=mysqli_num_rows($resulta);
if($resulta)
{
    if ($counta == 1)
    {
        echo '<script>
alert("Contact Number is already registered Please use another Number.");

        window.location = " registrar_event.php"; </script>';
    }
    else
    {
        $user_full_name =
$_POST['user_full_name'];

        $password =
md5($_POST['password']);

        $confirm_password =
$_POST['confirm_password'];

        $user_number =
$_POST['user_number'];

        $event_address =
$_POST['event_address'];

        $event_date
=$_POST['event_date'];

        $start_time=$_POST['start_time'];

        $end_time=$_POST['end_time'];

        $pincode =
$_POST['pincode'];

        $city = $_POST['city'];
        $state = $_POST['state'];
        $need = $_POST['need'];

```

```

$other_message =
$_POST['other_message'];

$created_date=date("Y-m-d

h:i:sa");

$queryc = "CREATE TABLE
`$user_email` ( id INT(255) UNSIGNED AUTO_INCREMENT PRIMARY KEY,donor_id
VARCHAR(255),user_full_name VARCHAR(255),user_number VARCHAR(255),blood_group
VARCHAR(255),weight INT(255),blood_pressure INT(255),pulse INT(255),hemoglobin
INT(255),donation_type VARCHAR(255))";

$resultc =

mysqli_query($conn, $queryc);

if($resultc)
{

$query = "INSERT
INTO eventlogin
(`user_full_name`,`user_email`,`password`,`confirm_password`,`user_number`,`event_address`,`eve
nt_date`,`start_time`,`end_time`,`pincode`,`city`,`state`,`need`,`other_message`,`created_date`,`cre
ated_by`,`status`)
VALUES('".$user_full_name."','".$user_email."','".$password."','".$confirm_password."','".$user_nu
mber."','".$event_address."','".$event_date."','".$start_time."','".$end_time."','".$pincode."','".$city.
","",'.$state."','".$need."','".$other_message."','".$created_date."','".$user_full_name."',0)";

$result=mysqli_query($conn,$query);

if($result)
{

echo

'<script> alert("Thank you...!!!! Your event is created ");

window.location = " login_event.php"; </script>';

}

else
{

echo

'<script> alert("Error.");

window.location = " registrar_event.php"; </script>';

}

}

```

```

else
{
    echo
'<script> alert("Error.");

    window.location = " registrar_event.php"; </script>';

}

}

else
{
    echo '<script> alert("Error.");
    window.location = "
ragistar_event.php"; </script>';

}

}

else
{
    echo '<script> alert("Error.");
    window.location = "
ragistar_event.php"; </script>';

}

}

else
{
    echo '<script> alert("Password & confirm_password does not match");
    window.location = "
ragistar_event.php"; </script>';

}

}

```

```

?>

<!DOCTYPE html>

<html>

<head>

    <title></title>

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <link rel="stylesheet" type="text/css" href="CSS\styleregisterevent.css">

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

    <!-- jQuery library -->

    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>


    <!-- Latest compiled JavaScript -->

    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>

    <script src="https://www.google.com/recaptcha/api.js" async defer></script>

    <style type="text/css">

        .error

        {

            color: red;

        }

        .nav > ul > li:nth-child(5)

        {

            color: white;

            background-color: black;

        }

    </style>

</head>

<body>


    <?php

        include 'header.php';

```

```

?>

    <div class="heading fix">
        <label></label>
    </div>
<div class="outerbox">
    <div class="fixedbox">
        <span class="content">
            <h4>Hello, Friend!</h4>
            <p>Enter your personal details and start journey with
us</p>
        </span>
    </div>
    <div class="scrollbox">
        <div class="registerdonor">
            <form action="registar_event.php" method="post"
id="myform">
                <div class="login">
                    <h3>Login Details</h3>
                    <table>
                        <tr>
                            <td>
                                <label>Full Name:-
</label>
                                <input type="text"
name="user_full_name" required pattern="[A-z ]+$" title="Use only character & whitespace">
                            </td>
                            <td>
                                <label>Email Id:-
</label>
                                <input type="email"
name="user_email" required pattern="[A-Za-z0-9._%+-]+@[A-z0-9.-]+\.[a-z]{2,}$" title="Email id is
not Valid">
                            </td>

```

</label>

|
 |

<label>Password:-

```
type="password" name="password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must
contain at least one number and one uppercase and lowercase letter, and at least 6 or more
characters">
```

 |

<label>Confirm

Password:-</label>

```
name="confirm_password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must contain at least one number and one uppercase and lowercase letter, and at least 6 or more characters">
```

</table>

</div>

<div class="event">

Event Details

|
 |

<label>Mobile

Number:-</label>

```
<input type="text"
```

```
name="user_number" required pattern="^[1-9]{1}[0-9]{9}$" title="Number is not valid">
```

</td>

```
<td rowspan="2">
```

<label>Event

Address:-</label>

<textarea

name="event_address" placeholder="---Type---" required></textarea>

```

</td>
</tr>
<tr>
<td>
<label>Event Date:-
</label>
<input type="date"
name="event_date" required>
</td>
</tr>
<tr>
<td>
<label>Event Time:-
</label>
<input type="time"
name="start_time" class="time" required><label class="timelabel">To</label>
<input type="time"
name="end_time" class="time" required>
</td>
<td>
<label>Pincode:-
</label>
<input type="text"
name="pincode" required pattern="^[0-9]{6}$" title="Pincode is not valid">
</td>
</tr>
<tr>
<td>
<label>City:-
</label>
<input type="text"
name="city" value="Vijayawada" readonly>
</td>
<td>
```



```

</label>
<input type="text"
name="state" value="Andhra Pradesh" readonly>
</td>
</tr>
</table>
</div>
<div class="other">
<h3>Other Details(Optional)</h3>
<table>
<tr>
<td>
<label>State:-
more required ?:-</label>
<input type="text"
list="need" name="need" placeholder="----Select----">
<datalist
id="need">
<option
value="Plasama"></option>
<option
value="Blood"></option>
<option
value="Platelates"></option>
</datalist>
<td rowspan="2">
<label>Which one is
are you plan this Event ?:-</label>
<textarea name="other_message" placeholder="---Type---"></textarea>
</td>
</tr>
</td>
</tr>
</table>

```

```

                <tr>
                    <td>
                        <label>Event
                        <input type="file"
Poster:-</label>
name="event_poster">
                    </td>
                </tr>
            </table>
        </div>
        <span>
            <input type="checkbox" name="terms"
id="checkbox" required>
        </span><p>I agree to have my contact details
broadcasted to the of KKR.hosp.com</p>

        <div class="btn">
            <input type="submit" name="submit"
value="Submit Details ">
            <input type="reset" name="reset"
value="Reset Details">
        </div>
    </form>
</div>
</div>
</div>
<!-- Responsive Table-->
<div class="rregisterdonor">
    <form action="registar_event.php" method="post" id="myform">
        <div class="rlogin">
            <h3>Login Details</h3>
            <table>
                <tr>
```

```

        <td>

            <label>Full Name:-</label>

            <input type="text"
name="user_full_name" required pattern="[A-z ]+$" title="Use only character & whitespace">

        </td>

    </tr>

    <tr>

        <td>

            <label>Email Id:-</label>

            <input type="email"
name="user_email" required pattern="[A-Za-z0-9._%+-]+@[A-z0-9.-]+\.[a-z]{2,}$" title="Email id is
not Valid">

        </td>

    </tr>

    <tr>

        <td>

            <label>Password:-</label>

            <input
type="password" name="password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must
contain at least one number and one uppercase and lowercase letter, and at least 6 or more
characters">

        </td>

    </tr>

    <tr>

        <td>

            <label>Confirm Password:-</label>

            <input type="text"
name="confirm_password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must contain
at least one number and one uppercase and lowercase letter, and at least 6 or more characters">

        </td>

    </tr>

</table>

</div>

<div class="revent">

```

```

<h3>Event Details</h3>
<table>
  <tr>
    <td>
      <label>Mobile Number:-</label>
      <input type="text"
name="user_number" required pattern="^[1-9]{1}[0-9]{9}$" title="Number is not valid">
    </td>
  </tr>
  <tr>
    <td>
      <label>Event Address:-</label>
      <textarea name="event_address"
placeholder="---Type---" required></textarea>
    </td>
  </tr>
  <tr>
    <td>
      <label>Event Date:-</label>
      <input type="date"
name="event_date" required>
    </td>
  </tr>
  <tr>
    <td>
      <label>Event Time:-</label>
      <input type="time"
name="start_time" class="time" required><label class="timelabel">To</label>
      <input type="time"
name="end_time" class="time" required>
    </td>
  </tr>
  <tr>

```

```

                                <td>

                                <label>Pincode:-</label>

                                <input type="text" name="pincode"
required pattern="^[0-9]{6}$" title="Pincode is not valid">

                                </td>
                        </tr>
                <tr>
                                <td>

                                <label>City:-</label>

                                <input type="text" name="city"
value="Vijayawada" readonly>

                                </td>
                        </tr>
                <tr>
                                <td>

                                <label>State:-</label>

                                <input type="text" name="state"
value="Andhra Pradesh" readonly>

                                </td>
                        </tr>
        </table>
    </div>

    <div class="rother">
        <h3>Other Details(Optional)</h3>
        <table>
            <tr>
                <td>

                <label>Which one is more required

                <input type="text" list="need"

                <datalist id="need">
name="need" placeholder="----Select----">

```

```
value="Plasama"></option>

value="Blood"></option>

value="Platelates"></option>

</datalist>

</td>

</tr>

<tr>

<td >

<label>Why are you plan this Event

?:-</label>

<textarea name="other_message"

placeholder="---Type---"></textarea>

</td>

</tr>

<tr>

<td>

<label>Event Poster:-</label>

<input type="file"

name="event_poster">

</td>

</tr>

</table>

</div>

<span>

<input type="checkbox" name="terms" id="checkbox"

required>

</span><p>I agree to have my contact details broadcasted to the

KKR.hosp.com</p>

<div class="btn">
```

```

        <input type="submit" name="submit" value="Submit Details"
">

        <input type="reset" name="reset" value="Reset Details">

    </div>

</form>

</div>

<?php
    include 'footer.php';
?>

</body>

<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-
validate/1.16.0/jquery.validate.min.js"></script>

<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-validate/1.16.0/additional-
methods.min.js"></script>

<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>

<script>
jQuery.validator.addMethod("checkemail", function(value, element) {
    // allow any non-whitespace characters as the host part
    return this.optional( element ) || /^\\b[A-Z0-9._%-]+@[A-Z0-9.-]+\\. [A-Z]{2,4}\\b$/i.test( value );
}, 'Please enter a valid email address.');
```

```

$(document).ready(function () {

    $('#myform').validate({
        rules: {
```

```
password:{
  required:true,
  minlength:6,
  maxlength:15,

},
confirm_password:{
  required:true,
  minlength:6,
  maxlength:15,
  equalTo: "#password",


},
},
messages:{
```

```
  password:{
    required:"password is required",
    minlength:"enter password between 7-15",
    maxlength:"enter password between 7-15",
  },
  confirm_password:{
    required:"password is required",
    minlength:"enter password between 7-15",
    maxlength:"enter password between 7-15",
    equalTo:"password must be same",

  },
```



```
    },  
    });  
  
});  
</script>  
  
<script type="text/javascript">  
    function share()  
    {  
        var a=document.getElementById("f");  
        var b=document.getElementById("g");  
        var c=document.getElementById("i");  
        var d=document.getElementById("y");  
        if (a.style.display === "none")  
        {  
            a.style.display="block";  
            b.style.display="block";  
            c.style.display="block";  
            d.style.display="block";  
        }  
        else  
        {  
            a.style.display="none";  
            b.style.display="none";  
            c.style.display="none";  
            d.style.display="none";  
        }  
    }  
</script>  
</html>
```



Hello, Friend!

Enter your personal details and start journey with us

Login Details

Full Name:- Email Id:-
Password:- Confirm Password:-


Event Details

Mobile Number:- ---Type---
Event Date:- Event Address:-
Event Time:- To Pincode:-
City:- State:-

Other Details(Optional)

Which one is more required ?:- ---Type---
Event Poster:- No file chosen Why are you plan this Event ?:-

I agree to have my contact details broadcasted to the of KKR.hosp.com



Login Details

Full Name:-
Email Id:-
Password:-
Confirm Password:-

Event Details

Mobile Number:- ---Type---
Event Address:-
Event Date:-
Event Time:- To
Pincode:-
City:-
State:-

Other Details(Optional)

Which one is more required ?:- ---Type---
Why are you plan this Event ?:-
Event Poster:- No file chosen

I agree to have my contact details broadcasted to the KKR.hosp.com