Date	05 October 2022
Team ID	PNT2022TMID15298
Project Name	Plasma Donor Applications
Maximum Marks	4 Marks Diagram

CODE :

```php
<?php

        session_start();


?>
```

```html
<!DOCTYPE html>

<html>

<head>

        <title></title>

        <meta name="viewport" content="width=device-width, initial-scale=1.0">

        <link rel="stylesheet" type="text/css" href="CSS\styleupdatedonor.css">

        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

        <script src="https://www.google.com/recaptcha/api.js" async defer></script>

</head>

<body>


                <div class="header fix">

                        <img src="Image\logo.png">

                        <form>

                                <div class="navbtn">

                                        <i class="fa fa-bars fa-2x " aria-hidden="true"
onclick="openNav()"></i>

                                </div>

                        </form>

                </div>

                        <div class="nav fix">

                                <ul>
```

```html
<li><a href="donor_page.php" >Donor History</a></li>
<li><a href="health_report.php">Health Report</a></li>
<li><a href="pending_request_donor.php">Pending Request</a></li>
<li><a href="d_blood_tips.php">Blood Tips</a></li>
<li><a href="d_contribute.php">Contribute</a></li>
<li class="active"><a href="">More &nabla;</a>
                <ul>
                        <li><a href="d_about_us.php">About Us</a></li>
                        <li><a href="d_get_in_touch.php">Contact
Us</a></li>
                </ul>
        </li>
    </ul>
    </div>


            <div class="heading fix">
                    <label>Update Details</label>
            </div>
            <div id="mySidenav" class="sidenav">
        <a  class="closebtn" onclick="closeNav()">&times;</a>
        <a href="update_donor.php" class="a"><i class="fa fa-pencil-square-o" aria-
hidden="true"></i></a>
        <a href="delete_donor.php" class="b"><i class="fa fa-trash-o" aria-
hidden="true"></i></a>
        <i class="fa fa-id-card-o" aria-hidden="true" style="color:white;">
                 <?php echo $_SESSION['id']; ?>
        </i>
        <i class="fa fa-user" aria-hidden="true" style="color:white;">
                 <?php echo $_SESSION['user_full_name']; ?>
        </i>
        <i class="fa fa-envelope" aria-hidden="true" style="color:white;">
                 <?php echo $_SESSION['user_email']; ?>
```

```html
				</i>
				<i class="fa fa-phone" aria-hidden="true" style="color:white;">
						 <?php echo $_SESSION['user_number']; ?>
				</i>
				<i class="fa fa-calendar" aria-hidden="true" style="color:white;">
						 <?php echo $_SESSION['date_of_birth']; ?>
				</i>
				<i class="fa fa-venus-mars" aria-hidden="true" style="color:white;">
						 <?php echo $_SESSION['gender']; ?>
				</i>
				<i class="fa fa-tint" aria-hidden="true" style="color:white;">
						 <?php echo $_SESSION['blood_group']; ?>
				</i>
				<i class="fa fa-location-arrow" aria-hidden="true" style="color:white;">
						 <?php echo $_SESSION['city']; ?>
				</i>
				<div class="btn btn1" >
						<a href="login_donor.php"><input type="button" name="Signout" value="Sign Out"></a>
				</div>
		</div>
				<div class="outerbox">
						<div class="fixedbox">
								<span class="content">
										<h4>Important Note..!!</h4>
										<p><i class="fa fa-times" aria-hidden="true"></i>Password can not Change.</p>
										<p><i class="fa fa-times" aria-hidden="true"></i>Confirm Password can not Change.</p>
										<p><i class="fa fa-times" aria-hidden="true"></i>City can not Change.</p>
										<p><i class="fa fa-times" aria-hidden="true"></i>State can not Change.</p>
```

```html
                                <p><i class="fa fa-times" aria-hidden="true"></i>Blood group can not Change.</p>
                                <p><i class="fa fa-times" aria-hidden="true"></i>Weight can not Change.</p>
                        </span>
                </div>
                <div class="scrollbox">
                        <div class="registerdonor">
                                <form action="update_donor_process.php" method="POST">
                                        <div class="login">
                                                <h3>Login Details</h3>
                                                <table>
                                                        <tr>
                                                                <td colspan="2">
                                                                        <label class="username">User Name:-</label>
                                                                        <input type="text" name="user_name" required pattern="^[A-Za-z0-9._%+-@]{5,10}$" title="Enter a username between 5 to 10 letter" value="<?php echo $_SESSION['user_name'];?>">
                                                                </td>
                                                        </tr>
                                                        <tr>
                                                                <td>
                                                                        <label>Full Name:-</label>
                                                                        <input type="text" name="user_full_name" required pattern="[A-z ]+$" title="Use only character & whitespace" value="<?php echo $_SESSION['user_full_name'];?>">
                                                                </td>
                                                                <td>
                                                                        <label>Email Id:-</label>
```

```html
                                                                    <input type="email"
name="user_email" required pattern="[A-Za-z0-9._%+-]+@[A-z0-9.-]+\.[a-z]{2,}$" title="Email id is
not Valid" value="<?php echo $_SESSION['user_email'];?>">

                                                    </td>

                                            </tr>

                                            <tr>

                                                    <td>

                                                            <label>Password:-
</label>

                                                            <input
type="password"name="password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must
contain at least one number and one uppercase and lowercase letter, and at least 6 or more
characters" value="<?php echo $_SESSION['password'];?>" readonly>

                                                    </td>

                                                    <td>

                                                            <label>Confirm
Password:-</label>

                                                            <input type="text"
name="confirm_password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must contain
at least one number and one uppercase and lowercase letter, and at least 6 or more characters"
value="<?php echo $_SESSION['confirm_password'];?>" readonly>

                                                    </td>

                                            </tr>

                                    </table>

                            </div>

                            <div class="contact">

                                    <h3>Contact Details</h3>

                                    <table>

                                            <tr>

                                                    <td>

                                                            <label>Mobile
Number:-</label>

                                                            <input type="text"
name="user_number" required pattern="^[1-9]{1}[0-9]{9}$" title="Number is not valid"
value="<?php echo $_SESSION['user_number'];?>">

                                                    </td>
```

```html
                                                            <td rowspan="2">
                                                                <label>Address:-
</label>
                                                                <textarea
name="Address" placeholder="---Type---" required>
                                                                    <?php echo
$_SESSION['Address'];?>
                                                                </textarea>
                                                            </td>
                                                        </tr>
                                                        <tr>
                                                            <td>

        <label>Pincode</label>
                                                                <input type="text"
name="pincode" required pattern="^[0-9]{6}$" title="Pincode is not valid" value="<?php echo
$_SESSION['pincode'];?>">
                                                            </td>
                                                        </tr>
                                                        <tr>
                                                            <td>
                                                                <label>City:-
</label>
                                                                <input type="text"
name="city" value="Vijayawada" readonly value="<?php echo $_SESSION['city'];?>">
                                                            </td>
                                                            <td>
                                                                <label>State:-
</label>
                                                                <input type="text"
name="state" value="Andhra Pradesh" readonly value="<?php echo $_SESSION['state'];?>">
                                                            </td>
                                                        </tr>
                                                    </table>
```

```
                                </div>
                                <div class="personal">
                                <h3>Personal Details</h3>
                                <table>
                                    <tr>
                                        <td>
                                            <label>Date Of
Birth:-</label>
                                            <input type="date"
name="date_of_birth" required value="<?php echo $_SESSION['date_of_birth_a'];?>">
                                        </td>
                                        <td>
                                            <label>Gender:-
</label>
                                            <div class="radio">
                                                <?php

        if($_SESSION['gender']=='Male')

                                                    {

        echo '<input type="radio" name="gender" class="radio1" value="Male" checked><span
class="radioname" required>Male</span>';

        echo '<input type="radio" class="radio2" name="gender" value="Female"><span
class="radioname" required>Female</span>';

                                                    }
                                                else
                                                    {

        echo '<input type="radio" name="gender" class="radio1" value="Male"><span
class="radioname" required>Male</span>';

        echo '<input type="radio" class="radio2" name="gender" value="Female" checked><span
class="radioname" required>Female</span>';

                                                    }
```

```
                                                    ?>

                                        </div>

                                </td>

                        </tr>
                        <tr>
                                <td>
                                        <label>Blood
Group</label>
                                        <input type="text"
list="bloodgroup" name="blood_group" placeholder="----Select----" required value="<?php echo
$_SESSION['blood_group'];?>" readonly>

                                        <datalist
id="bloodgroup">

                                                <option
value="A+"></option>

                                                <option
value="A-"></option>

                                                <option
value="AB+"></option>

                                                <option
value="B+"></option>

                                                <option
value="B-"></option>

                                                <option
value="O+"></option>

                                                <option
value="O-"></option>
                                        </datalist>
                                </td>
                                <td>
                                        <label>Weight In Kg
[Approx]:-</label>
                                        <input
type="number" name="weight" required value="<?php echo $_SESSION['weight'];?>" readonly>
                                </td>
```

```html
                                            </tr>
                                        </table>
                                    </div>
                                    <span>
                                        <input type="checkbox" name="terms"
id="checkbox" required>
                                    </span><p>I agree to have my contact details
broadcasted to the registered donors of B24U.net</p>


                                    <div class="btnn">
                                        <input type="submit" name="submit"
value="Update">

                                        <input type="reset" name="submit"
value="Reset">
                                    </div>
                                </form>
                            </div>


                    </div>
                </div>


                <!-- Responsive Table -->
                <div class="rregisterdonor">
                <form action="process.php" method="POST">


                        <div class="rlogin">
                            <h3>Login Details</h3>
                            <table>
                                <tr>
                                    <td >
                                        <label class="username">User
Name:-</label>
```

```html
                                        <input type="text"
name="user_name" required pattern="^[A-Za-z0-9._%+-@]{5,10}$" title="Enter a username
between 5 to 10 letter" value="<?php echo $_SESSION['user_name'];?>">
                                    </td>
                                </tr>
                                <tr>
                                    <td>
                                        <label>Full Name:-</label>
                                        <input type="text"
name="user_full_name" required pattern="[A-z ]+$" title="Use only character & whitespace"
value="<?php echo $_SESSION['user_full_name'];?>">
                                    </td>
                                </tr>
                                <tr>
                                    <td>
                                        <label>Email Id:-</label>
                                        <input type="email"
name="user_email" required pattern="[A-Za-z0-9._%+-]+@[A-z0-9.-]+\.[a-z]{2,}$" title="Email id is
not Valid" value="<?php echo $_SESSION['user_email'];?>">
                                    </td>
                                </tr>
                                <tr>
                                    <td>
                                        <label>Password:-</label>
                                        <input
type="password"name="password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must
contain at least one number and one uppercase and lowercase letter, and at least 6 or more
characters" value="<?php echo $_SESSION['password'];?>" readonly>
                                    </td>
                                </tr>
                                <tr>
                                    <td>
                                        <label>Confirm Password:-</label>
```

```html
                                            <input type="text"
name="confirm_password" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" title="Must contain
at least one number and one uppercase and lowercase letter, and at least 6 or more characters"
value="<?php echo $_SESSION['confirm_password'];?>" readonly>
                                        </td>
                                    </tr>
                                </table>
                            </div>
                            <div class="rcontact">
                                <h3>Contact Details</h3>
                                <table>
                                    <tr>
                                        <td>
                                            <label>Mobile Number:-</label>
                                            <input type="text"
name="user_number" required pattern="^[1-9]{1}[0-9]{9}$" title="Number is not valid"
value="<?php echo $_SESSION['user_number'];?>">
                                        </td>
                                    </tr>
                                    <tr>
                                        <td>
                                            <label>Address:-</label>
                                            <textarea name="Address"
placeholder="---Type---" required ><?php echo $_SESSION['Address'];?></textarea>
                                        </td>
                                    </tr>
                                    <tr>
                                        <td>
                                            <label>Pincode</label>
                                            <input type="text" name="pincode"
required pattern="^[0-9]{6}$" title="Pincode is not valid" value="<?php echo
$_SESSION['pincode'];?>">
                                        </td>
                                    </tr>
```

```html
<tr>
    <td>
        <label>City:-</label>
        <input type="text" name="city" value="Vijayawada" readonly value="<?php echo $_SESSION['city'];?>">
    </td>
</tr>
<tr>
    <td>
        <label>State:-</label>
        <input type="text" name="state" value="Andhra Pradesh" readonly value="<?php echo $_SESSION['state'];?>">
    </td>
</tr>
</table>
</div>
<div class="rpersonal">
<h3>Personal Details</h3>
<table>
    <tr>
        <td>
            <label>Date Of Birth:-</label>
            <input type="date" name="date_of_birth" required value="<?php echo $_SESSION['date_of_birth_a'];?>">
        </td>
    </tr>
    <tr>
        <td>
            <label>Gender:-</label>
            <div class="radio">
                <?php
```

```php
        if($_SESSION['gender']=='Male')

                                                                                {

        echo '<input type="radio" name="gender" class="radio1" value="Male" checked><span
class="radioname" required>Male</span>';

        echo '<input type="radio" class="radio2" name="gender" value="Female"><span
class="radioname" required>Female</span>';

                                                                                }
                                                                                else
                                                                                {

        echo '<input type="radio" name="gender" class="radio1" value="Male"><span
class="radioname" required>Male</span>';

        echo '<input type="radio" class="radio2" name="gender" value="Female" checked><span
class="radioname" required>Female</span>';

                                                                                }
                                                                        ?>
```

```html
                                        </div>
                                </td>
                        </tr>
                        <tr>
                                <td>
                                        <label>Blood Group</label>
                                        <input type="text"
list="bloodgroup" name="blood_group" placeholder="----Select----" required value="<?php echo
$_SESSION['blood_group'];?>" readonly>

                                        <datalist id="bloodgroup">
                                                <option
value="A+"></option>

                                                <option value="A-
"></option>
```

```html
                                                             <option value="AB+"></option>
                                                             <option value="B+"></option>
                                                             <option value="B-"></option>
                                                             <option value="O+"></option>
                                                             <option value="O-"></option>
                                                        </datalist>
                                                   </td>
                                              </tr>
                                              <tr>
                                                   <td>
                                                        <label>Weight In Kg [Approx]:-</label>
                                                        <input type="number" name="weight" required value="<?php echo $_SESSION['weight'];?>" readonly>
                                                   </td>
                                              </tr>
                                         </table>
                                    </div>


                               <span>
                                    <input type="checkbox" name="terms" id="checkbox" required >
                               </span><p>I agree to have my contact details broadcasted to the registered donors of B24U.net</p>
                               <div class="btnn">
                                    <input type="submit" name="submit" value="Update">
                                    <input type="reset" name="submit" value="Reset">
                               </div>
```

```
                                    </form>

                        </div>

                        <?php

                include 'footer.php';

                ?>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-
validate/1.16.0/jquery.validate.min.js"></script>

<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-validate/1.16.0/additional-
methods.min.js"></script>

<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>


<script>

jQuery.validator.addMethod("checkemail", function(value, element) {

  // allow any non-whitespace characters as the host part

  return this.optional( element ) || /^\b[A-Z0-9._%-]+@[A-Z0-9.-]+\.[A-Z]{2,4}\b$/i.test( value );

}, 'Please enter a valid email address.');






$(document).ready(function () {


  $('#myform').validate({

    rules: {

      fname: {

        required: true,

        lettersonly:true,


      },
```

```
lname:{
    required: true,
    lettersonly:true,

},
email:{
  required:true,
  email:true,
  checkemail:true,
},
password:{
  required:true,
  minlength:7,
  maxlength:15,

},
confirm_password:{
  required:true,
  minlength:7,
  maxlength:15,
  equalTo: "#password",


},
contect_no:{
  required:true,
  minlength:10,
  maxlength:10,
  digits:true,
},
img:{
```

```
        required:true,
        // uploadfile:true,
        accept: "jpg,png,jpeg,gif",
    },


},
messages:{
    fname:{
            required:"firstname is required",
            lettersonly:"enter letters only",
    },


    lname:{
            required:"last name is required",
            lettersonly:"enter letters only",
    },
    email:{
            required:"email required",
            email:"enter valid email",
            checkemail:"enter proper email",


    },
                    password:{
                            required:"password is required",
                            minlength:"enter password between 7-15",
                            maxlength:"enter password between 7-15",
                    },
                    confirm_password:{
                            required:"password is required",
                            minlength:"enter password between 7-15",
                            maxlength:"enter password between 7-15",
```

```javascript
                            equalTo:"password must be same",



                    },
                    contect_no:{
                            required:"contect no is required",
                            minlength:"enter contect number 10digits",
                            maxlength:"enter contect number 10digits",
                            digits:"enter 10 digits",



                    },
            img:{
                    required:"upload image",
                    // uploadfile:"upload image",
                    accept:"upload image only jpg,jpeg,png ",



            },
        },
    });



});
</script>


</body>
<script>
            function openNav()
            {
                    document.getElementById("mySidenav").style.display = "block";
            }
```

```
function closeNav()
{
        document.getElementById("mySidenav").style.display = "none";
}
function share()
{
        var a =document.getElementById("f");
        var b=document.getElementById("g");
        var c=document.getElementById("i");
        var d=document.getElementById("y");
        if (a.style.display === "none")
        {
                a.style.display="block";
                b.style.display="block";
                c.style.display="block";
                d.style.display="block";
        }
        else
        {
                a.style.display="none";
                b.style.display="none";
                c.style.display="none";
                d.style.display="none";
        }
}
</script>
</html>
```

File | C:/Users/Dell/OneDrive/Desktop/Request%20to%20donate.html

- Donor History
- Health Report
- Pending Request
- Blood Tips
- Contribute
- More ▽
  - About Us
  - Contact Us

Update Details
× ✎ 🗑

Sign Out

Important Note..!!

✖Password can not Change.

✖Confirm Password can not Change.

✖City can not Change.

✖State can not Change.

✖Blood group can not Change.

✖Weight can not Change.

Login Details

User Name:- `<?php echo $_SESSION['u`

Full Name:- `<?php echo $_SESSION['u` Email Id:- `<?php echo $_SESSION['u`

File | C:/Users/Dell/OneDrive/Desktop/Request%20to%20donate.html

Password:- •••••••••••••••••••••••••• Confirm Password:- `<?php echo $_SESSION['c`

Contact Details

Mobile Number:- `<?php echo $_SESSION['u`

Pincode `<?php echo $_SESSION['p` Address:- `<?php echo`

City:- Vijayawada State:- Andhra Pradesh

Personal Details

Date Of Birth:- dd-mm-yyyy Gender:-
Male'; echo ' ○ Female'; } else { echo ' ○ Male'; echo ' ⦿ Female'; } ?>

Blood Group `<?php echo $_SESSION` Weight In Kg [Approx]:-

☐

I agree to have my contact details broadcasted to the registered donors of B24U.net

Update   Reset

Login Details

User Name:- `<?php echo $_SESSION['u`
Full Name:- `<?php echo $_SESSION['u`
Email Id:- `<?php echo $_SESSION['u`
Password:- ••••••••••••••••••••••••••
Confirm Password:- `<?php echo $_SESSION['c`

Contact Details

Mobile Number:- `<?php echo $_SESSION['u`

Login Details

User Name:- `<?php echo $_SESSION['u`
Full Name:- `<?php echo $_SESSION['u`
Email Id:- `<?php echo $_SESSION['u`
Password:- •••••••••••••••••••••••••••••
Confirm Password:- `<?php echo $_SESSION['c`

Contact Details

Mobile Number:- `<?php echo $_SESSION['u`

Address:-
```
<?php echo
$_SESSION['Address']
```

Pincode `<?php echo $_SESSION['p`
City:- Vijayawada
State:- Andhra Pradesh

Personal Details

Date Of Birth:- dd-mm-yyyy

Gender:-
Male'; echo ' ○ Female'; } else { echo ' ○ Male'; echo ' ● Female'; } ?>

Blood Group `<?php echo $_SESSION`
Weight In Kg [Approx]:- [   ]

☐

I agree to have my contact details broadcasted to the registered donors of B24U.net

[Update] [Reset]