


ASSIGNMENT 4

CLOUD APPLICATION DEVELOPMENT


Batch no	B3-3M5E
Project Name	Smart Fashion Recommender Application
Maximum Marks	2 Marks

1. Pull an Image from docker hub and run it in docker playground.


The image is built.




The same image is pushed to docker hub using the command



Here image name is ibmassign4deploy. Thus it is pushed in docker hub.



The app is running at the specified port.



Registration Form

Enter name
Enter Email
Enter Mobile
Enter City
Enter State
Enter Country
Submit




2. Create a docker file for the application and deploy it in Docker desktop application.

Dockerfile:

```
FROM python:3.6
COPY . /app
WORKDIR /app
RUN pip install -r requirements.txt
EXPOSE 5001
ENTRYPOINT [ "python" ]
CMD [ "main.py" ]
```

Thus docker file created and deployed in docker desktop.




3. Create a IBM container registry and deploy hello world app.

Container registry created using


```
> docker tag sanoferrasheed/ibmassign4deploy:latest
```

```
icr.io/ibmassign4namespace/ibmassign4repo:latest
```

```
> docker push icr.io/ibmassign4namespace/ibmassign4repo:latest
```




Thus, images in container registry are listed



4. Create a Kubernetes cluster in IBM cloud and deploy hello world image or job portal image and also expose the same app to run in node port.

Thus, cluster is created.



localhost / 127.0.0.1Registration PageService Details - IBMIBM Db2 on Cloudmycluster-free - IBMmycluster-free - KullRegistration Page

eu-de.containers.cloud.ibm.com/kubeproxy/clusters/cddt2egf0rh8i3bv3crg/service/#/service?namespace=default

GDB online Debug...Sasha - Microsoft O...IBM_Project Templa...docker/getting-star...kubernetesFont Awesomehttps://identity-2as...IBM Chatbot Projec...Course: Javascript P...IBM NT

kubernetes

default

Search

+🔔👤

Service > Services

Cron Jobs

Daemon Sets

Deployments

Jobs

Pods

Replica Sets

Replication Controllers

Stateful Sets

Service

Ingresses

Ingress Classes

Services

Config and Storage

Config Maps

Persistent Volume Claims

Secrets

Services

Name	Labels	Type	Cluster IP	Internal Endpoints	External Endpoints	Created
ibmassign4appln	Show all	LoadBalancer	172.21.216.77	ibmassign4appln:5001 TCP ibmassign4appln:30878 TCP	-	7 minutes ago
kubernetes	Show all	ClusterIP	172.21.0.1	kubernetes:443 TCP kubernetes:0 TCP	-	28 minutes ago

29°C
Haze

Search

ENG
IN🔊🔌📶07:01 PM
28-10-2022