NEWS TRACKER APPLICATION PROJECT REPORT

Τ.	AR	I.F.	OF	COI	VT	FN	TS	١.
		, , , , ,	\ / I		1	1 / 1 7		,

- 1.INTRODUCTION
 - 1.1.PROJECT OVERVIEW
 - 1.2.PURPOSE
- 2.LITERATURE SURVEY
 - 2.1.EXISTING PROBLEM
 - 2.2.REFERENCE
 - 2.3.PROBLEM STATEMENT
- 3.IDEATION AND PROPOSED SOLUTION
 - 3.1.EMPATHY MAP CANVAS
 - 3.2.IDEATION AND BRAIN STORMING
 - 3.3.PROPOSED SOLUTION
 - 3.4.PROBLEM SOLUTION FIT
- **4.REQUIREMENT ANALYSIS**
 - 4.1.FUNCTIONAL REQUIREMENTS
 - 4.2.NON-FUNCTIONAL REQUIREMENTS
- **5.PROJECT DESIGN**
 - 5.1.DATA FLOW DIAGRAMS
 - 5.2. SOLUTION AND TECHNICAL ARCHITECTURE
 - **5.3.USER STORIES**
- 6.PROJECT PLANNING AND SCHEDULING
 - 6.1.SPRINT PLANNING AND ESTIMATION
 - **6.2.SPRINT DELIVERY SCHEDULE**
- 7.CODING AND SOLUTIONING
 - 7.1.FEATURE-1 SEARCH FILTER
 - 7.2.CHAT BOT
 - 7.3.CATEGORY FILTER
- 8.TESTING
 - 8.1.TEST CASES
 - 8.2. USER ACCEPTANCE TESTING
 - 8.2.1.PURPOSE OF DOCUMENTS
 - 8.2.2.DEFECT ANALYSIS
 - 8.3.3.TEST CASE ANALYSIS
- 9.ADVANTAGES AND DISADVANTAGES 10 CONCLUSION

11.FUTURE SCOPE

12.SOURCE CODE

13.APPENDIX

13.1.GITHUB LINK

13.2.DEMO LINK

PROJECT REPORT NEWS TRACKER APPLICATION

1. INTRODUCTION

1.1 Project Overview

The main objective of the project is to provide people a web application through which people can access all types of news and information. Through this application, any user can gain technical knowledge of the world and its surrounding withjust one click ahead. User does not have to visit multiple sites for different related information. All information is going to be in one place.

1.2 Purpose

The purpose is to develop an web application, which will eliminate the problems faced in the current scenario. This application will provide all the information and news related to E-sports, sciennce, and Technology or that are in trend at one place. So, it willsave time and efforts of the users by making it more efficient Using, this application willterminate the possibility of information redundancy.

2. LITERATURE SURVEY

2.1 Existing Problem

Our research utilizes the current trends and technology to design and develop aweb application for every user. News organizations whose web applications only provide users with their articles or videos are missing a big opportunity. There are multiple news sharing apps used by a single user and are often spammed with notifications. There is also a lot of fake news.

2.2 Reference


- 1. Exploring mobile news reading interactions for news app personalisation Marios Constantinde & John Dowell.
- 2. Detection and Tracking in News Articles Sagar Patel, Sanket suthar.
- 3. Following the fed with a news tracker Michael william Mc Cracken

2.3 Problem Statement


The customer needs a way to get relevant news based on his choices so that thecustomer does not have to spend a lot of time on searching news. News is filled with ads and spams annoys and irritates the customer and affects the user experience. Market is full of news with all categories. Customers are not interested in allthe categories and will be more interested with their personal choices. Traditional way oftracking news is slow and obsolete, user needs a new innovative application to track news with personal based choices.

3. IDEATION AND PROPOSED SOLUTION

3.1 Empathy map canvas



3.2 Ideation & Brainstorming




3.3 Proposed Solution

As a team, we realized that we have different skill sets and felt that we would all beable to cater to this problem statement in a very strategic and collaborative manner.

Plus it was interesting to see how all of us had a very different take on news consumption. A news-sharing app wants to help users find relevant and important newseasily every day and also understand explicitly that the news is not fake but from propersources

3.4 Problem Solution fit



4. REQUIREMENT ANALYSIS

4.1 Functional Requirement

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Gmail
FR-2	User Confirmation	Confirmation via Google Auth
FR-3	User Login	User login with username and password Login with Gmail
FR-4	User Interface	User goes through the filtered news provided by application
FR-5	User Account Settings	User can update account credentials, update interests and choices of news and report any issues

4.2 Non-Functional Requirements

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	The application is easily navigable, it has an interface which is user-friendly. The login/register page has simple terms which can be filled by a user who has not done it before. The user interface navigates the user to the Home page and asks for interests.
		The settings can be quickly accessed by the user by going to the account settings, where the credentials and interests can be changed anytime.


NFR-2	Security	The application uses Google OAuth 2.0 / Auth0 for User authentication.
NFR-3	Reliability	The application should be able to perform without failure in 95 percent of all use cases during a month since the IBM cloud doesn't face down time so often.
NFR-4	Performance	The application's news feed page has a loading time of 6 seconds.
NFR-5	Availability	The application must be available to the users at least 99% of the time in a month.
NFR-6	Scalability	The application should be able to handle upto 10,000 users at a time considering the cloud factors.

5. PROJECT DESIGN


5.1 Data Flow Diagrams

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.

LEVEL 0 DATAFLOW DIAGRAM - NEWS TRACKER APPLICATION



5.2 Solution & Technical Architecture



5.3 User Stories

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user / Web User)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the application through Gmail		Medium	Sprint-1
	Login	USN-4	As a user, I can log into the application by entering email & password		High	Sprint-1
	Dashboard	USN-5	As a user, I can enter the interests and choices of news I want to see for the first time in dashboard.		High	Sprint-2
		USN-6	As a user I can go through the feed of news filtered according to my wish.		High	Sprint-3
		USN-7	As a user, I can log out my account in settings.	I can click confirm to log out and end the session	Medium	Sprint-3
	Settings	USN-8	As a user, I can update my interests and choice in account settings.		Medium	Sprint-4
Customer Care Executive	Chat Bot / Query Section	USN-9	Solve issues brought up by client.		Medium	Sprint-4
Administrator		USN-10	Roll out updates and bug fixes.		High	Sprint-4

6. PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	5	1	2	1	9
Duplicate	1	0	0	0	1
External	1	0	0	1	2
Fixed	7	1	2	2	12
Not Reproduced	0	0	0	0	0
Skipped	0	0	0	0	0
Won't Fix	0	0	0	0	0
Totals	14	2	4	4	24

6.2 Sprint Delivery Schedule

Section	Total Cases	Not Tested	Fail	Pass
Login Page	4	0	0	4
Registration Page	1	0	0	1
Home Page	5	0	0	5

7. CODING & SOLUTIONING

7.1 FEATURE 1 – Search Filter

```
@app.route("/search", methods=['POST', 'GET'])

def search_news():
    search_query = request.form['search']
    search_results = newsapi.get_everything(q=search_query)
    return render_template('search.html', session=session.get('user'),
    search_results=search_results, categories=all_categories,
    search_query=search_query)
```

7.2 FEATURE 2 - Chat-bot

```
. . .
                                      CHAT-BOT
  window.watsonAssistantChatOptions = {
       integrationID: "1713fc16-946a-4bc2-ad0a-52f55338a079", // The ID of this
integration.
       region: "jp-tok", // The region your integration is hosted in.
       serviceInstanceID: "fc27de01-58f5-4803-9744-ec8799654c59", // The ID of
your service instance.
       onLoad: function(instance) { instance.render(); }
      };
      setTimeout(function(){
        const t=document.createElement('script');
        t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/"
+ (window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
      });
```

7.3 Category Filter

```
0 0 0
                                    CATEGORY FILTER
@app.route("/business")
def get business():
    cat news = newsapi.get top headlines(
                                     category='business',
                                    language='en',
                                    page size=50)
    return render_template('individual_category.html',session=session.get('user'),
articles=cat news, article category='business', categories=all categories)
@app.route("/entertainment")
def get entertainment():
    cat news = newsapi.get top headlines(
                                    category='entertainment',
                                     language='en')
    return render template('individual category.html',session=session.get('user'),
articles=cat news, article category='entertainment', categories=all categories)
@app.route("/general")
def get general():
    cat news = newsapi.get top headlines(
                                    category='general',
                                    language='en')
    # return cat news
    return render template('individual category.html',session=session.get('user'),
articles=cat news, article category='general', categories=all categories)
@app.route("/health")
def get health():
    cat news = newsapi.get top headlines(
                                     category='health',
                                    language='en')
    # return cat news
    return render template('individual category.html',session=session.get('user'),
articles=cat news, article category='health', categories=all categories)
```

8. TESTING8.1 Test Cases

				Maximum Marks	4 marks								
Test case ID	Feature Type	Component	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Comments	TC for Automation(Y/H)	BUG ID	Executed By
LoginPage_TC_OO	UI	Login Page	Verify user is able to see the Login/Signup popup when goes to the App's URL		L.Enter Agg's URL and click go 2.Verify login/Singsp pogus displayed or not	hits://169.51.207.49.31362/	Login/Signup Block should display	Working as expected	Pass				Ram Bharath V, Yogananth R
LoginPage_TC_OO	Functional	Login Page	Verify the Ut elements in Login/Signup Block		Linter App's URL and disk go 2 Verd's Ingel'impep paypu with below UI A. Final Hear blook b Passwerd Hear blook C. Liggin botton d. Rew Customer? Oreste account link	http://169.51.207.49.31362/	Application should show below 18 elements: a.email text box 0. password text box c.clogis button with orange cofour d. New customer? Create account link	Working as expected	Pass				Vignesh E, Naveen MS
Register Page_TC_ OO3	Functional	Register page	Verify user is able to Register into application with required credentials		L Enter App's URL[http://169.51.207.49.31362/] and Cick is Cick on Register button Cickien negative resulting States Valid username/email in Email text box Anther valid passived in password text box S.Cick on Register button	Username: genicoeurc@gmail.com password: Testing123	The user's registration details should be saved in the database and the user should be navigated to the home section.	Working as expected	Pass				Rithick K.V., Ram Bharath V
LoginPage_TC_OO 4	Functional	Login page	Verify user is able to log into application with Valid credentials		1.Enter URL(http://169.51.207.49/33362/) and click go to login page. 2. Other included username/ennal in Email start loss. 3. Other wide password in password text box. 4. Click on login button	Username: geniosurcc@gmail password: Testing 123	The user should be navigated to the Home page where the categories and news is displayed.	Working as expected	Pass				Ram Bharath V, Rithick K V

LoginPage_TC_GO 5	functional	Login page	Verify user is able to log into application with invalid credentials	Lines: UNIL(letty://169.51.207.49.31362/) and ricks go circles you 2. Zinter Valid username/email in Email test box 3. Zinter knield patoword in password test box 4. Click on legin bettin	Username: chalam@gmail.com password: Testing123678686786876876	Application should show 'incorrect email or password' validation message to the user.	Working as expected	Pass		Naveen M.S., Vignesh E.
HomePage_TC_O O6	uı	Home page	Verify user is able to see the Home page after logging in to the app with valid credentials.	Enter Entering the app urt, go to login, Login in to the page with credentials.	Username: genioaursc@gmail password: Testing123	Application should show the Home page and it's element.	Working as expected	Pass		Rithick K V, Ram Bharath V
HomePage_TC_O O7	Functional	Home page	Verify user is able to see the news and categories.		Username: genioaurcc@gmail password: Testing123	Application should show the news and categories to the user	Working as expected	Pass		Yogananth R, Vignesh E
HomePage_TC_O OB	functional	Home page	Verify user is able to see all categories of news.	Enter the home page. Travene through the categories and see all the categories of news.	Categories : Business, Technology, Entertainment, Science, Sports, General, Health	Application should show different categories of news to the user.	Working as expected	Pass		Naveen M S, Yogananth R
HomePage_TC_O O9	Functional	Home page	Verify user is able to seach news with keywords.	Enter the home page. Click the search bar and enter the keywords the user want to search and see the news.	Keywords = iPhone, Dhoni, Samsung	Application should display the news related to the keywords.	Working as expected	Pass		Ram Bharath V, Vignesh E
HomePage_TC_O1.	Functional	Home page	Verify user is able to logout from application.	S. Enter the home page. 2. Click Logout.	Logout	Application should be redirected to the news page but the account will be logged out.	Working as expected	Pass		Ram Bharath V, Yogananth R

8.2 User Acceptance Testing

1.PURPOSE OF

DOCUMENT

The purpose of this document is to briefly explain the test coverage and open issues of the News Tracker Application project at the time of the release to User Acceptance Testing(UAT).

2. DEFECT ANALYSIS

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved.

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	5	1	2	1	9
Duplicate	1	0	0	0	1
External	1	0	0	1	2
Fixed	7	1	2	2	12
Not Reproduced	0	0	0	0	0
Skipped	0	0	0	0	0
Won't Fix	0	0	0	0	0
Totals	14	2	4	4	24

3. TEST CASE ANALYSIS

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Login Page	4	0	0	4
Registration Page	1	0	0	1
Home Page	5	0	0	5

9. ADVANTAGES

- 1. Viewers can get their news straight off their smartphone or tablet computer.
- 2. News is at their fingertips in an instant. An online newspaper can be read more elaborate than a printed newspaper.
- 3. You can read the old issues too very easily at the click of the mouse.
- 4. This will help the users to share news on various platforms such as Twitter and Facebook. This will not only give an amazing user experience

DISADVANTAGES

- 1. It CAN BE limited by time.
- 2. It may rely too heavily on personalities, emotions, opinions... not facts.3.It can shortchange complex stories or avoid them altogether.

10. CONCLUSION

The Motivation and scope behind this project are to connect people through this application and provide a medium to share their views on the topic/news/information. Then, People with the same interest can interact with each other. However, they can even share more information on the topic. This app while cross-checks the redundancy in the information along with the false and misleading information, which later results inpanic in the people.

11. FUTURE SCOPE

Location feature with automation can be implemented which means as user move from one city to other local news will change as per it. Offline Reading can be improve will more efficient way on full articles. Data quality check needed. If API can'treach to certain article source it gives null value which can cause problem in JSON parsing .

12. SOURCE CODE

```
import json
from os import environ as env
from urllib.parse import quote plus, urlencode
from authlib.integrations.flask client import OAuthfrom
dotenv import find dotenv, load dotenv
from flask import Flask, redirect, render template, session, url for, requestfrom
newsapi import NewsApiClient
ENV FILE = find dotenv()
if ENV FILE:
  load dotenv(ENV FILE)
app = Flask(_name_)
# env config = env.getenv("APP SETTINGS", "config.DevelopmentConfig")#
app.config.from object(env config)
app.secret_key = env.get("APP_SECRET_KEY")
newsapi =
NewsApiClient(api key=env.get("NEWS API KEY"))oauth =
OAuth(app)
oauth.register
  ("auth0",
  client id= env.get("AUTH0 CLIENT ID"),
  client secret= env.get("AUTH0 CLIENT SECRET"),
  client kwargs={
    "scope": "openid profile email",
  server metadata url=f'https://{env.get("AUTH0 DOMAIN")}/.well-known/openid-
configuration'
)
```

```
all_categories = ["business", "entertainment", "general", "health", "science", "sports",
"technology"]
# @app.route("/")#
def index():
    sample config data =
    app.config.get("SAMPLE")#return
    sample config data
@app.route("/login")
deflogin():
  return oauth.auth0.authorize redirect(
    #should be redirect uri and not redirect url
    redirect uri=url for("callback",
    _external=True)
  )
@app.route("/callback", methods=["GET",
"POST"])defcallback():
  token =
  oauth.auth0.authorize access token()
  session["user"] = token
  return redirect("/")
@app.route("/logout")
deflogout():
  session.clear()
  return redirect(
    "https://" + env.get("AUTH0 DOMAIN")
    + "/v2/logout?"
    + urlencode(
         "returnTo": url_for("home", _external=True),"client_id":
         env.get("AUTH0 CLIENT ID"),
       },
       quote_via=quote_plus,
@app.route("/")
defhome():
```

```
# all_articles = get news()
  all articles =
  get top headlines today()return
  render template(
     # "home.html",
     "home og.html",
     session=session.get('user'), all articles =
     all articles, categories= all categories
    # pretty=json.dumps(session.get('user'),indent=4)
  )
@app.route("/news")
defget news():
  all articles = newsapi.get everything(q='bitcoin',
                       sources='bbc-news,the-verge',
                       domains='bbc.co.uk,techcrunch.co
                       m', from param='2022-10-10',
                       to='2022-10-12',
                       language='en',
                       sort by='relevancy',
                       page=1)
  return all_articles
# @app.route("/ind-cat", methods=["POST",
"GET"])#def get individual category news():
    category news = newsapi.get everything(category)
@app.route("/top-headlines-today")def
get top headlines today():
  user_categories = ["business", "entertainment", "general", "health", "science", "sports",
"technology"]
  top headlines = {}
  for i in range(len(user_categories)): top_headlines[user_categories[i]] =
    newsapi.get top headlines(
                                  # sources="",
                                  category=user categories[i],
```

```
language='en',
                                  page size=5)
   # top headlines.append(newsapi.get top headlines(#
                           category='business',
                           language='en'))
  return top headlines
@app.route("/user-info")def
user info():
  return session.get('user')
(a)app.route("/news-from-sources")
defget news from sources():
  return
@app.route("/search", methods=['POST', 'GET'])def
search news():
  search query = request.form['search']
  search results = newsapi.get everything(q=search query)#
  return search results
  return render template('search.html', session=session.get('user'),
search results=search results, categories=all categories, search query=search query)
@app.route("/business")
def get business():
  cat news = newsapi.get top headlines(
                     category='business
                     ',language='en',
                     page_size=50)
  return render template('individual category.html',session=session.get('user'), articles=cat news,
article category='business', categories=all categories)
@app.route("/entertainment")
defget entertainment():
  cat news = newsapi.get top headlines(
                     category='entertainment',
                     language='en')
  return render template('individual category.html',session=session.get('user'),
```

```
articles=cat news, article category='entertainment', categories=all categories)
@app.route("/general")
def get_general():
  cat news = newsapi.get top headlines(
                      category='general',language='en')
  # return cat news
  return render template('individual category.html',session=session.get('user'), articles=cat news,
article_category='general', categories=all categories)
@app.route("/health")
defget health():
  cat_news = newsapi.get_top_headlines(
                      category='health',language='en')
  # return cat news
  return render template('individual category.html',session=session.get('user'), articles=cat news,
article category='health', categories=all categories)
@app.route("/science")
defget science():
  cat news = newsapi.get top headlines(
                      category='science',language='en')
  # return cat news
  return render template('individual category.html',session=session.get('user'), articles=cat news,
article category='science', categories=all categories)
@app.route("/sports")
defget_sports():
  cat news = newsapi.get top headlines(
                      category='sports',language='en'
  ) # return render template(cat news)
  return render template('individual category.html',session=session.get('user'), articles=cat news,
article_category='sports', categories=all_categories)
```

13. APPENDIX:

GITHUB LINK:

https://github.com/IBM-EPBL/IBM-Project-33785-1660226768

DEMO LINK:

https://drive.google.com/file/d/1Dvk__AqaCHH7-1Tdcb-fwQft4gwDg4wy/view

