

### **SPRINT-3**

Date	11/11/2022
Team ID	PNT2022TMID46374
Project Name	Personal Expense Tracker Application


# Dashboard(Home) for Expense Tracker:




## **Display Section:**



#### **Table Creation:**



### **Display Expense details:**



# **Add Expense Coding:**

```
return render_template('login.html', msg = msg)
          @app.route("/add")
          def adding():
                return render_template('add.html')
          @app.route('/addexpense',methods=['GET', 'POST'])
          def addexpense():
               date = request.form['date']
expensename = request.form['expensename']
               amount = request.form['amount']
paymode = request.form['paymode']
                category = request.form['category']
                print(date)
               p1 = date[0:10]
p2 = date[11:13]
               p3 = date[14:]
                print(p4)
               # date=datetime.datetime.now().date()
sql = "INSERT INTO expenses (userid, date, expensename, amount, paymode, category) VALUES (?,?, ?, ?, ?, ?)"
PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL JUPYTER
* Running on http://127.0.0.1:5000 (Press CTRL+C to quit)
PS C:\Users\HP\Desktop\python-flask--personal-expense-tracker-main\personal_expense_ttracker> flask run
**To c. Nose 3 with Deskroup pyrionin lask-per sonal-expense tracker = main(personal_expense)

**Ignoring a call to 'app.run()' that would block the current 'flask' CLI command.
Only call 'app.run()' in an 'if __name__ == "__main__"' guard.

WARNING: This is a development server. Do not use it in a production deployment. Us:
 * Debug mode: off
    Running on http://127.0.0.1:5000 (Press CTRL+C to quit)
                                                                                                                           Ln 124, Col 19 Spaces: 4 UTF-8 CRLF ( Python
```