

SETUP MOBILE APPLICATION ENVIRONMENT

Project Date	September2022
Team ID	PNT2022TMID13786
Project Name	Containment Zone Alerting Application

Geofence in Android App:

/*

* Copyright (C) 2014 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License"); * you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and * limitations under the License.

*/

```
package com.example.android.wearable.geofencing;
```

```
import static com.example.android.wearable.geofencing.Constants.ANDROID_BUILDING_ID;
```

```
import static com.example.android.wearable.geofencing.Constants.ANDROID_BUILDING_LATITUDE;
```

```
import static com.example.android.wearable.geofencing.Constants.ANDROID_BUILDING_LONGITUDE;
```

```
import static com.example.android.wearable.geofencing.Constants.ANDROID_BUILDING_RADIUS_METERS;
```

```
import static com.example.android.wearable.geofencing.Constants.CONNECTION_FAILURE_RESOLUTION_REQUEST;
```

```
import static com.example.android.wearable.geofencing.Constants.GEOFENCE_EXPIRATION_TIME;
```

```
import static com.example.android.wearable.geofencing.Constants.TAG; import static com.example.android.wearable.geofencing.Constants.YERBA_BUENA_ID;
```

```
import static com.example.android.wearable.geofencing.Constants.YERBA_BUENA_LATITUDE;
```

```
import static com.example.android.wearable.geofencing.Constants.YERBA_BUENA_LONGITUDE;
```

```
import static com.example.android.wearable.geofencing.Constants.YERBA_BUENA_RADIUS_METERS;
```

```
import android.app.Activity;
```

```
import android.app.PendingIntent;
```

```
import android.content.Intent;
```

```
import android.content.IntentSender;
```

```
import android.os.Bundle; import
```

```
android.util.Log; import
```

```
android.widget.Toast;
```

```
import com.google.android.gms.common.ConnectionResult;
```

```
import com.google.android.gms.common.api.GoogleApiClient.ConnectionCallbacks;
import com.google.android.gms.common.GooglePlayServicesUtil; import
com.google.android.gms.common.api.GoogleApiClient;
import com.google.android.gms.common.api.GoogleApiClient.OnConnectionFailedListener;
import com.google.android.gms.location.Geofence; import
com.google.android.gms.location.LocationServices;
```

```
import java.util.ArrayList;
import java.util.List;
```

```
public class MainActivity extends Activity implements ConnectionCallbacks,
OnConnectionFailedListener {
```

```
    // Internal List of Geofence objects. In a real app, these might be provided by an API based on
    // locations within the user's proximity.
```

```
    List<Geofence> mGeofenceList;
```

```
    // These will store hard-coded geofences in this sample app.
```

```
    private SimpleGeofence mAndroidBuildingGeofence;
```

```
    private SimpleGeofence mYerbaBuenaGeofence;
```

```
    // Persistent storage for geofences.
```

```
    private SimpleGeofenceStore mGeofenceStorage;
```

```
    private LocationServices mLocationService;
```

```
    // Stores the PendingIntent used to request geofence monitoring.
```

```
    private PendingIntent mGeofenceRequestIntent;
```

```
    private GoogleApiClient mApiClient;
```

```

    // Defines the allowable request types (in this example, we only add geofences).
    private enum REQUEST_TYPE {ADD}
    private REQUEST_TYPE mRequestType;

    @Override    protected void onCreate(Bundle
savedInstanceState) {
    super.onCreate(savedInstanceState);

    // Rather than displaying this activity, simply display a toast indicating that the geofence
    // service is being created. This should happen in less than a second.    if
    (!isGooglePlayServicesAvailable()) {
        Log.e(TAG, "Google Play services unavailable.");
    finish();    return;
    }

    mApiClient = new GoogleApiClient.Builder(this)
        .addApi(LocationServices.API)
        .addConnectionCallbacks(this)
        .addOnConnectionFailedListener(this)
        .build();

    mApiClient.connect();

    // Instantiate a new geofence storage area.
    mGeofenceStorage = new SimpleGeofenceStore(this);
    // Instantiate the current List of geofences.
    mGeofenceList = new ArrayList<Geofence>();
    createGeofences();

```

```

    }

    /**
     * In this sample, the geofences are predetermined and are hard-coded here. A real app might
     * dynamically create geofences based on the user's location.
     */

    public void createGeofences() {
        // Create internal "flattened" objects containing the geofence data.
        mAndroidBuildingGeofence = new SimpleGeofence(
            ANDROID_BUILDING_ID,          // geofenceId.
            ANDROID_BUILDING_LATITUDE,
            ANDROID_BUILDING_LONGITUDE,
            ANDROID_BUILDING_RADIUS_METERS,
            GEOFENCE_EXPIRATION_TIME,
            Geofence.GEOFENCE_TRANSITION_ENTER | Geofence.GEOFENCE_TRANSITION_EXIT
        );

        mYerbaBuenaGeofence = new SimpleGeofence(
            YERBA_BUENA_ID,              // geofenceId.
            YERBA_BUENA_LATITUDE,
            YERBA_BUENA_LONGITUDE,
            YERBA_BUENA_RADIUS_METERS,
            GEOFENCE_EXPIRATION_TIME,
            Geofence.GEOFENCE_TRANSITION_ENTER | Geofence.GEOFENCE_TRANSITION_EXIT
        );

        // Store these flat versions in SharedPreferences and add them to the geofence list.
        mGeofenceStorage.setGeofence(ANDROID_BUILDING_ID, mAndroidBuildingGeofence);
    }

```

```

        mGeofenceStorage.setGeofence(YERBA_BUENA_ID, mYerbaBuenaGeofence);
mGeofenceList.add(mAndroidBuildingGeofence.toGeofence());
mGeofenceList.add(mYerbaBuenaGeofence.toGeofence());
    }

```

```

@Override    public void onConnectionFailed(ConnectionResult
connectionResult) {
    // If the error has a resolution, start a Google Play services activity to resolve it.
    if (connectionResult.hasResolution()) {        try {
        connectionResult.startResolutionForResult(this,
            CONNECTION_FAILURE_RESOLUTION_REQUEST);
    } catch (IntentSender.SendIntentException e) {
        Log.e(TAG, "Exception while resolving connection error.", e);
    }
    } else {
        int errorCode = connectionResult.getErrorCode();
        Log.e(TAG, "Connection to Google Play services failed with error code " + errorCode);
    }
}

```

```

/**

```

```

    * Once the connection is available, send a request to add the Geofences.

```

```

    */

```

```

@Override

```

```

public void onConnected(Bundle connectionHint) {

```

```

    // Get the PendingIntent for the geofenc...

```