

Sprint -2

Project Name Project – Signs with Smart Connectivity for Better Road Safety

- Login codes
- Safety Introduction code
- Signin codes
- build.gradle

Code

1.Login

```
<?php
$pass=$_POST['password'];
$username=$_POST['username'];
$dbc = mysqli_connect('mysql.hostinger.in', 'u684030433_root', 'fastrack', 'u684030433_blood')
or
die("error connecting database");
$query = "SELECT username,name FROM user_info WHERE ((username = '$username' OR
email='$username' )AND password = '$pass')";    $data = mysqli_query($dbc, $query);
if (mysqli_num_rows($data) == 1) {
$name=array();
while($row=mysqli_fetch_array($data))
{
$name[]=$row['name'];
}
print json_encode($name);
} else
{
echo "Wrong";
}
mysqli_close($dbc);
```

?>

2. SAFETY introduction

```
<?php
$lat1="";
$lat2="";
$lng1=""; $lng2="";
function distance($lat1, $lng1, $lat2, $lng2) {
    $theta = $lng1 - $lng2;
    $dist = sin(deg2rad($lat1)) * sin(deg2rad($lat2)) + cos(deg2rad($lat1)) * cos(deg2rad($lat2)) *
cos(deg2rad($theta)); $dist = acos($dist);
    $dist = rad2deg($dist); $miles =
$dist * 60 * 1.1515; return
($miles * 1.609344*1000);
}
if($_GET['username'])
{
$username=$_GET['username'];
$lat1=(double)$_GET['lat'];
$lng1=(double)$_GET['lng'];
$dbc = mysqli_connect('localhost', 'root', '', 'roadsafety');

    // Retrieve the score data from MySQL
$query = "UPDATE user_info SET lat='$lat1',lng='$lng1' WHERE (username = '$username')";
mysqli_query($dbc, $query) or die('Error querying database. ');
$query = "SELECT lat,lng FROM user_info WHERE username='$username'";
$data = mysqli_query($dbc, $query);

    while ($row = mysqli_fetch_array($data)) {
        $lat1= $row['lat'];
        $lng1= $row['lng'];

    }

$query1 = "SELECT * FROM details";
$result = mysqli_query($dbc, $query1);
$i=0; $data1=array();
while ($row = mysqli_fetch_array($result, MYSQL_ASSOC)) {
    $lat2= $row['lat'];
    $lng2= $row['lng'];
```

```

$dist=distance($lat1, $lng1, $lat2, $lng2); if(
$dist<=990)
{
$data1[] = $row;
    $data1[$i]['metres']=$dist;
$i++;
}
}
echo json_encode($data1);

    mysqli_close($dbc);

}
?>

```

3. Signin codes

```

<?php
$email= $_POST['email'];
$pass=$_POST['password'];
$name=$_POST['name'];
$username=$_POST['username'];
$pno=(double)$_POST['pno'];
$bloodgroup=$_POST['bloodgroup'];
$dbc = mysqli_connect('mysql.hostinger.in', 'u684030433_root', 'fastrack', 'u684030433_blood')
or
die("error connecting database");
$query = "SELECT * FROM user_info WHERE (username = '$username' OR email='$email'
OR pno='$pno')";
    $data = mysqli_query($dbc, $query);
if (mysqli_num_rows($data) == 0) {
$query = "INSERT INTO user_info (username,password,email,pno,bloodgroup,name)
VALUES ('$username', '$pass', '$email','$pno','$bloodgroup','$name)";
mysqli_query($dbc, $query)    or die('Error querying database. ');
echo 'User Signed Up successfully!!.';
} else
{
echo "Account already exists for this credentials...";
}
    mysqli_close($dbc);

```

?>

4 build.gradle

```
def localProperties = new Properties()
def localPropertiesFile = rootProject.file('local.properties') if
(localPropertiesFile.exists()) {
    localPropertiesFile.withReader('UTF-8') { reader ->
        localProperties.load(reader)
    }
}

def flutterRoot = localProperties.getProperty('flutter.sdk') if
(flutterRoot == null) {
    throw new GradleException("Flutter SDK not found. Define location with flutter.sdk in the
    local.properties file.")
}

def flutterVersionCode = localProperties.getProperty('flutter.versionCode')
if (flutterVersionCode == null) {    flutterVersionCode = '1'
}

def flutterVersionName =
localProperties.getProperty('flutter.versionName') if (flutterVersionName
== null) {    flutterVersionName = '1.0'
}

apply plugin: 'com.android.application' apply
plugin: 'com.google.gms.google-services'
apply plugin: 'kotlin-android'
apply from: "$flutterRoot/packages/flutter_tools/gradle/flutter.gradle"

android {
    compileSdkVersion 28

    sourceSets {
        main.java.srcDirs += 'src/main/kotlin'
    }
}
```

```

lintOptions {
    disable 'InvalidPackage'
}

defaultConfig {
    // TODO: Specify your own unique Application ID
    (https://developer.android.com/studio/build/application-id.html).
    applicationId "com.example.roads"
    minSdkVersion 18
    targetSdkVersion 28
    multiDexEnabled true
    versionCode flutterVersionCode.toInteger()
    versionName flutterVersionName
    buildConfigField 'String', 'WONDERPUSH_CLIENT_ID',
    ""1dfce26a84bd50a2b2117ae3a65df6f3d08821cb""
    buildConfigField 'String', 'WONDERPUSH_CLIENT_SECRET',
    ""d490ca2368fb19536c8e5afc370d18e9002a5034bf14e13e4b4a9228dd39c5a0""
    buildConfigField 'String', 'WONDERPUSH_SENDER_ID', ""1098204096327""
}

buildTypes {
    release {
        // TODO: Add your own signing config for the release build.
        Signing with the debug keys for now, so `flutter run --release` works.
        signingConfig signingConfigs.debug
    }
}

flutter {
    source '../..'
}

dependencies {
    implementation "org.jetbrains.kotlin:kotlin-stdlib-jdk7:$kotlin_version"
    implementation
    platform('com.google.firebase:firebase-bom:26.1.0')
    implementation
    'com.google.firebase:firebase-analytics'
    def multidex_version = "2.0.1"
    implementation 'androidx.multidex:multidex:$multidex_version'
}

```