

# PROJECT DEVELOPMENT PHASE

## Sprint - III

Date	09-Nov-2022
Team ID	PNT2022TMID10226
Project Name	Developing a Flight Delay Model Using Machine Learning
Maximum Marks	8 Marks

## Training the model on IBM

### Import libraries

```
import numpy as np
import pandas as pd
```

### Import label encoder

```
from sklearn.preprocessing import LabelEncoder
from sklearn.ensemble import RandomForestClassifier
from sklearn.metrics import classification_report
from sklearn.metrics import jaccard_score
```

```
from sklearn.model_selection import train_test_split
```

### Import dataset

```
import os, types
import pandas as pd
from botocore.client import Config
import ibm_boto3
```

```
def __iter__(self): return 0
```

```
@hidden_cell
```

The following code accesses a file in your IBM Cloud Object Storage

You might want to remove those credentials before you share the notebook

```
cos_client = ibm_boto3.client(service_name='s3',
                              ibm_api_key_id='BmleA4MV5fW02WAmF6zCBnBmBBkh7otufBwtC7V84yVO',
                              ibm_auth_endpoint="https://iam.cloud.ibm.com/oidc/token",
                              config=Config(signature_version='oauth'),
                              endpoint_url='https://s3.private.us.cloud-object-storage.appdomain.cloud')
```

```
bucket = 'randommodel-donotdelete-pr-jpkful51t7p3nj'
object_key = 'Processed_data15.csv'
```

```
body = cos_client.get_object(Bucket=bucket,Key=object_key)['Body']
```

Add missing `__iter__` method, so pandas accepts body as file-like object

```
if not hasattr(body, "__iter__"): body.__iter__ = types.MethodType(__iter_, body)
```

```
df = pd.read_csv(body)
df.head()
```

```
df.head(90)
```

```
columns= ['carrier','dest', 'origin']
le=LabelEncoder()
for i in columns:
    df[i]=le.fit_transform(df[i])
```

```
df['carrier'].unique()
```

```
df['origin'].unique()
```

```
df['dest'].unique()
```

```
df.head(90)
```

## **From column(years) to column(distance)**

```
X = df.iloc[:, 0:6].values
X[0:5]
```

```
y = df['delayed']
y.head().to_frame()
```

```
for i in range(0, 20):  
    X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.25, random_state=i)
```

## Creating random forest classifier

```
clf = RandomForestClassifier(random_state=i)  
clf.fit(X_train, y_train)
```

## Determining the score

```
train_score = clf.score(X_train, y_train)  
test_score = clf.score(X_test, y_test)  
print("Test: {}, Train: {} and Random State: {}".format(test_score, train_score, i))
```

```
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.25, random_state=18)  
clf = RandomForestClassifier(random_state=18)  
clf.fit(X_train, y_train)
```

```
print("Train set: ", clf.score(X_train, y_train))
```

```
print("Test set: ", clf.score(X_test, y_test))
```

## Predicting the trained Classifier to the test

```
yhat = clf.predict(X_test)
```

## Viewing the predicted probabilities of first 10 observations

```
yhat_prob = clf.predict_proba(X_test)[:10]
```

```
print(classification_report(y_test, yhat))
```

```
import joblib  
joblib.dump(clf, 'classifier.pkl')
```

```
!pip install -U ibm-watson-machine-learning
```

```
from ibm_watson_machine_learning import APIClient  
import json  
import numpy as np
```

```
wml_credentials = { "apikey": "gyOvc0l0Hde4zdTmNc47N4Vh1zmMTFh7FIK8BEcKPADB",  
                    "url": "https://us-south.ml.cloud.ibm.com" }
```

```
wml_client = APIClient(wml_credentials)
wml_client.spaces.list()

SPACE_ID = "7c5663ee-671c-49d2-a415-a27bac157d6d"

wml_client.set.default_space(SPACE_ID)

wml_client.software_specifications.list(500)
```

## Save and Deploy the model

```
import sklearn
sklearn.__version__

MODEL_NAME = 'Flight'
DEPLOYMENT_NAME = 'model_deploy'
DEMO_MODEL = clf
```

## Set Python Version

```
software_spec_uid = wml_client.software_specifications.get_id_by_name('runtime-22.1-py3.9')
```

## Setup model meta

```
model_props = {
    wml_client.repository.ModelMetaNames.NAME: MODEL_NAME,
    wml_client.repository.ModelMetaNames.TYPE: 'scikit-learn_1.0',
    wml_client.repository.ModelMetaNames.SOFTWARE_SPEC_UID: software_spec_uid
}
```

## Save model

```
model_details = wml_client.repository.store_model(
    model=DEMO_MODEL,
    meta_props=model_props,
    training_data=X_train,
    training_target=y_train
)

model_details

model_id = wml_client.repository.get_model_id(model_details)
```

model\_id

## **Set meta**

```
deployment_props = {  
    wml_client.deployments.ConfigurationMetaNames.NAME: DEPLOYMENT_NAME,  
    wml_client.deployments.ConfigurationMetaNames.ONLINE: {}  
}
```

## **Deploy**

```
deployment = wml_client.deployments.create(  
    artifact_uid=model_id,  
    meta_props=deployment_props  
)
```