Assignment -2

Assignment Date	10 October 2022
Student Name	Savio A
Student Roll Number	61071911143
Maximum Marks	2 Marks

Question-1

```
    Create a Flask app
    Add the Home page, About Page
    Add the Bootstrap
    Add the Sign in page and App the Signup Page + database connectivity
```

Solution:-

Home.html

```
<meta charset="utf-8">
       <meta name="viewport" content="width=device-width, initaial-scale=1.0">
</head>
<body>
<style>
  @import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;400;500&display=swap');
*{
       margin:0px;
       padding:0px;
       box-sizing: border-box;
       font-family: 'Poppins', sans-serif;
}
nav{
       width: 100%;
       height: 75px;
       background-color: #6e65ee;
       line-height: 75px;
       padding:0px 100px;
       position:fixed;
       z-index: 1;
}
nav .logo{
       font-size: 30px;
       font-weight: bold;
       letter-spacing: 1.5px;
}
```

```
nav .logo p{
       float: left;
       color:#fff;
       text-transform: uppercase;
}
nav ul{
       float: right;
}
nav ul li{
       display: inline-block;
       list-style: none;
}
nav ul li a{
       color:#fff;
       text-decoration: none;
       font-size: 18px;
       text-transform: uppercase;
       padding:0px 32px;
}
nav ul li a:hover{
       color:#c0d96f;
}
nav ul li .active{
       color:#c0d96f;
}
.image img{
       width: 100%;
       height: Opx auto;
}
</style>
       <nav>
              <div class="logo">
                     navbar
              </div>
              <a href="" class="active">home</a>
                     <a href="./signup.html">Signup</a>
                     <a href="./signin.html">Signin</a>
                     <a href="./about.html">About us</a>
              </nav>
       <div class="image">
              <img src="./pexels-pixabay-417173.jpg"
              style="width:2000px;height:1000px;">
       </div>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="utf-8">
  <title>Animated Login Form | CodingNepal</title>
</head>
<body>
  <style>
  @import
url('https://fonts.googleapis.com/css2?family=Noto+Sans:wght@700&family=Poppins:wght@
400;500;600&display=swap');
*{
margin: 0;
padding: 0;
box-sizing: border-box;
font-family: "Poppins", sans-serif;
body{
margin: 0;
padding: 0;
 background: linear-gradient(120deg,#2980b9, #8e44ad);
height: 100vh;
overflow: hidden;
}
.center{
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
width: 400px;
background: white;
border-radius: 10px;
box-shadow: 10px 10px 15px rgba(0,0,0,0.05);
}
.center h1{
text-align: center;
padding: 20px 0;
border-bottom: 1px solid silver;
}
.center form{
padding: 0 40px;
box-sizing: border-box;
form .txt_field{
position: relative;
border-bottom: 2px solid #adadad;
 margin: 30px 0;
.txt_field input{
```

```
width: 100%;
 padding: 0 5px;
 height: 40px;
 font-size: 16px;
 border: none;
 background: none;
 outline: none;
}
.txt field label{
 position: absolute;
 top: 50%;
 left: 5px;
 color: #adadad;
 transform: translateY(-50%);
 font-size: 16px;
 pointer-events: none;
 transition: .5s;
.txt_field span::before{
 content: ";
 position: absolute;
 top: 40px;
 left: 0;
 width: 0%;
 height: 2px;
 background: #2691d9;
 transition: .5s;
}
.txt_field input:focus ~ label,
.txt_field input:valid ~ label{
 top: -5px;
 color: #2691d9;
.txt_field input:focus ~ span::before,
.txt field input:valid ~ span::before{
 width: 100%;
}
.pass{
 margin: -5px 0 20px 5px;
 color: #a6a6a6;
 cursor: pointer;
.pass:hover{
 text-decoration: underline;
input[type="submit"]{
 width: 100%;
 height: 50px;
 border: 1px solid;
 background: #2691d9;
 border-radius: 25px;
```

```
font-size: 18px;
 color: #e9f4fb;
 font-weight: 700;
 cursor: pointer;
 outline: none;
input[type="submit"]:hover{
 border-color: #2691d9;
 transition: .5s;
.signup_link{
 margin: 30px 0;
 text-align: center;
 font-size: 16px;
 color: #666666;
}
.signup_link a{
 color: #2691d9;
 text-decoration: none;
}
.signup_link a:hover{
 text-decoration: underline;
}
</style>
  <div class="center">
   <h1>Signup</h1>
   <form method="post">
    <div class="txt field">
     <input type="text" required>
     <span></span>
     <label>Name</label>
    </div>
    <div class="txt field">
      <input type="text" required>
      <span></span>
      <label>Email</label>
    </div>
    <div>
      <div class="txt field">
         <input type="Phone" required>
        <span></span>
        <label>Phone</label>
      </div>
    <div class="txt_field">
     <input type="password" required>
     <span></span>
     <label>Password</label>
    </div>
    <div>
```

```
<div class="txt_field">
      <input type="retypepassword" required>
      <span></span>
      <label>Retypepassword</label>
    </div>
    <input type="submit" value="Signup">
    </div>
   </form>
  </div>
</body>
</html>
Signin.html
<!DOCTYPE html>
<html lang="en" dir="ltr">
  <head>
  <meta charset="utf-8">
  <title>Animated Login Form | CodingNepal</title>
  </head>
  <body>
  <style>
   @import
url('https://fonts.googleapis.com/css2?family=Noto+Sans:wght@700&family=Poppins:wght
@400;500;600&display=swap');
*{
 margin: 0;
  padding: 0;
  box-sizing: border-box;
 font-family: "Poppins", sans-serif;
}
body{
  margin: 0;
  padding: 0;
  background: linear-gradient(120deg,#2980b9, #8e44ad);
  height: 100vh;
 overflow: hidden;
.center{
  position: absolute;
 top: 50%;
 left: 50%;
  transform: translate(-50%, -50%);
  width: 400px;
  background: white;
  border-radius: 10px;
```

box-shadow: 10px 10px 15px rgba(0,0,0,0.05);

```
}
.center h1{
 text-align: center;
 padding: 20px 0;
 border-bottom: 1px solid silver;
}
.center form{
 padding: 0 40px;
 box-sizing: border-box;
form .txt_field{
 position: relative;
 border-bottom: 2px solid #adadad;
 margin: 30px 0;
.txt_field input{
 width: 100%;
 padding: 0 5px;
 height: 40px;
 font-size: 16px;
 border: none;
 background: none;
 outline: none;
}
.txt_field label{
 position: absolute;
 top: 50%;
 left: 5px;
 color: #adadad;
 transform: translateY(-50%);
 font-size: 16px;
 pointer-events: none;
 transition: .5s;
}
.txt field span::before{
 content: ";
 position: absolute;
 top: 40px;
 left: 0;
 width: 0%;
 height: 2px;
 background: #2691d9;
 transition: .5s;
}
.txt field input:focus ~ label,
.txt_field input:valid ~ label{
top: -5px;
 color: #2691d9;
.txt field input:focus ~ span::before,
.txt_field input:valid ~ span::before{
```

```
width: 100%;
}
.pass{
 margin: -5px 0 20px 5px;
 color: #a6a6a6;
 cursor: pointer;
.pass:hover{
text-decoration: underline;
input[type="submit"]{
 width: 100%;
 height: 50px;
 border: 1px solid;
 background: #2691d9;
 border-radius: 25px;
 font-size: 18px;
 color: #e9f4fb;
 font-weight: 700;
 cursor: pointer;
 outline: none;
input[type="submit"]:hover{
 border-color: #2691d9;
 transition: .5s;
.signup_link{
 margin: 30px 0;
 text-align: center;
 font-size: 16px;
 color: #666666;
}
.signup_link a{
 color: #2691d9;
 text-decoration: none;
.signup_link a:hover{
text-decoration: underline;
}
</style>
  <div class="center">
   <h1>Signin</h1>
   <form method="post">
    <div class="txt field">
     <input type="text" required>
     <span></span>
     <label>Username</label>
    </div>
    <div class="txt_field">
```

About.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <!-- Bootstrap -->
  k rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
  <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>
  <!-- font awesome -->
  <!-- <li>k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css"> -->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/6.2.0/css/all.min.css" integrity="sha512-
xh6O/CkQoPOWDdYTDqeRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4aHK8yyUH
USCcJHgXIoTyT2A==" crossorigin="anonymous" referrerpolicy="no-referrer" />
  <title>Document</title>
</head>
<style>
  h1{
    font-family: Arial, Helvetica, sans-serif;
  }
  body{
    font-family: 'Times New Roman', Times, serif;
  }
  .container{
    margin-top:70px;
  }
  .image-section{
    width:90%;
```

```
padding:2rem;
    height:auto;
    background-color:pink;
    border-radius:1rem;
    box-shadow: rgba(50, 50, 93, 0.25) 0px 13px 27px -5px, rgba(0, 0, 0, 0.3) 0px 8px 16px -
8px;
    overflow:hidden;
  }
  .hero{
    display:flex;
    flex-wrap: wrap;
    align-items: center;
    justify-content: center;
  }
  .person{
    align-items: center;
    justify-content: center;
    width:400px;
    border-radius:1rem;
    padding:40px;
    margin:10px;
    box-shadow: rgba(0, 0, 0, 0.19) 0px 10px 20px, rgba(0, 0, 0, 0.23) 0px 6px 6px;
  }
  .person h4{
    color:rgba(2, 3, 14, 0.76);
  }
  img{
    height:100px;
    width:100px;
    border-radius:50%;
  }
  a{
    text-decoration: none;
    font-size: 15px;
    font-weight: 400;
  }
  i{
    margin-left:5px;
    color:black;
  }
  nav{
      width: 100%;
      height: 75px;
      background-color: #6e65ee;
      line-height: 75px;
      padding:0px 100px;
      position:fixed;
      z-index: 1;
}
nav .logo{
      font-size: 30px;
```

```
font-weight: bold;
     letter-spacing: 1.5px;
}
nav .logo p{
     float: left;
     color:#fff;
     text-transform: uppercase;
}
nav ul{
     float: right;
}
nav ul li{
     display: inline-block;
     list-style: none;
}
nav ul li a{
     color:#fff;
     text-decoration: none;
     font-size: 18px;
     text-transform: uppercase;
     padding:0px 32px;
}
nav ul li a:hover{
     color:#c0d96f;
}
nav ul li .active{
     color:#c0d96f;
}
</style>
<body>
  <nav>
             <div class="logo">
                   navbar
             </div>
             <a href="" class="active">home</a>
                   <a href="./signup.html">Signup</a>
                   <a href="./signin.html">Signin</a>
                   <a href="./about.html">About us</a>
             </nav>
  <h1 class="head">OUR TEAM</h1>
  <div class="container">
   <div class="image-section">
      <div class="hero">
        <div class="person person1">
          <img src="https://wallpaperaccess.com/full/1385382.jpg" alt="">
          <h4>SAJITH RAM</h4>
```


```
<a href="https://github.com/sajithram112"><i class="fa-brands fa-
github"></i>Github</a>
        </div>
        <div class="person person2">
          <img src="https://wallpaperaccess.com/full/3520511.png" alt="">
          <h4>RANJITH KUMAR</h4>
          <a href="https://github.com/ranjithkumar007555"><i class="fa-brands fa-
github"></i>Github</a>
        </div>
        <div class="person person1">
src="https://builtin.com/sites/www.builtin.com/files/styles/ckeditor_optimize/public/inline-
images/software-engineering-perspectives-software-engineer-job-outlook.jpeg" alt="">
          <h4>AJITH</h4>
          <a href="https://github.com/Ajith111222"><i class="fa-brands fa-
github"></i>Github</a>
        </div>
        <div class="person person1">
          <img src="https://res.cloudinary.com/practicaldev/image/fetch/s--Cn5xBVNt--
/c_imagga_scale,f_auto,fl_progressive,h_900,q_auto,w_1600/https://dev-to-
uploads.s3.amazonaws.com/uploads/articles/3br4y6f9isitvhhat81z.jpeg" alt="">
          <h4>SAVIO</h4>
          <a href="https://github.com/savio1912"><i class="fa-brands fa-
github"></i>Github</a>
        </div>
          </div>
   </div>
  </div>
</body>
</html>
App.py
from flask import Flask, render template
app=Flask( name )
@app.route('/home')
def home():
  return render_template('home.html')
@app.route('/signin')
def signin():
  return render_template('signin.html')
@app.route('/about')
def about():
  return render template('about.html')
@app.route('/signup')
```


def signup():

```
return render_template('signup.html')

if __name__ ==' __main___':
    app.run(host='0.0.0.0', port=3000, debug=True)
```

Output :-





NAVBAR HOME SIGNUP SIGNIN ABOUTUS

