Assignment 3

Date	25 October 2022
Name	K.G.Priyadharshini
RollNo	910619104059
Maximum Marks	2 Marks

Question 1 :

Create a Bucket in IBM object storage.

Question 2 :

Upload an 5 images to ibm object storage and make it public. write html code todisplaying all the 5 images.

Solution :

```
<!DOCTYPE html>
<html>
<head>
<title>NAME</title>
</head>
<body><centre>
```

```html
<link rel="stylesheet"
href="https://pro-images.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/NAME.css"> <div style="border:1px solid
#FF7FO0;margin: 1Opx;">
<h3>MONUMENT 1</h3>
<img src = "https://pro-images.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/monu2.jpg" alt = "Expense Tracker"height
= "250" width = "270" />
<h3>MONUMENT 2</h3>
<img src =
"https://pro-images.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/monu4.jpg"alt = "Expense Tracker" height =
"250" width = "270" />
<h3>MONUMENT 3</h3>
<img src =
"https:// pro-images.s3.jp-tok.cloud-objectstorage.appdomain.cloud/monu5.jpg"

alt = "Expense Tracker" height = "250" width = "270" />
<h3>MONUMENT 4</h3>
<img src =
"https://pro-images.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/monu6.jpg"alt = "Expense Tracker" height =
"250" width = "270" />
<h3>MONUMENT 5 </h3>
<img src =
"https://pro-images.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/monu8.jpg"alt = "Expense Tracker" height =
"250" width = "270" />
<h3> </h3>
</centre> </body>
</html>
```

Question 3 :

Upload a css page to the object storage and use the same page in your HTML code.

M Gmail ▶ YouTube 📍 Maps

ASSIGNMENT

click here to access css file Click

Question 4 :

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as aassignment.

Solution :

```html
<html>
 <head>
 <title> IBM Hospital </title>
 <link href="style.css" type="text/css" rel="stylesheet">
  </head>
  <body>
  <div class="top">
          <div>
            Contact Us +91 9876543210 / 01 | IBM@hospital.com
          </div>
  </div>
      <div class="logo">
  <div>
  <table>
  <tr>
  <td width="600px"
style="font-size:50px;font-family:forte;"> <font color="#428bca"> IBM
```

```html
</font><fontcolor="#000"> Hospital</font> </td>
<td> <br> <br>
<font size="4px">
<a href="index.html">HOME</a>
</font>
</td>
</tr>
</table>
</div>
</div>
<div class = " middle">
<div style="background-image:url('a.jpg');">
<p>
<br>Health Care Services<br>
<font size="5px"> We Care About Your Health </font>
<p>
<div>
</div>
<div class = "bottom">
<div>
<table border = "0">
<tr>
<td width = "700 px">
<font color="#000"> We are medical center</font> <br> <br>
<font color="#000" size="5px"> We Have Medicare PlanOptions
for You! </font> <br> <br>
 Phasellus pretium orci sit amet mi ullamcorper egestas. Sed non mattis
metus. Integervel lorem tincidunt, pharetra eros nec, posuere odio. Nullam eget
bibendum sem, venenatis lacinia justo. Duis aliquet lobortisneque, eget volutpat
nulla iaculis a.
<br><br>

In hac habitasse platea dictumst. Praesent condimentum justo justo, at
```

ultricies diamaccumsan vitae. Donec ac elementum diam. Ut quam orci, posuere quis lacus sed, vehicula rhoncus massa. Nunc volutpat nibh nulla,tincidunt egestas tellus faucibus nec.

 Nulla venenatis auctor quam, ac porta lectus dictum in
Aliquam sodales nisi sit amet lorem
Suspendisse vulputate tellus in justo convallis imperdiet
Morbi id lorem consequat, sodales mi non
Nulla venenatis auctor quam, ac porta lectus dictum in

        <td> </td>
    </tr>
    </div>
    </div>
    </table>
    <div class="nav_down">
      <div>© IBM Hospital
       </div>
            </div>
            <script>
                window.watsonAssistantChatOptions = { integrationID: "7ac9e983-44d3-4759-9695-71c921d63f88", // The ID of
        this integration.
region: "au-syd", // The region your integration is hosted in.
                        serviceInstanceID: "77b07d96-db8c-4be1-833f-4e9a8cdefc61", //The ID of your service instance.
                        onLoad: function(instance) { instance.render(); }
                    };
   setTimeout(function(){
                        const t=document.createElement('script'); t.src="https://

        web-

```
chat.global.assistant.watson.appdomain.cloud/version s/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest')
+
"/WatsonAssistantChatEntry.js";
                document.head.appendChild(t);
        });
    </script>
</body>>
</html>
```


Create Watson assistant service with 10 steps and use 3 conditions in it. Load thatscript in HTML page.

```html
<!DOCTYPE html>
<html>
<head>
<title> HOTEL BOT</title>
</head>
<body>
<h3> WELCOME TO BUHARI HOTEL </h3>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "e6455de4-f1ec-48f4-8cc0-80ee80e0f370", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "10579689-3bec-4210-a9c7-bedcad1aea82", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.
    document.head.appendChild(t);
  });
</script>
</body>
</html>
```