


## Assignment 3

Date	25 October 2022
Name	K.R.Priyadharshini
RollNo	910619104060
Maximum Marks	2 Marks

### Question 1 :

Create a Bucket in IBM object storage.



### Question 2 :

Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

**Solution :**

```
<!DOCTYPE html>
<html>
<head>
<title>NAME</title>
</head>
<body><centre>
```


```
<link rel="stylesheet"
href="https:// pro-images.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/NAME.css"> <div style="border:1px solid
#FF7F00;margin: 10px;">
<h3>MONUMENT 1</h3>
<img src = "https:// pro-images.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/monu2.jpg" alt = "Expense Tracker" height
= "250" width = "270" />
<h3>MONUMENT 2</h3>
<img src =
"https:// pro-images.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/monu4.jpg" alt = "Expense Tracker" height =
"250" width = "270" />
<h3>MONUMENT 3</h3>
<img src =
"https:// pro-images.s3.jp-tok.cloud-objectstorage.appdomain.cloud/monu5.jpg"

alt = "Expense Tracker" height = "250" width = "270" />
<h3>MONUMENT 4</h3>
<img src =
"https:// pro-images.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/monu6.jpg" alt = "Expense Tracker" height =
"250" width = "270" />
<h3>MONUMENT 5 </h3>
<img src =
"https:// pro-images.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/monu8.jpg" alt = "Expense Tracker" height =
"250" width = "270" />
<h3> </h3>
</centre> </body>
</html>
```

### Question 3 :

Upload a css page to the object storage and use the same page in your HTML code.

Solution :



### Question 4 :

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as assignment.

Solution :

```
<html>
<head>
<title> IBM Hospital </title>
<link href="style.css" type="text/css" rel="stylesheet">
</head>
<body>
<div class="top">
    <div>
        Contact Us +91 9876543210 / 01 | IBM@hospital.com
    </div>
</div>
    <div class="logo">
        <div>
            <table>
                <tr>
                    <td width="600px"
style="font-size:50px;font-family:forte;"> <font color="#428bca"> IBM
```

</font><fontcolor="#000"> Hospital</font> </td>

<td> <br> <br>

<font size="4px">

<a href="index.html">HOME</a>

</font>

</td>

</tr>

</table>

</div>

</div>

<div class = " middle">

<div style="background-image:url('a.jpg');">

<p>

<br>Health Care Services<br>

<font size="5px"> We Care About Your Health </font>

<p>

<div>

</div>

<div class = "bottom">

<div>

<table border = "0">

<tr>

<td width = "700 px">

<font color="#000"> We are medical center</font> <br> <br>

<font color="#000" size="5px"> We Have Medicare PlanOptions  
for You! </font> <br> <br>

Phasellus pretium orci sit amet mi ullamcorper egestas. Sed non mattis  
metus. Integervel lorem tincidunt, pharetra eros nec, posuere odio. Nullam eget  
bibendum sem, venenatis lacinia justo. Duis aliquet lobortisneque, eget volutpat  
nulla iaculis a.

<br><br>

In hac habitasse platea dictumst. Praesent condimentum justo justo, at

ultricies diamaccumsan vitae. Donec ac elementum diam. Ut quam orci, posuere quis  
lacus sed, vehicula rhoncus massa. Nunc volutpat nibh nulla,tincidunt egestas tellus  
faucibus nec. <br><br> <ul>

<li> Nulla venenatis auctor quam, ac porta lectus dictum in

<li> Aliquam sodales nisi sit amet lorem

<li> Suspendisse vulputate tellus in justo convallis imperdiet

<li> Morbi id lorem consequat, sodales mi non

<li> Nulla venenatis auctor quam, ac porta lectus dictum in

</ul>

<br>

<td> </td>

</tr>

</div>

</div>

</table>

<div class="nav\_down">

<div>&copy; IBM Hospital

</div>

</div>

<script>

window.watsonAssistantChatOptions = { integrationID:

"7ac9e983-44d3-4759-9695-71c921d63f88", // The ID of

this integration.

region: "au-syd", // The region your integration is hosted in.

serviceInstanceID: "77b07d96-db8c-4be1-833f-

4e9a8cdefc61", //The ID of your service instance.

onLoad: function(instance) { instance.render(); }

};

setTimeout(function(){


const t=document.createElement('script'); t.src="https://

web-

```

chat.global.assistant.watson.appdomain.cloud/version s/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest')
+
"/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
    });
</script>
</body>>
</html>

```



### Question 5 :

Create Watson assistant service with 10 steps and use 3 conditions in it. Load thatscript in HTML page.

```

<!DOCTYPE html>
<html>
<head>
<title> HOTEL BOT</title>
</head>
<body>
<h2> WELCOME TO SUMARI HOTEL </h2>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "e6655d66-f1e0-48f4-8cc0-80e6d8e8f370", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "10579689-2bac-4210-a9c7-bcded1ee882", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global/assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.
    document.head.appendChild(t);
  });
</script>
</body>
</html>

```

