Assignment -1

Python Programming

SMART FASHION RECOMMENDER APPLICATION

Assignment Date	19 September 2022
Team ID	PNT2022TMID53909
Student Name	Sunil Raja A
Student Roll Number	95071912100
Maximum Marks	2 Marks

Question-1:

Create registration page in html with username, email and phone number and by using POST method display it in next html page.

Solution:

Program:

index.html:

```
<!DOCTYPE html>
<html>
<head>
 <title>Login | Smart Fashion Recommender</title>
 <link rel="stylesheet" type="text/css" href="style.css">
 link
href="https://fonts.googleapis.com/css?family=Nunito:400,600,700,800&display=s
wap" rel="stylesheet">
</head>
<body>
 <div class="cont">
   <div class="form sign-in">
      <h2>Sign In</h2>
      <form action="login" method="post">
        <label>
          <span>Name</span>
          <input type="text" name="name" required />
        </label>
        <label>
          <span>Email Address</span>
          <input type="email" name="email" required />
        </label>
        <label>
          <span>Phone Number</span>
          <input type="number" name="phone" required />
        </label>
```

```
<button type="submit" class="submit">Sign In</button>
     </form>
     Forgot Password ?
     <div class="social-media">
         <a href="https://www.facebook.com/login.php/"><img</pre>
src="images/facebook.png"></a></a>
         <a href="https://twitter.com/i/flow/login"><img</pre>
src="images/twitter.png"></a>
         <a href="https://www.linkedin.com/login"><img</pre>
src="images/linkedin.png"></a>
         <a href="https://www.instagram.com/accounts/login/"><img</pre>
src="images/instagram.png"></a>
       </div>
   </div>
   <div class="sub-cont">
     <div class="img">
       <div class="img-text m-up">
         <h2>New here?</h2>
         Sign up and discover great amount of new opportunities!
       </div>
       <div class="img-text m-in">
         <h2>0ne of us?</h2>
         If you already has an account, just sign in. We've missed
you!
       </div>
       <div class="img-btn">
         <span class="m-up">Sign Up</span>
         <span class="m-in">Sign In</span>
       </div>
     </div>
     <div class="form sign-up">
       <h2>Sign Up</h2>
       <form action="login" method="post">
         <label>
           <span>Name</span>
           <input type="text" name="name" required>
         </label>
         <label>
           <span>Email</span>
           <input type="email" name="email" required>
         </label>
          <label>
          <span>Phone</span>
```

style.css:

```
*:before, *:after{
 margin: 0;
 padding: 0;
 box-sizing: border-box;
 font-family: 'Nunito', sans-serif;
body{
 width: 100%;
 height: 100vh;
 display: flex;
 justify-content: center;
 align-items: center;
 background: -webkit-linear-gradient(left, #7579ff, #b224ef);
 font-family: 'Nunito', sans-serif;
input, button{
 border:none;
 outline: none;
 background: none;
.cont{
 overflow: hidden;
 position: relative;
 width: 900px;
 height: 600px;
 background: #fff;
```

```
box-shadow: 0 19px 38px rgba(0, 0, 0, 0.30), 0 15px 12px rgba(0, 0, 0, 0.22)
.form{
 position: relative;
 width: 640px;
 height: 100%;
 padding: 50px 30px;
 -webkit-transition:-webkit-transform 1.2s ease-in-out;
 transition: -webkit-transform 1.2s ease-in-out;
 transition: transform 1.2s ease-in-out;
 transition: transform 1.2s ease-in-out, -webkit-transform 1.2s ease-in-out;
h2{
 width: 100%;
 font-size: 30px;
 text-align: center;
label{
 display: block;
 width: 260px;
 margin: 25px auto 0;
 text-align: center;
label span{
 font-size: 14px;
 font-weight: 600;
 color: #505f75;
 text-transform: uppercase;
input{
 display: block;
 width: 100%;
 margin-top: 5px;
 font-size: 16px;
 padding-bottom: 5px;
 border-bottom: 1px solid rgba(109, 93, 93, 0.4);
 text-align: center;
 font-family: 'Nunito', sans-serif;
button{
 display: block;
 margin: 0 auto;
```

```
width: 260px;
 height: 36px;
 border-radius: 30px;
 color: #fff;
 font-size: 15px;
 cursor: pointer;
.submit{
 margin-top: 40px;
 margin-bottom: 30px;
 text-transform: uppercase;
 font-weight: 600;
 font-family: 'Nunito', sans-serif;
 background: -webkit-linear-gradient(left, #7579ff, #b224ef);
.submit:hover{
 background: -webkit-linear-gradient(left, #b224ef, #7579ff);
.forgot-pass{
 margin-top: 15px;
 text-align: center;
 font-size: 14px;
 font-weight: 600;
 color: #0c0101;
 cursor: pointer;
.forgot-pass:hover{
 color: red;
.social-media{
 width: 100%;
 text-align: center;
 margin-top: 20px;
.social-media ul{
 list-style: none;
.social-media ul li{
 display: inline-block;
 cursor: pointer;
 margin: 25px 15px;
```

```
.social-media img{
 width: 40px;
 height: 40px;
.sub-cont{
 overflow: hidden;
 position: absolute;
 left: 640px;
 top: 0;
 width: 900px;
 height: 100%;
 padding-left: 260px;
 background: #fff;
 -webkit-transition: -webkit-transform 1.2s ease-in-out;
 transition: -webkit-transform 1.2s ease-in-out;
 transition: transform 1.2s ease-in-out;
.cont.s-signup .sub-cont{
 -webkit-transform:translate3d(-640px, 0, 0);
         transform:translate3d(-640px, 0, 0);
.img{
 overflow: hidden;
 z-index: 2;
 position: absolute;
 left: 0;
 top: 0;
 width: 260px;
 height: 100%;
 padding-top: 360px;
.img:before{
 content: '';
 position: absolute;
 right: 0;
 top: 0;
 width: 900px;
 height: 100%;
 background-image: url(images/bg.jpg);
 background-size: cover;
 transition: -webkit-transform 1.2s ease-in-out;
 transition: transform 1.2s ease-in-out, -webkit-transform 1.2s ease-in-out;
```

```
.img:after{
 content: '';
 position: absolute;
 left: 0;
 top: 0;
 width: 100%;
 height: 100%;
 background: rgba(0,0,0,0.3);
cont.s-signup .img:before{
 -webkit-transform:translate3d(640px, 0, 0);
         transform:translate3d(640px, 0, 0);
.img-text{
 z-index: 2;
 position: absolute;
 left: 0;
 top: 50px;
 width: 100%;
 padding: 0 20px;
 text-align: center;
 color: #fff;
 -webkit-transition:-webkit-transform 1.2s ease-in-out;
 transition: -webkit-transform 1.2s ease-in-out;
 transition: transform 1.2s ease-in-out, -webkit-transform 1.2s ease-in-out;
.img-text h2{
 margin-bottom: 10px;
 font-weight: normal;
.img-text p{
 font-size: 14px;
 line-height: 1.5;
.cont.s-signup .img-text.m-up{
 -webkit-transform:translateX(520px);
         transform:translateX(520px);
.img-text.m-in{
 -webkit-transform:translateX(-520px);
```

```
transform:translateX(-520px);
.cont.s-signup .img-text.m-in{
 -webkit-transform:translateX(0);
          transform:translateX(0);
.sign-in{
 padding-top: 65px;
 -webkit-transition-timing-function:ease-out;
         transition-timing-function:ease-out;
.cont.s-signup .sign-in{
 -webkit-transition-timing-function:ease-in-out;
          transition-timing-function:ease-in-out;
 -webkit-transition-duration:1.2s;
          transition-duration:1.2s;
 -webkit-transform:translate3d(640px, 0, 0);
          transform:translate3d(640px, 0, 0);
img-btn{
 overflow: hidden;
 z-index: 2;
 position: relative;
 width: 100px;
 height: 36px;
 margin: 0 auto;
 background: transparent;
 color: #fff;
 text-transform: uppercase;
 font-size: 15px;
 cursor: pointer;
.img-btn:after{
 content: '';
 z-index: 2;
 position: absolute;
 left: 0;
 top: 0;
 width: 100%;
 height: 100%;
 border: 2px solid #fff;
 border-radius: 30px;
```

```
.img-btn span{
 position: absolute;
 left: 0;
 top: 0;
 display: -webkit-box;
 display: flex;
 -webkit-box-pack:center;
 justify-content: center;
 align-items: center;
 width: 100%;
 height: 100%;
 -webkit-transition:-webkit-transform 1.2s;
 transition: -webkit-transform 1.2s;
 transition: transform 1.2s;
 transition: transform 1.2s, -webkit-transform 1.2s;;
.img-btn span.m-in{
 -webkit-transform:translateY(-72px);
          transform:translateY(-72px);
cont.s-signup .img-btn span.m-in{
 -webkit-transform:translateY(0);
         transform:translateY(0);
.cont.s-signup .img-btn span.m-up{
 -webkit-transform:translateY(72px);
         transform:translateY(72px);
.sign-up{
 -webkit-transform:translate3d(-900px, 0, 0);
          transform:translate3d(-900px, 0, 0);
cont.s-signup .sign-up{
 -webkit-transform:translate3d(0, 0, 0);
         transform:translate3d(0, 0, 0);
```

Question-2:

Develop a flask program which should contain at least 5 packages used from pypi.org.

Solution:

Program:


app.py

```
from tkinter.tix import Form
from flask import Flask ,render_template,url_for,redirect,request
app = Flask( name )
@app.route('/')
def index():
   return render_template("index.html")
@app.route('/success/<name>/<phone>/<email>')
def success(name=None,phone=None,email=None):
   return " <h1>Registered Successfully</h1><h2>Your Details Are:-</h2> {}
<br>{} <br>{} <br>{} ".format(name , phone ,email)
    # '{} {} '.format(firstname, lastname, cellphone)
@app.route("/login",methods =['POST','GET'])
def login():
   if request.method == 'POST':
        user = request.form['name']
        email = request.form['email']
        phone = request.form['phone']
        return redirect(url_for("success", name = user ,phone = phone ,email =
email ))
       # name = user ,phone = phone ,email = email
    else:
        user = request.args.get("input name")
        return redirect(url_for("success",name=user))
if __name__ == '__main__':
  app.run(debug=True)
```

Output:

Screenshots:

1. Registration Page:



2. Registration Successful:

