

PROJECT REPORT

A GESTURE-BASED TOOL FOR STERILE BROWSING OF RADIOLOGY IMAGES

Team ID : **PNT2022TMID28478**

Team Leader – **ANAND S** - 312819104007

Team Member – **ARAVIND R** - 312819104009

Team Member – **BALAGURU R** - 31219104015

Team Member – **HARISH B** - 312819104036

CONTENT

1. INTRODUCTION

1. Project Overview

2. LITERATURE SURVEY

1. Existing problem
2. References
3. Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

1. Empathy Map Canvas
2. Ideation & Brainstorming
3. Proposed Solution
4. Problem Solution fit

4. REQUIREMENT ANALYSIS

1. Functional requirement
2. Non-Functional requirements

5. PROJECT DESIGN

1. Data Flow Diagrams
2. Solution & Technical Architecture
3. User Stories

6. PROJECT PLANNING & SCHEDULING

1. Sprint Planning & Estimation
2. Sprint Delivery Schedule
3. Reports from JIRA

7. CODING & SOLUTIONING (Explain the features added in the project along with code)

1. Feature 1
2. Feature 2

8. TESTING

1. Test Cases
2. User Acceptance Testing

9. RESULTS

1. Performance Metrics
 2. Output
 10. **ADVANTAGES & DISADVANTAGES**
 11. **CONCLUSION**
 12. **FUTURE SCOPE**
 13. **APPENDIX**
-
1. Source Code
 2. GitHub & Project Demo Link

1.INTRODUCTION :

1.1 Project Overview

- Interactive presentation systems use advanced Human Computer Interaction (HCI) techniques to provide a more convenient and user-friendly interface for controlling presentation displays, such as page up/down controls of x-rays and relayed images in the medical field .
- Compared with traditional mouse and the interface for human-machine keyboard control, new experience is significantly improved with these techniques.
- Hand gesture has wide- ranging applications. In this study, we apply it to an interactive presentation system to create an easy-to-understand interaction interface.
- The use of doctor-computer interaction devices in the operation room (OR) requires new modalities that support medical imaging manipulation while allowing doctors' hands to remain sterile. We are presenting "Gestix," a vision-based hand gesture capture and recognition system that interprets in real time the user's gestures for navigation and manipulation of images in an electronic medical record (EMR) database.
- "Gestix" was tested during a brain biopsy procedure. In the in vivo experiment, this interface prevented the surgeon's focus shift and change of location while achieving a rapid intuitive reaction and easy interaction.

2.LITERATURE SURVEY :

2.1 Existing Problem

- A major challenge involved is to provide Doctors with efficient, intuitive, accurate and safe means of interaction without affecting the quality of their work.
- However the use of computer keyboards and mouse by doctors in intensive care unit(ICU) is a common mean for spreading infections.
- We suggest the use of hand gestures in medical field as an alternative to the existing interface techniques by offering maximum level of sterility.

2.2 References

- Robust Part-Based Hand Gesture Recognition Using Kinect SensorZhou Ren, Junsong Yuan, Member, IEEE, Jingjing Meng, Member, IEEE, and Zhengyou Zhang, Fellow, IEEE, 15, AUGUST 2013.
- A Fast Gesture Recognition Scheme for Real-Time HumanMachine Interaction Systems . Ching-Hao Lai* Smart Network System Institute for Information Industry Taipei City, Taiwan , 2010.
- Intension, Context and Gesture Recognition for Sterile MRI Navigation in the Operating Room by Agency for Healthcare Research and Quality (AHRQ)
- Hand Gestures Recognition Using Radar Sensors for Human-ComputerInteraction Supported by the Bio ad Medical Technology Development Program of the National Research Foundation(NRF)
- A Preliminary Study of Kinect-Based Real-Time Hand Gesture Interaction Systems for Touchless Visualizations of Hepatic Structures in Surgery by Medical Imaging and Information Sciences, Jiaqing LIU, Tomoko Tateyama.

- Vision Based Hand Gesture Recognition by World Academy of Science, Engineering and Technology, Pragati Garg, Naveen Aggarwal, Sanjeev Sofat

2.3 Problem Statement Definition

- A major challenge involved is to provide Doctors with efficient, intuitive, accurate and safe means of interaction without affecting the quality of their work. However the use of computer keyboards and mouse by doctors in intensive care unit(ICU) is a common mean for spreading infections.We suggest the use of hand gestures in medical field as an alternative to the existing interface techniques by offering maximum level of sterility.

3.IDEATION & PROPOSED SOLUTION :

3.1 Empathy Map Canvas




3.2 Ideation & Brainstorming

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem solving. Prioritizing volume over value, out-of-the-box ideas are welcome and built upon, and all participants are encouraged to collaborate, helping each other develop a rich amount of creative solutions.

Step-1: Team Gathering, Collaboration and Select the Problem Statement.

Step-2: Brainstorm, Idea Listing and Grouping.

Step-3: Idea Prioritization.



3.3 Proposed Solution

- The interaction with interventional imaging systems within a sterile environment is a challenging task for physicians. Direct physician-machine interaction during an intervention is rather limited because of sterility and workspace restrictions.
- We propose a method of gesture-controlled projection display that enables a direct and natural physician-machine interaction during computed tomography (CT)-based interventions.
- Therefore, a graphical user interface is projected on a radiation shield located in front of the physician. Hand gestures in front of this display are captured and classified using a leap motion controller.
- We propose a gesture set to control basic functions of intervention software such as gestures for 2D image exploration, 3D object manipulation and selection. Our methods were evaluated in a clinically oriented user study with 12 participants.

- The results of the performed user study confirm that the display and the underlying interaction concept are accepted by clinical users. The recognition of the gestures is robust, although there is potential for improvements.
- The gesture training times are less than 10 min, but vary heavily between the participants of the study. The developed gestures are connected logically to the intervention software and intuitive to use.
- The proposed gesture-controlled projection display counters current thinking, namely it gives the radiologist complete control of the intervention software. It opens new possibilities for direct physician–machine interaction interventions most importantly during surgeries.

3.4 Problem Solution Fit

Define CS, fit into CC	1. CUSTOMER SEGMENT(S) CS <ul style="list-style-type: none"> • This tool was designed for doctor for support medical imaging manipulation. • Doctors(22+ ages) 	6. CUSTOMER CONSTRAINTS CC <ul style="list-style-type: none"> • Data Privacy • Technology awareness • Customer should have uninterrupted connection. 	5. AVAILABLE SOLUTIONS AS <ul style="list-style-type: none"> • In early stage the doctors has to manually do navigation and manipulation of images in an electronic medical record(EMR). • By using the gesture-based navigation and manipulation of images is very much useful for the doctors. 	Explore AS, differentiate
	2. JOBS-TO-BE-DONE / PROBLEMS J&P <ul style="list-style-type: none"> • Reduce time • Produce more accurate solution for the report(EMR). • Easy navigation and manipulation of images. 	9. PROBLEM ROOT CAUSE RC <ul style="list-style-type: none"> • Doctor can't able to see each and every patient records. • User friendly and doctor friendly services, • These technologies are expensive right now 	7. BEHAVIOUR BE <ul style="list-style-type: none"> • If any problem or technical issue in software faced by our customer, they will send us feedback on the same and our technical team will solve their problem in efficient way and get back to them by sending mail. 	

3. TRIGGERS TR <ul style="list-style-type: none"> • The time-efficient and easy browsing trigger the customers to switch to this technology. 	10. YOUR SOLUTION SL <ul style="list-style-type: none"> • When this kind of software is launched worldwide this will be very much useful for doctors. • It will make work easier and faster. • This gesture-based technology is mainly based on hand signs in video frames and recognizes the images and performs a corresponding action. 	8. CHANNELS of BEHAVIOUR CH <ul style="list-style-type: none"> • ONLINE: Extract channels from behavior block. • OFFLINE: Extract channels from behavior block and is used for customer's deployment.
4. EMOTIONS: BEFORE / AFTER EM <ul style="list-style-type: none"> • Sometimes doctors have to be there with the emotional situations of patients, which sometimes make doctor disturbed. • But nowadays doctor uses gesture tool to save their work. 		

4.REQUIREMENT ANALYSIS :

4.1 Functional Requirements

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	Launching the model	Launch the trained CNN model from the cloud
FR-2	Capturing the images	After capturing the images in camera we have to upload the images in the system
FR-3	Performing gestures	After classifying, identify the correct image by the gesture and it should perform the operation
FR-4	Model rendering	After capturing the image the algorithm will start its processing task
FR-5	Sterile browsing	The sterile browsing can be performed after identifying the gestures
FR-6	Visibility of images	After completing all the processes,a user can be able to see the images

4.2 Non - Functional Requirements


Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.


FR No.	Non-Functional Requirement	Description
NFR-1	Usability	This system helps to have the control over images without having direct contact with system which avoids the harmful rays and is ease of use
NFR-2	Security	This system is protected and only authorized users can access it
NFR-3	Reliability	After installing the application,the system will predict the gesture and performs sterile browsing
NFR-4	Performance	The system responds to a user in seconds and the hardware and software works well
NFR-5	Availability	It is accessible by authorised user from anywhere at any time whenever there is an emergency
NFR-6	Scalability	This system allows more number of users at a time and there is no loss can be identified

5.PROJECT DESIGN :

5.1 Data Flow Diagrams



5.2 Solution & Technical Architecture



5.3 User Stories

User Stories

Use the below template to list all the user stories for the product.


User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a user, I can upload an image for performing the action.	I can upload image	High	Sprint-3
		USN-2	As a user, I can show my hand sign in front of the camera.	I can show hand sign	High	Sprint-1 Sprint-2
		USN-3	As a user, I will send the result of the uploaded image based on my hand sign.	I can get the result.	High	Sprint-2
Customer (Web user)			same as a mobile user.			

6. PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation

To accomplish the above task, you must complete the below activities and tasks:

1. Collect the Image Data.
2. Preprocess the collected images.
3. Train the model.
4. Test the model.
5. Model is generated (gesture.h5).
6. Application building using HTML & CSS.
7. Form for uploading the image for prediction.
8. Python flask for connecting Model and webpages.



6.2 Sprint Delivery Schedule

Product Backlog, Sprint Schedule, and Estimation

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule


Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Image preprocessing	USN-1	As a user, I can predict the image	2	High	Madhumitha Sowmiya Mrithula Nandhini Devi
Sprint-1	model building	USN-2	As a user, I can predict the model building application	1	High	Madhumitha Sowmiya Mrithula Nandhini Devi
Sprint-2	Launching Software	USN-3	As a user, I can launch the development software	2	Low	Madhumitha Sowmiya Mrithula Nandhini Devi
Sprint-3	Launching Camera	USN-4	As a user, I can open the camera from the software to perform gesture	2	Medium	Madhumitha Sowmiya Mrithula Nandhini Devi

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-3	upload image from local system	USN-5	As a user, I can upload a image to the software from the local system	1	low	Madhumitha Sowmiya Mrithula Nandhini Devi
Sprint-4	perform gesture	USN-6	As a user, I can perform various gesture with respect to system specification for processing	2	medium	Madhumitha Sowmiya Mrithula Nandhini Devi
Sprint-4	output	USN-7	As a user, I can see the sterile browsers image with respect to the gesture performed, display on the screen	2	High	Madhumitha Sowmiya Mrithula Nandhini Devi

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

6.3 Reports from JIRA



7.CODING & SOLUTIONING :

7.1 Feature 1

1:IMAGE PREPROCESSING:

Import the ImagesDataGenerator Library:

```
from keras.preprocessing.image import ImageDataGenerator
```

Configure ImageDataGenerator Functionality To Trainset And Testset:

Image Data Agumentation

```
#setting parameter for Image Data agumentation to the traing data
train_datagen = ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True)
#Image Data agumentation to the testing data
test_datagen=ImageDataGenerator(rescale=1./255)
```

Apply ImageDataGenerator Functionality To Trainset And Testset

Loading our data and performing data agumentation

```
#performing data agumentation to train data
x_train = train_datagen.flow_from_directory('data/train',target_size=(64, 64),batch_size=5,
                                            color_mode='grayscale',class_mode='categorical')

#performing data agumentation to test data
x_test = test_datagen.flow_from_directory('data/test',target_size=(64, 64),batch_size=5,
                                         color_mode='grayscale',class_mode='categorical')

Found 600 images belonging to 6 classes.
Found 30 images belonging to 6 classes.
```

2:MODEL BULIDING:

Importing The Model Building Libraries

Importing Neccessary Libraries

```
import numpy as np#used for numerical analysis
import tensorflow #open source used for both ML and DL for computation
from tensorflow.keras.models import Sequential #it is a plain stack of layers
from tensorflow.keras import layers #A layer consists of a tensor-in tensor-out computation function
#Dense layer is the regular deeply connected neural network layer
from tensorflow.keras.layers import Dense,Flatten
#Faltten-used fot flattening the input or change the dimension
from tensorflow.keras.layers import Conv2D,MaxPooling2D #Convolutional layer
#MaxPooling2D-for downsampling the image
from keras.preprocessing.image import ImageDataGenerator
```

Initializing The Model

```
model=Sequential()
```

Adding CNN Layers

```
# First convolution layer and pooling
classifier.add(Conv2D(32, (3, 3), input_shape=(64, 64, 1), activation='relu'))
classifier.add(MaxPooling2D(pool_size=(2, 2)))
# Second convolution layer and pooling
classifier.add(Conv2D(32, (3, 3), activation='relu'))
# input_shape is going to be the pooled feature maps from the previous convolution layer
classifier.add(MaxPooling2D(pool_size=(2, 2)))

# Flattening the layers
classifier.add(Flatten())
```

Adding Dense Layers

```
# Adding a fully connected layer
classifier.add(Dense(units=128, activation='relu'))
classifier.add(Dense(units=6, activation='softmax')) # softmax for more than 2
```

```
classifier.summary()#summary of our model
```

```
Model: "sequential_4"
```

Layer (type)	Output Shape	Param #
=====		
conv2d_6 (Conv2D)	(None, 62, 62, 32)	320

max_pooling2d_6 (MaxPooling2)	(None, 31, 31, 32)	0

conv2d_7 (Conv2D)	(None, 29, 29, 32)	9248

max_pooling2d_7 (MaxPooling2)	(None, 14, 14, 32)	0

flatten_3 (Flatten)	(None, 6272)	0

dense_6 (Dense)	(None, 128)	802944

dense_7 (Dense)	(None, 6)	774
=====		
Total params: 813,286		
Trainable params: 813,286		
Non-trainable params: 0		

```
# Adding a fully connected layer
```

```
classifier.add(Dense(units=128, activation='relu'))
```

```
classifier.add(Dense(units=6, activation='softmax')) # softmax for more than 2
```

```
classifier.summary()#summary of our model
```

```
Model: "sequential_4"
```

Layer (type)	Output Shape	Param #
conv2d_6 (Conv2D)	(None, 62, 62, 32)	320
max_pooling2d_6 (MaxPooling2)	(None, 31, 31, 32)	0
conv2d_7 (Conv2D)	(None, 29, 29, 32)	9248
max_pooling2d_7 (MaxPooling2)	(None, 14, 14, 32)	0
flatten_3 (Flatten)	(None, 6272)	0
dense_6 (Dense)	(None, 128)	802944
dense_7 (Dense)	(None, 6)	774

=====
Total params: 813,286
Trainable params: 813,286
Non-trainable params: 0
=====

Configure The Learning Process

Compiling the model

```
# Compiling the CNN  
# categorical_crossentropy for more than 2  
classifier.compile(optimizer='adam', loss='categorical_crossentropy', metrics=['accuracy'])
```

Training Model

Fitting the model

```
classifier.fit_generator(  
    generator=x_train, steps_per_epoch = len(x_train),  
    epochs=20, validation_data=x_test, validation_steps = len(x_test)) # No of images in test set
```

Save the Model

Saving our model

```
# Save the model
classifier.save('gesture.h5')

model_json = classifier.to_json()
with open("model-bw.json", "w") as json_file:
    json_file.write(model_json)
```

Test the Model

Predicting our results

```
from tensorflow.keras.models import load_model
from keras.preprocessing import image
model = load_model("gesture.h5") #loading the model for testing

img = image.load_img(r"E:\PROJECTS\number-sign-recognition\data\test\1\1.jpg", grayscale=True,
                    target_size= (64,64)) #Loading of the image
x = image.img_to_array(img) #image to array
x = np.expand_dims(x,axis = 0) #changing the shape
pred = model.predict_classes(x) #predicting the classes
pred

array([1], dtype=int64)

index=['0','1','2','3','4','5']
result=str(index[pred[0]])
result

'1'
```

7.2 Feature 2

- Let us build flask file 'app.py' which is a web framework written in python for server-side scripting. Let's see step by step procedure for building the backend application.
- App starts running when "__name__" constructor is called in main.
- render_template is used to return html file.
- "GET" method is used to take input from the user.
- "POST" method is used to display the output to the user.

1:Importing Libraries

```
from flask import Flask,render_template,request
# Flask-It is our framework which we are going to use to run/serve our application.
#request-for accessing file which was uploaded by the user on our application.
import operator
import cv2 # opencv library
from tensorflow.keras.models import load_model#to load our trained model
import os
from werkzeug.utils import secure_filename
```

2:Creating our flask application and loading our model

```
app = Flask(__name__,template_folder="templates") # initializing a flask app
# Loading the model
model=load_model('gesture.h5')
print("Loaded model from disk")
```

3:Routing to the html page

```
@app.route('/')# route to display the home page
def home():
    return render_template('home.html')#rendering the home page

@app.route('/intro') # routes to the intro page
def intro():
    return render_template('intro.html')#rendering the intro page

@app.route('/image1',methods=['GET','POST'])# routes to the index html
def image1():
    return render_template("index6.html")
```

```
@app.route('/predict',methods=['GET', 'POST'])# route to show the predictions in a web UI
def launch():
```

And the predict route is used for prediction and it contains all the codes which are used for predicting our results.

- Firstly, inside launch function we are having the following things:
 - Getting our input and storing it
 - Grab the frames from the web cam.
 - Creating ROI
 - Predicting our results
 - Showcase the results with the help of opencv
 - Finally run the application
- Getting our input and storing it

Once the predict route is called, we will check whether the method is POST or not if it is POST then we will request the image files and with the help of os function we will be storing the image in the uploads folder in our local system.

```
if request.method == 'POST':
    print("inside image")
    f = request.files['image']

    basepath = os.path.dirname(__file__)
    file_path = os.path.join(basepath, 'uploads', secure_filename(f.filename))
    f.save(file_path)
    print(file_path)
```

- Grab the frames from the web cam

Now when we run the code a web cam will be opening to take the gesture input so we will be capturing the frames of the gesture for predicting our results.

```
cap = cv2.VideoCapture(0)
while True:
    _, frame = cap.read() #capturing the video frame values
    # Simulating mirror image
    frame = cv2.flip(frame, 1)
```

- Creating ROI

A region of interest (ROI) is a portion of an image that you want to filter or operate on in some way. The toolbox supports a set of ROI objects that you can use to create ROIs of many shapes, such as circles, ellipses, polygons, rectangles, and hand-drawn shapes. ... A common use of an ROI is to create a binary mask image.

So, we will be creating a ROI to mask our gesture.

```
# Got this from collect-data.py
# Coordinates of the ROI
x1 = int(0.5*frame.shape[1])
y1 = 10
x2 = frame.shape[1]-10
y2 = int(0.5*frame.shape[1])
# Drawing the ROI
# The increment/decrement by 1 is to compensate for the bounding box
cv2.rectangle(frame, (x1-1, y1-1), (x2+1, y2+1), (255,0,0), 1)
# Extracting the ROI
roi = frame[y1:y2, x1:x2]

# Resizing the ROI so it can be fed to the model for prediction
roi = cv2.resize(roi, (64, 64))
roi = cv2.cvtColor(roi, cv2.COLOR_BGR2GRAY)
_, test_image = cv2.threshold(roi, 120, 255, cv2.THRESH_BINARY)
cv2.imshow("test", test_image)
```

- Predicting our results

After placing the ROI and getting the frames from the web cam now its time to predict the gesture result using the model which we trained and stored it into a variable for the further operations.

```
result = model.predict(test_image.reshape(1, 64, 64, 1))
prediction = {'ZERO': result[0][0],
             'ONE': result[0][1],
             'TWO': result[0][2],
             'THREE': result[0][3],
             'FOUR': result[0][4],
             'FIVE': result[0][5]}
# Sorting based on top prediction
prediction = sorted(prediction.items(), key=operator.itemgetter(1), reverse=True)

# Displaying the predictions
cv2.putText(frame, prediction[0][0], (10, 120), cv2.FONT_HERSHEY_PLAIN, 1, (0,255,255), 1)
cv2.imshow("Frame", frame)
```

- Showcase the results with the help of opencv

Finally according to the result predicted with our model we will be performing certain operations like resize, blur , rotate etc.

```

#loading an image
image1=cv2.imread(file_path)
if prediction[0][0]=='ONE':

    resized = cv2.resize(image1, (200, 200))
    cv2.imshow("Fixed Resizing", resized)
    key=cv2.waitKey(3000)

    if (key & 0xFF) == ord("1"):
        cv2.destroyAllWindows("Fixed Resizing")

elif prediction[0][0]=='ZERO':

    cv2.rectangle(image1, (480, 170), (650, 420), (0, 0, 255), 2)
    cv2.imshow("Rectangle", image1)
    cv2.waitKey(0)
    key=cv2.waitKey(3000)
    if (key & 0xFF) == ord("0"):
        cv2.destroyAllWindows("Rectangle")

elif prediction[0][0]=='TWO':
    (h, w, d) = image1.shape
    center = (w // 2, h // 2)
    M = cv2.getRotationMatrix2D(center, -45, 1.0)
    rotated = cv2.warpAffine(image1, M, (w, h))
    cv2.imshow("OpenCV Rotation", rotated)
    key=cv2.waitKey(3000)
    if (key & 0xFF) == ord("2"):
        cv2.destroyAllWindows("OpenCV Rotation")

elif prediction[0][0]=='THREE':
    blurred = cv2.GaussianBlur(image1, (11, 11), 0)
    cv2.imshow("Blurred", blurred)
    key=cv2.waitKey(3000)
    if (key & 0xFF) == ord("3"):
        cv2.destroyAllWindows("Blurred")
else:
    continue

```

```

        interrupt = cv2.waitKey(10)
        if interrupt & 0xFF == 27: # esc key
            break

    cap.release()
    cv2.destroyAllWindows()
return render_template("home.html")

```

RUN THE APPLICATION:

At last, we will run our flask application

```

if __name__ == "__main__":
    # running the app
    app.run(debug=False)

```

Run The app in local browser

- Open anaconda prompt from the start menu
- Navigate to the folder where your python script is.
- Now type “python app.py” command
- Navigate to the localhost where you can view your web page

```
(base) E:\>cd E:\PROJECTS\number-sign-recognition\Flask
(base) E:\PROJECTS\number-sign-recognition\Flask>python app.py
```

Then it will run on localhost:5000

```
* Serving Flask app "app" (lazy loading)
* Environment: production
  WARNING: This is a development server. Do not use it in a production deployment.
  Use a production WSGI server instead.
* Debug mode: off
* Running on http://127.0.0.1:5000/ (Press CTRL+C to quit)
```

Navigate to the localhost (http://127.0.0.1:5000/)where you can view your web page.

8.TESTING :

8.1 Test Cases

3. Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	1	0	0	1
Client Application	1	0	0	1

8.2 User Acceptance Testing

1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the AI-based A Gesture-based Tool for Sterile Browsing of Radiology Image project at the time of the release to User Acceptance Testing (UAT).

2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	1	0	0	0	1
Duplicate	4	1	3	0	8
External	1	3	0	0	4
Fixed	2	4	4	2	12
Not Reproduced	0	0	0	1	1
Skipped	0	0	0	0	0
Won't Fix	0	0	0	0	0
Totals	8	8	4	2	22

9.RESULTS :

9.1 Performance Matrics

Locust Test Report

During: 11/17/2022, 4:18:19 PM - 11/17/2022, 4:21:00 PM

Target Host: http://127.0.0.1:5000/

Script: locustfile.py



Request Statistics


Method	Name	# Requests	# Fails	Average (ms)	Min (ms)	Max (ms)	Average size (bytes)	RPS	Failures/s
GET	/	126	0	13	9	59	6900	0.8	0.0
GET	/image1	129	0	6	5	27	7394	0.8	0.0
GET	/intro	139	0	7	4	38	8349	0.9	0.0
GET	/predict	136	0	6	5	12	6900	0.8	0.0
Aggregated		530	0	8	4	59	7400	3.3	0.0

Response Time Statistics

Method	Name	50%ile (ms)	60%ile (ms)	70%ile (ms)	80%ile (ms)	90%ile (ms)	95%ile (ms)	99%ile (ms)	100%ile (ms)
GET	/	12	12	13	14	16	17	40	60
GET	/image1	6	6	7	7	8	9	11	27
GET	/intro	6	6	7	7	9	13	22	39
GET	/predict	6	7	7	8	9	10	11	13
Aggregated		7	7	9	11	12	15	22	60


Charts





9.2 Output


1:Home Page:




2:Introduction Page:



3:Predict Page:





4.Actions:

- 0-Rectangle
- 1-Fixed Resizing(200,200)
- 2-OpenCV Rotation
- 3-Blurred
- 4-Fixed Resizing(400,400)
- 5-OpenCV Grey Scale

10. ADVANTAGES & DISADVANTAGES:

10.1 Advantages:

- **Ease of use**—the system allows the surgeon to use his/her hands, their natural work tool
- **Rapid reaction**—nonverbal instructions by hand gesture commands are intuitive and fast (In practice, the “Gestix” system can process images and track hands at a frame-rate of 150 Hz, thus, responding to the surgeon's gesture commands in real-time)
- **An unencumbered interface**—the proposed system does not require the surgeon to attach a microphone, use head-mounted (body-contact) sensing devices or to use foot pedals
- **Distance control**—the hand gestures can be performed up to 5 meters from the camera and still be recognized accurately.
- Accuracy is high.
- Memory Saving. [due to cloud]
- An Unecumbered Interface.
- Distance Control.

Translation independent.

10.2 Disadvantages:

- This kind of input also raises issues that are not relevant with traditional input. On the user's side, these problems are to learn, to remember and to accurately execute gestures.
- The developer has to provide a system that correctly recognizes these gestures. Freeman et al. remarked that the observation of gestures does not suffice in order to learn them, as the observer is unable to differentiate relevant and irrelevant movements.
- The teaching of multi-touch and mid-air gestures is more difficult than that of single-touch gestures. In the case of the latter, the hand posture is irrelevant - users only need to follow a path correctly to perform a command.
- Image Framing is not accurate.
- Small number of dataset.
- Wrong prediction in low light.
- Accuracy is less.
- Dataset is not suitable for real time.

11.CONCLUSION :

- In this project , we proposed an idea for feasible communication between hearing impaired and normal person with the help of deep learning and machine learning approach. This is ever the surrounding challenge to develop a sign language system in data the collection remains invariant of the unconstrained environment. This project can be extended to the real time data. Our method shows to have potential in tackling this problem employing a straight forward camera as a pre-made dataset has been used. as been used, in case sufficient substantial training information is given, which can be continuously done and included through the previously mentioned process.

12.FUTURE SCOPE :

- The use of doctor-computer interaction devices in the operation room (OR) requires new

modalities that support medical imaging manipulation while allowing doctors' hands to remain sterile, supporting their focus of attention, and providing fast response times. In

future everything become automated .

13. APPENDIX :

13.1 Source Code

1:home.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
    <meta name="description" content="Start your development with Creative Design
landing page.">
    <meta name="author" content="Devcrud">
    <title>Hand Gesture Recognition</title>
    <link rel="stylesheet" href="../static/vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../static/css/creative-design.css">
<style>
.header {
    background: #efefef url(../static/imgs/3.jpg);
    background-size: cover;
    background-position: center center;
    background-repeat: no-repeat;
    text-align: center;
    color: white;
    position: relative;
    height: 598px;
    position: relative;
}
</style>
</head>
<body data-spy="scroll" data-target=".navbar" data-offset="40" id="home">
    <!-- Page Navbar -->
    <nav id="scrollspy" class="navbar page-navbar navbar-light navbar-expand-md
fixed-top" data-spy="affix" data-offset-top="20">
        <div class="container">
            <a class="navbar-brand" href="#"><strong
class="text-primary">Hand</strong> <span class="text-dark">Gesture</span></a>
            <button class="navbar-toggler" type="button" data-toggle="collapse"
data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
```

```

        <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav ml-auto">
            <li class="nav-item">
                <a class="nav-link" href="{{ url_for('home') }}"><u>Home</u></a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="{{ url_for('intro') }}">Introduction</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="{{ url_for('index6') }}">Predict</a>
            </li>
        </ul>
    </div>
</div>
</nav><!-- End of Page Navbar -->

<!-- Page Header -->
<header id="home" class="header">


    <div class="overlay"></div>
    <div class="header-content">
        <p>Image Processing Using Hand Gesture</p>
        <h1>A Gesture-based Tool for Sterile Browsing of Radiology Images</h1>
    </div>
</header><!-- End of Page Header -->

```

2:intro.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
    <meta name="description" content="Start your development with
Creative Design landing page.">

```



```

    <meta name="author" content="Devcrud">
    <title>Hand Gesture Recognition</title>
    <link rel="stylesheet"
href="../static/vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../static/css/creative-design.css">
<style>
.header {
background: #efefef url(../static/imgs/1.jpg);
background-size: cover;
background-position: center center;
background-repeat: no-repeat;
text-align: center;
color: white;
position: relative;
height: 598px;
position: relative;
}
</style>
</head>
<body data-spy="scroll" data-target=".navbar" data-offset="40"
id="home">
    <!-- Page Navbar -->
    <nav id="scrollspy" class="navbar page-navbar navbar-light
navbar-expand-md fixed-top" data-spy="affix" data-offset-top="20">
        <div class="container">
            <a class="navbar-brand" href="#"><strong
class="text-primary">Hand</strong> <span
class="text-dark">Gesture</span></a>

            <div class="collapse navbar-collapse"
id="navbarSupportedContent">
                <ul class="navbar-nav ml-auto">
                    <li class="nav-item">
                        <a class="nav-link" href="{{
url_for('home')}}"><u>Home</u></a>
                    </li>

```

```

        <li class="nav-item">
            <a class="nav-link" href="{{
url_for('intro')}}">Introduction</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="{{
url_for('index6')}}">Predict</a>
        </li>
    </ul>
</div>
</div>
</nav><!-- End of Page Navbar -->

<!-- Page Header -->
<header id="home" class="header">

    <div class="overlay"></div>
    <div class="header-content">
        <p>Image Processing Using Hand Gesture</p>
        <h3 style="color:yellow;">A Gesture-based Tool for Sterile
Browsing of Radiology Images</h3>
        <h4>    Hand Gesture recognition system
provides us with an innovative, natural, user-friendly way of interacting
with the computer which
is more familiar to human beings. In our project, the hand region is
extracted
from the background by using the Region of interest. Then, we will be
predicted
the labels based on the CNN-trained model weights of hand gestures
using that predicted labels we apply if conditions to control some of the
actions like reshaping, blurring, and flip of the given image. <h4>
    </div>
</header><!-- End of Page Header -->

```

3:index6.html

```
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
  <meta name="description" content="Start your development with
Creative Design landing page.">
  <meta name="author" content="Devcrud">
  <title>Hand Gesture Recognition</title>
  <link rel="stylesheet"
href="../static/vendors/themify-icons/css/themify-icons.css">
  <link rel="stylesheet" href="../static/css/creative-design.css">
  <link href="../static/css/creative-design.css/main.css"
rel="stylesheet">
  <link href="{{ url_for('static', filename='css/main.css') }}"
rel="stylesheet">
  <meta name="viewport" content="width=device-width,
initial-scale=0.6">
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></s
cript>
  <link
href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css"
rel="stylesheet">

  <script
src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></scri
pt>
  <script
src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
  <script
src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></scrip
t>
  <link href="{{ url_for('static', filename='css/main.css') }}"
rel="stylesheet">
```

```
<style>
.header {
  background: #efefef url(../static/imgs/3.jpg);
  background-size: cover;
  background-position: center center;
  background-repeat: no-repeat;
  text-align: center;
  color: white;
  position: relative;
  height: 598px;
  position: relative;
}
.btncls{
  position: relative;
  top: -133px;
  left: 33px;
  border-radius: 20px;
  height:30px;
  font-size: 12px;
  border: none;
  background-color: rgb(45, 45, 43);
  color:rgb(252, 248, 248);
  font-weight: 600;
}
#display-image{
  width: 400px;
  height: 225px;
  border: 3px solid rgb(45, 45, 43);
  border-radius:25px;
  background-position: center;
  background-size: cover;
  position: relative;
  top: -143px;
  left: 33px;
}
#image-input{
```

```
position: relative;
top: -153px;
left: 33px;
border-radius: 20px;
background-color: rgb(45, 45, 43);
}

.topnav {
    overflow: hidden;
    background-color: #056959;
}

.topnav-right a {
    float: left;
    color: black;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
    font-size: 18px;
}

.topnav-right a.active {
    background-color: #07201e;
    color: rgb(238, 226, 234);
}

.topnav-right a:hover {
    background-color: rgb(181, 228, 236);
    color: rgb(6, 27, 36);
}

.topnav-right {
    float: right;
    padding-right: 100px;
}
```

```
.button {
background-color: #091425;
border: none;
color: black;
padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 12px;
border-radius: 16px;
}
.button:hover {
    box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24), 0 17px 50px 0
    rgba(0,0,0,0.19);
}
form {border: 2px solid black; margin-left:400px;margin-right:400px;}

input[type=text], input[type=password] {
    width: 100%;
    padding: 12px 20px;
    display: inline-block;
    margin-bottom:18px;
    border: 1px solid #ccc;
    box-sizing: border-box;
}

button {
    background-color: #091425;
    color: black;
    padding: 14px 20px;
    margin-bottom:10px;
    border: none;
    cursor: pointer;
    width: 19%;
    border-radius:4px;
```

```
font-family:Montserrat;
}
```

```
button:hover {
  opacity: 0.8;
}
```

```
.cancelbtn {
  width: auto;
  padding: 10px 18px;
  background-color: #f44336;
}
```

```
.imgcontainer {
  text-align: center;
  margin: 24px 0 12px 0;
}
```

```
img.avatar {
  width: 30%;
  border-radius: 50%;
}
```

```
.container {
  padding: 16px;
}
```

```
span.psw {
  float: right;
  padding-top: 16px;
}
```

```
/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
  span.psw {
    display: block;
    float: none;
  }
}
```

```

    }
    .cancelbtn {
        width: 100%;
    }
}

.home{
    margin:80px;

    width: 84%;
    height: 500px;
    padding-top:10px;
    padding-left: 30px;

}
.login{
    margin:80px;
    box-sizing: content-box;
    width: 84%;
    height: 420px;
    padding: 30px;
    border: 10px solid rgb(12, 91, 94);
}
.left,.right{
    box-sizing: content-box;
    height: 400px;
    margin:20px;
    border: 10px solid rgb(12, 91, 94);
}

.mySlides {display: none;}
img {vertical-align: middle;}

/* Slideshow container */
.slideshow-container {
    max-width: 1000px;
    position: relative;

```



```
    margin: auto;
}

/* Caption text */
.text {
    color: #f2f2f2;
    font-size: 15px;
    padding: 8px 12px;
    position: absolute;
    bottom: 8px;
    width: 100%;
    text-align: center;
}

/* The dots/bullets/indicators */
.dot {
    height: 15px;
    width: 15px;
    margin: 0 2px;
    background-color: #bbb;
    border-radius: 50%;
    display: inline-block;
    transition: background-color 0.6s ease;
}

.active {
    background-color: #267481;
}

/* Fading animation */
.fade {
    -webkit-animation-name: fade;
    -webkit-animation-duration: 1.5s;
    animation-name: fade;
    animation-duration: 1.5s;
}

@-webkit-keyframes fade {
```

```
    from {opacity: .4}
    to {opacity: 1}
  }
  @keyframes fade {
    from {opacity: .4}
    to {opacity: 1}
  }
```

```
/* On smaller screens, decrease text size */
@media only screen and (max-width: 300px) {
  .text {font-size: 11px}
}
```

```
</style>
</head>
<body data-spy="scroll" data-target=".navbar" data-offset="40"
id="home">
  <!-- Page Navbar -->
  <nav id="scrollspy" class="navbar page-navbar navbar-light
navbar-expand-md fixed-top" data-spy="affix" data-offset-top="20">
    <div class="container">
      <a class="navbar-brand" href="#"><strong
class="text-primary">Hand</strong> <span
class="text-dark">Gesture</span></a>
      <button class="navbar-toggler" type="button"
data-toggle="collapse" data-target="#navbarSupportedContent"
aria-controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse"
id="navbarSupportedContent">
        <ul class="navbar-nav ml-auto">
          <li class="nav-item">
```

```

                <a class="nav-link" href="{{
url_for('home')}}"><u>Home</u></a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="{{
url_for('intro')}}">Introduction</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="{{
url_for('index6')}}">Predict</a>
            </li>
        </ul>
    </div>
</div>
</nav><!-- End of Page Navbar -->

<!-- Page Header -->
<header id="home" class="header">


    <div class="overlay"></div>
    <div class="header-content"><br><br><br><br><br><br><br>
        <p>Image Processing Using Hand Gesture</p>
        <h1>A Gesture-based Tool for Sterile Browsing of Radiology
Images</h1>
        <div>
            <h4>Upload Image Here</h4>
            <form action = "http://localhost:5000/" id="upload-file"
method="post" enctype="multipart/form-data">
                <label for="imageUpload" class="upload-label">
                    Choose...
                </label>
                <input type="file" name="image" id="imageUpload" accept=".png,
.jpg, .jpeg, .pdf">
            </form>
            <center>

```

```

<div class="image-section" style="display:none;">
  <div class="img-preview">
    <div id="imagePreview">
      </div>
    </div>
    <div>
      <button type="button" color="#f35ac5" class="btn btn-info btn-lg
" id="btn-predict">Predict!</button>
    </div>
  </div>
  <div class="loader" style="display:none;"></div>
  </center>
</div>
</div1>

<footer>
  <script src="{{ url_for('static', filename='js/main.js') }}"
type="text/javascript"></script>
</footer>
</html>

```

13.2 GitHub & Project Demo Link

PROJECT GITHUB:

<https://github.com/IBM-EPBL/IBM-Project-34812-1660277358>

PROJECT DEMO LINK:

https://youtu.be/u6EYhP_c718