SETTING UP ENVIRONMENT CREATE FLASK PROJECT

Team ID	PNT2022TMID23692
Project Name	Plasma Donor Application
Date of complete	04 October 2022


Step 1: Beginning the Flask installation with python installation from the official account: https://www.python.org/.

Run the python setup and install the newest version of python.



Step 2: Open Command Prompt and cross-verify the installation of python by typing:

To check the version : python --version



To check the path :pip --version

Step 3: After python installation, we need to begin with flask installation by typing :


Flask installation : py -m install flask


```
Cilvers/rangapy = n pip --version
pip 22.3 from Ci/Program Files/bython311\Lib\site-packages\pip (python 3.11)

Cilvers/rangapy = n pip install flask
Defaulting to user installation because normal site-packages is not writeable
Collecting flask -2.2.2-py3-none-any.whl (101 k8)
Downloading lask-2.2.2-py3-none-any.whl (102 k8)
Collecting derkraupy2.2.2
Downloading bisk-2.2.2-py3-none-any.whl (132 k8)
Collecting ininjaz>3.8
Downloading injajaz-3.8
Downloading injajaz-3.1.2-py3-none-any.whl (133 k8)

Collecting injajaz>3.8
Downloading injajaz-3.1.2-py3-none-any.whl (138 k8)
Collecting injajaz-3.8
Downloading injajaz-3.1.2-py3-none-any.whl (158 k8)
Collecting injajaz-3.8
Downloading injajaz-2.1.2-py3-none-any.whl (56 k8)
Downloading coloram=0.4.6-py2.py3-none-any.whl (56 k8)
Downloading coloram=0.4.6-py2.py3-none-any.whl (25 k8)
Collecting click-9.1.3-py3-none-any.whl (25 k8)
Collecting dick-9.1.3-py3-none-any.whl (25 k8)
Downloading arkupSafe-2.1.1:tan-gz (18 k8)
Proparing metadata (setup.py) ... done
Installating coloram=0.4.6-py2.py3-none-any.whl (25 k8)
Collecting MarkupSafe-2.1.1:tan-gz (18 k8)
Proparing metadata (setup.py) ... done
Installating coloram=0.4.6-py2.py3-none-any.whl (25 k8)
Collecting MarkupSafe-2.1.1:tan-gz (18 k8)
Proparing metadata (setup.py) ... done
Installating coloram=0.4.6-py2.py3-none-any.whl (25 k8)
Collecting MarkupSafe-2.1.1:tan-gz (18 k8)
Proparing metadata (setup.py) ... done
Installating coloram=0.4.6-py2.py3-none-any.whl (25 k8)
Collecting MarkupSafe-2.1.1:tan-gz (18 k8)
Proparing metadata (setup.py) ... done
Installating coloram=0.4.6-py2.py3-none-any.whl (25 k8)
Collecting MarkupSafe-2.1.1:tan-gz (18 k8)
Proparing metadata (setup.py) ... done
Installating coloram=0.4.6-py2.py3-none-any.whl (25 k8)
Collecting MarkupSafe-2.1.1:tan-gz (18 k8)
Proparing metadata (setup.py) metadata https://github.com/pypa/pip/issues
Running setup.py install for first this behaviour change, a possible experiencemin is to enable the 'u-encephpio' option. Discussion can be found at https://github.com/p
```

Step 4: Now the new version of Python-Flask is successfully installed





Step 5: Now to run a simple project open VS Code and type the following:

from flask import Flask app = Flask(_name_)

```
@app.route("/") def hello_world():
return "Hello, World!"
```

And save the file as "app.py" copy its path and run it in the command prompt along with syntax flask run

