# **ASSIGNMENT-3**

#### IBM.html

```
<html>
<head>
k rel="stylesheet" href="https://s3.tok.ap.cloud-object-
storage.appdomain.cloud/test17/css.css">
<body>
<h2><center><b>FLOWER SHOP</b></center></h2>
<div class="row">
 <div class="column">
  <img src="https://s3.tok.ap.cloud-object-storage.appdomain.cloud/test17/Flower6.jpg"</pre>
alt="Snow" style="width:80%">
 </div>
 <div class="column">
  <img src="https://s3.tok.ap.cloud-object-storage.appdomain.cloud/test17/Flower2.jpg"</pre>
alt="Forest" style="width:80%">
 </div>
 <div class="column">
  <img src="https://s3.tok.ap.cloud-object-storage.appdomain.cloud/test17/Flower3.jpg""</pre>
alt="Mountains" style="width:60%">
 </div>
 <div class="column">
  <img src="https://s3.tok.ap.cloud-object-storage.appdomain.cloud/test17/Flower5.jpg"</pre>
alt="Forest" style="width:60%">
 </div>
```

```
<div class="column">
  <img src="https://s3.tok.ap.cloud-object-storage.appdomain.cloud/test17/Flower1.jpg"</pre>
alt="Forest" style="width:60%">
 </div>
</div>
<script>
 window.watsonAssistantChatOptions = {
  integrationID: "7fce06c0-b8cb-4c5d-b977-bbdc812b541d", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "68a44a85-8f97-48d4-b224-58ff667cbdc1", // The ID of your service
instance.
  onLoad: function(instance) { instance.render(); }
};
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | | 'latest') +
"/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});
</script>
</body>
</html>
```

## Css.css

```
<style>
* {
box-sizing: border-box;
}
.column {
float: left;
width: 33.33%;
padding: 5px;
}
/* Clearfix (clear floats) */
.row::after {
content: "";
clear: both;
display: table;
}
</style>
```












FLOWER SHOP








×

### FLOWER SHOP





### FLOWER SHOP



