## **Ideation Phase**

## **Literature Survey**

Team ID	PNT2022TMID38300	
Project Name	Emerging methods for Early detection of forest fires	
Team Leader	Saranya P	
Team Member	Shruthi P	
Team Member	Priyadharshini R	
Team Member	Krishnaveni R	

S.NO:	TITLE OF THE	DETAILS OF THE	OBJECTIVES	METHODOLOGY USED	TAKE AWAY
	<b>PAPER</b>	PAPER			
1.	Early Forest Fire Detection using Drones and Artificial Intelligence.	Published on 2019	To detect forest fires early, the proper categorization of fire and fast response from the firefighting departments.	The fire detection is based on a platform that uses Unmanned Aerial Vehicles (UAVs) which constantly patrol over potentially threatened by fire areas. The UAVs utilize the benefits from Artificial Intelligence (AI). This allows to use computer vision methods for recognition and detection of smoke or fire, based on images or video input from the drone cameras.	From this journal, we use drone cameras and UAVs, because it patrols the forest always.

2.	Developing a real-time and automatic early warning system for forest fire.	Published on 2018 IEEE	To detect forest fires causing by climatic conditions and also caused by human.	The method using here is making use of stand-alone boxes which are deployed throughout the forest. Those boxes contain different sensors and a radio module to transmit data received from these sensors. Each sensor will be tested in individually and XBee modules are configured and paired using XCTU Software.	From this journal, we use Software solutions which are used for implementing microcontroller kits and to simulate and designing circuit boards.
3.	Early Fire Detection System using wireless sensor networks.	Published on 2018 IEEE	To detect fires from huge cause of forests.	The hierarchical architecture of Wireless Sensor Networks is most efficient and extensible for dense networks which simplifies the management of the forest as well as the communication and the localization of fire and sensors.	From this journal, we use cluster heads as landmark for the rest of sensor for localization in order to define their GPS coordinates according to the cluster head's coordinate.
4.	Automatic Early Forest fire Detection based Gaussian Mixture Model.	Published 2018 IEEE	To avoid the huge damage of forest caused by fires.	Based on the slow spread of smoke, firstly a time delay parameter improves Gaussian mixture model for extracting candidate smoke regions. Then, two motion features of smoke, the rate of area change and motion style are used to select smoke regions from the candidate regions.	journal, we use

## **Reference:**

- 1) Tanase, M.A.; Aponte, C.; Mermoz, S.; Bouvet, A.; Le Toan, T.; Heurich, M. Detection of windthrows and insect outbreaks by L-band SAR: A case study in the Bavarian Forest National Park. Remote Sens. Environ. 2018, 209, 700–71
- 2) Bu, F.; Gharajeh, M.S. Intelligent and vision-based fire detection systems: A survey. Image Vis.Comput. 2019, 91, 103803.
- 3) Muhammad, K.; Ahmad, J.; Mehmood, I.; Rho, S.; Baik, S.W. Convolutional neural networks based fire detection in surveillance videos. IEEE Access 2018, 6, 18174–18183. [CrossRef]
- 4) . Wickramasinghe, C.; Wallace, L.; Reinke, K.; Jones, S. Intercomparison of Himawari-8 AHI-FSA with MODIS and VIIRS active fire products. Int. J. Dig. Earth 2018