


ASSIGNMENT 3

CLOUD OBJECT & IBM WATSON

DATE	26.10.2022
TEAM ID	PNT2022TMID45914
PROJECT NAME	NEWS TRACKER APPLICATION
MAXIMUM MARKS	10 MARKS

QUESTION 1 : Create a Bucket in IBM object storage




The screenshot displays the IBM Cloud Object Storage console. The left sidebar shows the navigation menu with 'Buckets' selected. The main content area shows the details for a bucket named 'vikram-ibm'. The bucket details include:

- Bucket name: vikram-ibm
- Service instance: cloud-object-storage
- Total objects: 5
- Storage class: Smart Tier
- Cloud Functions trigger: Disabled
- Total bytes: 35.6 KB
- Resiliency: Regional
- Location: jp-tok
- Date created: 2022-10-28 1:10 AM

The Bucket instance CRN is also displayed: crn:v1:bluemix:public:cloud-object-storage:global:a/6ee4f47191f2493b9d6d68b48551b690:ab2f8344-5d24-4ca4-9d4d-acd3fed25ef3:bucket:vikram-ibm

The Endpoints section is also visible, explaining that endpoints are used with credentials to tell the service where to look for the bucket.


QUESTION 2 : Upload an 5 images to IBM object storage and use the same page in your html code




```
<html>
  <head><title>Jack Sparrow</title>
    <link rel="stylesheet"href="https://vikram-ibm.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css">
  </head>
  <body>
    <div>
      
      
      
      
      
    </div>
  </body>
</html>
```

index.html

Output:



QUESTION 3: Upload a css page to object storage and use the same page in your HTML code



style.css

```
body { background-
```

```
color: aqua;
```

```
display: flex; align-
```

```
items: center; justify-
```

```
content: center;
```

```
flex-direction: column;
```

```
}
```

```
img {
```


```
height: 240px;
```

```
border-radius: 10px;
```

```
margin: 10px;
```

}

Output:




QUESTION 5 : Create Watson Assistant Service with 10 steps and use 3 condition in it. Load the script in HTML page

WEB URL:

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fjp-tok.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupxf0357ae6-f19d-435a-9d7e-039456a318c5%3A%3Acaffd8d6-31534c4e-a40a-6a51de3e6238&integrationID=a457e8c2-c5f9-4918b778-4a3de175366a®ion=jp-tok&serviceInstanceID=f0357ae6f19d-435a-9d7e-039456a318c5>

OUTPUT:



Script:

```
<script>
  window.watsonAssistantChatOptions = {    integrationID: "a457e8c2-c5f9-4918-b778-
4a3de175366a", // The ID of this integration.    region: "jp-tok", // The region your
integration is hosted in.
    serviceInstanceID: "f0357ae6-f19d-435a-9d7e-039456a318c5", // The ID of your service instance
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){    const
t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
```

OUTPUT:

