

Assignment-4

Python Programming

Assignment Date	03 NOVEMBER 2022
Student Name	Ms.K.SAKTHI GOWRI
Student Roll No	732919ECR108
Maximum Marks	2 Marks


Question-1:

Write code and connections in wokwi for ultrasonic sensor.

Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.

Upload document with wokwi share link and images of ibm cloud.

Solution:



```
1 #include<WiFi.h> //library for wifi
2 #include<PubSubClient.h> //library for MQTT
3 void callback(char* subscribetopic, byte* payload, unsigned int payloadlength);
4 //-----credentials of IBM Account-----
5 #define ORG "i3yy6o" // IBM ORGANIZATION ID
6 #define DEVICE_TYPE "iotdeviceproject" //DEVICE TYPE MENTIONED IN IOT WATSON PLATFORM
7 #define DEVICE_ID "229714" //DEVICE ID MENTIONED IN IOT WATSON PLATFORM
8 #define TOKEN "24681012" //Token
9 String data3;
10 float dist;
11 //-----customize the above value-----
12 char server[] = ORG ".messaging.internetofthings.ibmcloud.com"; //server name
13 char publishstopic[] = "ultrasonic/evt/Data/fmt/json"; //topic name and type of event perform
14 //and format in which data to be send*/
15 char subscribetopic[] = "ultrasonic/cmd/test/fmt/String"; //cmd REPRESENT Command tupe and
16 //COMMAND IS TEST OF FORMAT STRING*/
17 char authMethod[] = "use-token-auth"; //authentication method
18 char token[] = TOKEN;
19 char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID; //CLIENT ID
20 //-----
21 WiFiClient wificlient; // creating an instance for wificlient
22 PubSubClient client(server, 1883, callback, wificlient); //calling the predefined client id
23 //by passing parameter like server id, port and wificredential*/
24 int LED = 4;
25 int trig = 5;
26 int echo = 18;
27 void setup()
28 {
29   Serial.begin(115200);
30   pinMode(trig, OUTPUT);
```

← → ↺ wokwi.com/projects/346566226034557523

WOKWI **SAVE** **SHARE** **Docs**

sketch.ino • diagram.json libraries.txt • Library Manager

```
92 }
93   initManagedDevice();
94   Serial.println();
95 }
96 }
97 void wificonnect()//function definition for wificonnect
98 {
99   Serial.println();
100   Serial.print("Connecting to ");
101   WiFi.begin("wokwi.GUEST", "",6);//PASSING THE WIFI CREDENTIALS TO ESTABLISH CONNECTION
102   while (WiFi.status() !=WL_CONNECTED){
103     delay(500);
104     Serial.print(".");
105   }
106   Serial.println("");
107   Serial.println("WiFi connected");
108   Serial.println("IP address");
109   Serial.println(WiFi.localIP());
110 }
111 void initManagedDevice(){
112   if(client.subscribe(subscribetopic)){
113     Serial.println((subscribetopic));
114     Serial.println("subscribe to cmd OK");
115   }else{
116     Serial.println("subscribe to cmd failed");
117   }
118 }
119 void callback(char* subscribetopic,byte*payload,unsigned int payloadLength)
120 {
121   Serial.print("callback invoked for topic: ");
122   Serial.println(subscribetopic);
```

Simu

Co
nn
ec
ti
ng
to

OUTPUT:
DATA IS SENT TO IBM CLOUD WHEN NO OBJECT IS DETECTED

Event	Value	Format	Last Received
Data	Distance=79.66/Object=Near	json	about a second ago
Data	Distance=79.66/Object=Near	json	about a second ago
Data	Distance=79.66/Object=Near	json	about a second ago
Data	Distance=79.66/Object=Near	json	about a second ago
Data	Distance=79.66/Object=Near	json	about a second ago

When no object is detected

