LITERATURE SURVEY GAS LEAKAGE MONITORING AND ALERTING SYSTEM

| PROJECT NAME | GAS LEAKAGE MONITORING & ALERTING SYSTEM FOR |
|--------------|--|
| | INDUSTRIES |
| | |
| TEAM ID | PNT2022TMID22877 |
| | |
| TEAM MEMBERS | 1.M.SHOBIKA |
| | A W GA WELLIGONIDA |
| | 2.K.SAKTHIGOWRI |
| | 3.M.SELVASANTHOSH |
| | 4.P.SARATHI |
| | |
| | 5.S.VAISHNAVI |
| | |
| BRANCH | ELECTRONICS AND COMMUNICATION ENGINEERING |
| | |

ABSTRACT

Internet of Things aim towards making life simpler by automating every small task around us. As much is IoT helping in automating tasks, the benefits of IoT can also be extended for enhancing the existing safety standards. Safety, the elementary concern of any project, has not been left untouched by IoT. Gas Leakages in open or closed areas can prove to be dangerous and lethal. The traditional Gas Leakage Detector Systems though have great precision, fail to acknowledge a few factors in the field of alerting the people about the leakage. Therefore we have used the IoT technology to make a Gas Leakage Detector for society which having Smart Alerting techniques involving sending text message to the concerned authority and an ability performing data analytics on sensor readings. Our main aim is to proposing the gas leakage system for society

where each flat have gas leakage detector hardware. This will detect the harmful gases in environment and alerting to the society member through alarm and sending notification.

INTRODUCTION

Internet of Things aim towards making life simpler by automating every small task around us. As much is IoT helping in automating tasks, the benefits of IoT can also be extended for enhancing the existing safety standards. Safety has always been an important criterion while designing home, buildings, industries as well as cities. The increased concentration of certain gases in the atmosphere can prove to be extremely dangerous. These gases might be flammable at certain temperature and humidity conditions, toxic after exceeding the specified concentrations limits or even a contributing factor in the air pollution of an area leading to problems such as smog and reduced visibility which can in turn cause severe accidents and also have adverse effect on the health of people. Most of the societies have fire safety mechanism. But it can use after the fire exists. In order to have a control over such conditions we proposed system that uses sensors which is capable of detecting the gases such as LPG, CO2, CO and CH4. This system will not only able to detect the leakage of gas but also alerting through audible alarms. Presence of excess amounts of harmful gases in environment then this system can notify the user. System can notify to society admin about the condition before mishap takes place through a message.

System consists of gas detector sensors, Arduino board, ESP8266 and Cloud server. One Society authority person can register the all flat member user to our system. Society admin can add the details of per flat user such as user name, mobile number, per user flat sensor details information. Society admin can configure the threshold value of each sensor. System hardware can be deployed on each flat. Sensors can sense the value per time. System can send the values to cloud server. Server can Check that the sensor values was existed the threshold value. If sensor value can cross the limit the server can send the command to hardware for buzzing the alarm.[3] Server also sends the notification message to user.

LITERATURE SURVEY

A system was designed to identify and measure methane gas in the zones of flammable gas stockpile sites. The device measures the air and water quality, including every parameter that can have deviation as the result of gas leakage in the water or air. The sensors measure the amount of CH4 and CO2 gas in the air while the temperature, pH, and electrical conductivity of the water are monitored. The device is controlled by an

Arduino UNO microcontroller that transmits measured data to the database on Raspberry Pi 3.

Different advancements in pipeline leakage detection were put forward. This includes acoustic emission, optic fiber sensor, ground penetrating radar, Vapour sampling and infrared thermography. A system with sensors are connected to arduino for data collection and it uses LabVIEW as the GUI (graphical user interface).

A detailed sensor list for flammable toxic and combustible gases and their possible advantages and disadvantages has been compared. One such example is the SB-95 sensor, which detects sequentially the variation on the methane and carbon monoxide gas concentration and modifies its resistance accordingly. The variation in the filament resistivity is transmitted as a voltage variation on the load resistor. At the same time, metal oxide sensors have a long response time and even longer recovery time. These sensors need to extract the gas by making a hole into the pipe for the gas concentration measurement. Making holes can cause danger such as leakage or explosion of the toxic gas.

On the other hand, ultrasonic sensors are free from the above disadvantages for the measurement of gas concentration with fast response time and the device is compact and inexpensive too.

A detailed study of health issues related to gases like hydrogen sulphide, Carbon monoxide and methane has been done. Activation of optical alarms and buzzers when the sensed values of SB-95 sensor goes above the threshold along with the working of the sensor is explained in detail. Table gives a reference about the sources and flammable limits of Hydrocarbons and Hydrogen Sulphide gas. Even though the sources of leaks of both the types of gases are common, the lower

range of flammability of hydrocarbons are less than hydrogen sulphide which makes their leaks vulnerable to explosions. At the same time the toxicity of hydrogen sulphide is seen as 50ppm which can really cause lots of health issues in humans and continuous exposure may even lead to death.

PROPOSED SYSTEM

We design and develop an propose system which include some safety factors. A safety has been a major issue in today's day to day life. LPG and CNG i.e. petroleum gas and compressed natural gas are most commonly used in residential and commercial places for cooking purpose and in various vehicles as a replacement for costly fuels like diesel, petrol. These gases are filled in cylinders which are easily un-damageable. But leakage can take place through pipes or regulators or knobs which may cause accidents like suffocation, uneasiness or sometimes may catch fire and short circuit as well. The main aim of this project is developing a system that can detect gas leakage. On detection it will send an alert SMS and the gas supply knob of cylinder will be switched off automatically

CONCLUSION

In this paper we use IOT technology for enhancing the existing safety standards. While making this prototype has been to bring a revolution in the field of safety against the leakage of harmful and toxic gases in environment and hence nullify any major or minor hazard being caused due to them. We have used the IOT technology to make a Gas Leakage Detector for society which having Smart Alerting techniques involving sending text message to the concerned authority and an ability performing data analytics on sensor. This system will be able to detect the gas in environment using the gas sensors. This will prevent form the major harmful problem.

REFERENCES

- [1] Kumar Keshamoni and Sabbani Hemanth. "Smart Gas Level Monitoring, Booking & Gas Leakage Detector over IoT " International Advance Computing Conference IEEE, 2017.
- [2] Petros Spachos , Liang Song and Dimitrios Hatzinakos. "Gas Leak Detection and Localization
- System Through Wireless Sensor Networks" The 11th Annual IEEE Consumer Communications and Networking Conference Demos. IEEE, 2014.
- [3] Babuprasanth.V. "Cloud Connected Smart Gas Leakage Detection And Safety Precaution System" International Journal of MC Square Scientific Research Vol.6, No.1 Nov 2014.
- [4] Asmita Varma, Prabhakar S, Kayalvizhi Jayavel. "Gas Leakage Detection and Smart Alerting and Prediction Using IoT." *Internet of Things and Applications (IOTA), International Conference on.* IEEE, 2017
- [5] Mohammad Reza Akhondi, Alex Talevski, Simon Carlsen, Stig Petersen. "Applications of Wireless Sensor Networks In the Oil, Gas And Resources Industries." International Conference On Advanced Information Networking And Applications, IEEE 2010
- [6] Ashish Shrivastava, Ratnesh Prabhaker, Rajeev Kumar and Rahul Verma "Gsm Based Gas Leakage Detection System." International Journal Of Technical Research And Applications EISSN:

2320-8163

- [7] Tyler Kersnovski, Felipe Gonzalez, Kye Morton. "A UAV System For Autonomous Target Detection And Gas Sensing." Yellowstone Conference Center, Big Sky, Montana, IEEE 2017
- [8] Vana Jelicic, Michele Magno, Davide Brunelli, Giacomo Paci, Luca Benini, Fellow. " Context-

Adaptive Multimodal Wireless Sensor Network For Energy-Efficient Gas Monitoring" IEEE Sensors Journal · January 2013 DOI: 10.1109/JSEN.2012.2215733, IEEE 2013

[9] Chet Sandber, Jim Holmes, Ken Mccoy, And Heinrich Koppitsch "The Application Of A Continuous Leak Detection System To Pipelines And Associated Equipment." Ieee Transactions On Industry Applications, Vol. 25, No. 5, September-October 198.