

# Assignment 3 - Build CNN Model for Classification Of Flowers

Team Member 2 - Badrinath K (Roll No: 310619104015)

## 1. Importing Models

```
In [1]: import splitfolders
import numpy as np
import tensorflow as tf
from tensorflow.keras.preprocessing.image import ImageDataGenerator
from tensorflow.keras.preprocessing import image
from tensorflow.keras import layers
from tensorflow.keras.models import Sequential
from tensorflow.keras.models import load_model
from tensorflow.keras.layers import Dense, Convolution2D, MaxPooling2D, Flatten
from tensorflow.keras.applications.resnet50 import preprocess_input, decode_predictions
from tensorflow.keras.preprocessing import image
import matplotlib.pyplot as plt
```

## 2. Image Augmentation

```
In [2]: train_datagen = ImageDataGenerator(rescale=1./255, zoom_range=0.2, horizontal_flip=True)

In [3]: test_datagen = ImageDataGenerator(rescale=1./255)

In [4]: input_folder = './Flowers-Dataset\\flowers'

In [5]: splitfolders.ratio(input_folder, output="flowers", ratio=(.8, 0, .2), group_prefix=None)

Copying files: 4317 files [00:03, 1292.11 files/s]

In [6]: x_train=train_datagen.flow_from_directory(r"./flowers\\train", target_size=(64,64), class_mode='categorical')

Found 3452 images belonging to 5 classes.

In [7]: x_test=test_datagen.flow_from_directory(r"./flowers\\test", target_size=(64,64), class_mode='categorical')

Found 865 images belonging to 5 classes.

In [8]: x_train.class_indices

Out[8]: {'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
```

### 3. Creating Model

```
In [9]: model=Sequential()
```

### 4. Adding Layers

```
In [10]: model.add(Convolution2D(32,(3,3),input_shape=(64,64,3),activation='relu'))
```

```
In [11]: model.add(MaxPooling2D(pool_size=(2,2)))
```

```
In [12]: model.add(Flatten())
```

```
In [13]: model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
```

```
In [14]: model.summary()
```

Model: "sequential"

Layer (type)	Output Shape	Param #
=====		
conv2d (Conv2D)	(None, 62, 62, 32)	896
max_pooling2d (MaxPooling2D)	(None, 31, 31, 32)	0
flatten (Flatten)	(None, 30752)	0
dense (Dense)	(None, 300)	9225900
dense_1 (Dense)	(None, 150)	45150

=====

Total params: 9,271,946  
Trainable params: 9,271,946  
Non-trainable params: 0

```
In [15]: model.add(Dense(5,activation='softmax'))
```

```
In [16]: model.summary()
```

Model: "sequential"

Layer (type)	Output Shape	Param #
=====		
conv2d (Conv2D)	(None, 62, 62, 32)	896

```

max_pooling2d (MaxPooling2D (None, 31, 31, 32)      0
)

flatten (Flatten)          (None, 30752)            0

dense (Dense)              (None, 300)          9225900

dense_1 (Dense)            (None, 150)         45150

dense_2 (Dense)            (None, 5)              755

=====
Total params: 9,272,701
Trainable params: 9,272,701
Non-trainable params: 0

```

## 5. Compile the Model

```

In [17]: model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
          len(x_train)

Out[17]: 144

```

## 6. Model Fit

```

In [18]: epo=20
          history = model.fit(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=len(x_test))

```

Epoch 1/20  
144/144 [=====] - 29s 202ms/step - loss: 1.4725 - accuracy: 0.4293 - val\_loss: 1.1148 - val\_accuracy: 0.5538  
Epoch 2/20  
144/144 [=====] - 15s 101ms/step - loss: 1.0813 - accuracy: 0.5640 - val\_loss: 1.0807 - val\_accuracy: 0.5653  
Epoch 3/20  
144/144 [=====] - 15s 102ms/step - loss: 0.9676 - accuracy: 0.6185 - val\_loss: 1.0689 - val\_accuracy: 0.5977  
Epoch 4/20  
144/144 [=====] - 15s 101ms/step - loss: 0.9144 - accuracy: 0.6411 - val\_loss: 0.9561 - val\_accuracy: 0.6497  
Epoch 5/20  
144/144 [=====] - 17s 116ms/step - loss: 0.8731 - accuracy: 0.6561 - val\_loss: 0.9766 - val\_accuracy: 0.6370  
Epoch 6/20  
144/144 [=====] - 15s 107ms/step - loss: 0.8303 - accuracy: 0.6784 - val\_loss: 1.0373 - val\_accuracy: 0.6324  
Epoch 7/20  
144/144 [=====] - 16s 108ms/step - loss: 0.7858 - accuracy: 0.6947 - val\_loss: 1.1446 - val\_accuracy: 0.5734  
Epoch 8/20  
144/144 [=====] - 15s 105ms/step - loss: 0.7539 - accuracy: 0.7138 - val\_loss: 1.1979 - val\_accuracy: 0.5873

```

Epoch 9/20
144/144 [=====] - 15s 107ms/step - loss: 0.7262 - accuracy:
0.7135 - val_loss: 1.0924 - val_accuracy: 0.6231
Epoch 10/20
144/144 [=====] - 15s 101ms/step - loss: 0.6684 - accuracy:
0.7445 - val_loss: 1.1218 - val_accuracy: 0.6220
Epoch 11/20
144/144 [=====] - 15s 106ms/step - loss: 0.6142 - accuracy:
0.7683 - val_loss: 1.0576 - val_accuracy: 0.6486
Epoch 12/20
144/144 [=====] - 15s 106ms/step - loss: 0.6006 - accuracy:
0.7703 - val_loss: 1.0454 - val_accuracy: 0.6520
Epoch 13/20
144/144 [=====] - 15s 105ms/step - loss: 0.5584 - accuracy:
0.7859 - val_loss: 1.0735 - val_accuracy: 0.6566
Epoch 14/20
144/144 [=====] - 15s 102ms/step - loss: 0.5387 - accuracy:
0.7966 - val_loss: 1.1083 - val_accuracy: 0.6451
Epoch 15/20
144/144 [=====] - 15s 103ms/step - loss: 0.4935 - accuracy:
0.8134 - val_loss: 1.0815 - val_accuracy: 0.6462
Epoch 16/20
144/144 [=====] - 14s 100ms/step - loss: 0.4961 - accuracy:
0.8172 - val_loss: 1.0991 - val_accuracy: 0.6520
Epoch 17/20
144/144 [=====] - 15s 103ms/step - loss: 0.4373 - accuracy:
0.8418 - val_loss: 1.2605 - val_accuracy: 0.6728
Epoch 18/20
144/144 [=====] - 15s 102ms/step - loss: 0.4228 - accuracy:
0.8444 - val_loss: 1.1316 - val_accuracy: 0.6543
Epoch 19/20
144/144 [=====] - 15s 104ms/step - loss: 0.3853 - accuracy:
0.8612 - val_loss: 1.1264 - val_accuracy: 0.6636
Epoch 20/20
144/144 [=====] - 14s 100ms/step - loss: 0.3900 - accuracy:
0.8502 - val_loss: 1.1911 - val_accuracy: 0.6532

```


In [19]:

```

epochs_range = range(epo)

plt.figure(figsize=(8, 8))
plt.plot(epochs_range, history.history['accuracy'], label='Training Accuracy')
plt.plot(epochs_range, history.history['val_accuracy'], label='Validation Accuracy')
plt.legend()
plt.title('Training and Validation Accuracy')
plt.show()

```



```
In [20]: plt.figure(figsize=(8, 8))
plt.plot(epochs_range, history.history['loss'], label='Training Loss')
plt.plot(epochs_range, history.history['val_loss'], label='Validation Loss')
plt.legend()
plt.title('Training and Validation Loss')
plt.show()
```



```
In [21]: model.save('flowers.h5')
```

## 7. Testing the Model

```
In [22]: img=image.load_img(r".\flowers\test\daisy\3706420943_66f3214862_n.jpg",target_size=(
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
y=np.argmax(model.predict(x),axis=1)
x_train.class_indices
index=['daisy','dandelion','rose','sunflower','tulip']
index[y[0]]
```

```
1/1 [=====] - 0s 77ms/step
'daisy'
```

Out[22]:

```
In [23]: img_url = "https://storage.googleapis.com/download.tensorflow.org/example_images/592
img_path = tf.keras.utils.get_file('Red_sunflower', origin=img_url)

img = image.load_img(img_path, target_size=(224, 224))
img_array = image.img_to_array(img)
img_batch = np.expand_dims(img_array, axis=0)

img_preprocessed = preprocess_input(img_batch)
model = tf.keras.applications.resnet50.ResNet50()
prediction = model.predict(img_preprocessed)

print(decode_predictions(prediction, top=3)[0])

score = tf.nn.softmax(prediction[0])
```

```
Downloading data from https://storage.googleapis.com/download.tensorflow.org/example
_images/592px-Red_sunflower.jpg
117948/117948 [=====] - 0s 0us/step
Downloading data from https://storage.googleapis.com/tensorflow/keras-applications/r
esnet/resnet50_weights_tf_dim_ordering_tf_kernels.h5
102967424/102967424 [=====] - 3s 0us/step
1/1 [=====] - 1s 868ms/step
Downloading data from https://storage.googleapis.com/download.tensorflow.org/data/im
agenet_class_index.json
35363/35363 [=====] - 0s 0us/step
[('n11939491', 'daisy', 0.5775759), ('n02206856', 'bee', 0.24938338), ('n03991062',
'pot', 0.01181931)]
```