
DATE	7-11-2022
TEAM ID	PNT2022TMID09975
PROJECT NAME	Industry-specific intelligent fire management system

Develop A Web Application Using Node-RED

Steps Followed:


• Opened a Node-RED project




• Added code to get child location in python

```
import json
import wiotp.sdk.device
import time
myConfig = {
    "identity": {
        "orgId": "hj5fmy",
        "typeId": "NodeMCU",
        "deviceId": "12345"
    "auth": {
       "token": "12345678"
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
While True:
       name= "Smartbridge"
       #in area location
        latitude= 17.4225176
        longitude= 78.5458842
        #out area location
        #latitude= 17.4219272
        #longitude= 78.5488783
        myData={'name': name, 'lat':latitude, 'lon':longitude}
        client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
        print("Data published to IBM IoT platfrom: ",myData)
        time.sleep(5)
client.disconnect()
```


• Created the GeoFence




• Editing the HTTP Request URL



• Located the child



Created the geofence node



• Python script sending requests to IBM Cloud

```
Editor - C:\Users\HP\Desktop\child.py
                                                                                                  child.py
                                                                                                      Console 2/A 🔯
                                                                                                       Data published to IBM IoT platfrom:
   1 import json
                                                                                                       Data published to IBM IoT platfrom:
   2 import wiotp.sdk.device
                                                                                                       Data published to IBM IoT platfrom:
   3 import time
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
   5 myConfig = {
         mrig = {
"identity": {
    "orgId": "hj5fmy",
    "typeId": "NodeMCU",
    "deviceId": "12345"
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
  11
          auth": {
                                                                                                       Data published to IBM IoT platfrom:
              'token": "12345678"
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
  14}
                                                                                                       Data published to IBM IoT platfrom:
  15 client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
                                                                                                       Data published to IBM IoT platfrom:
  16 client.connect()
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
  18 while True:
                                                                                                       Data published to IBM IoT platfrom:
         name= "Smartbridge"
                                                                                                       Data published to IBM IoT platfrom:
  20
         #in area locatio
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
         #Latitude= 17.4225176
                                                                                                       Data published to IBM IoT platfrom:
  23
24
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
  25
         #out area location
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
         latitude= 17.4219272
                                                                                                       Data published to IBM IoT platfrom:
 28
         longitude= 78.5488783
                                                                                                       Data published to IBM IoT platfrom:
         myData={'name': name, 'lat':latitude, 'lon': <a href="longitude">longitude</a>} client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPub print("Data published to IBM IoT platfrom: ",myData)
                                                                                                       Data published to IBM IoT platfrom:
  30
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
         time.sleep(5)
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
  34 client.disconnect()
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
  36
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
                                                                                                       Data published to IBM IoT platfrom:
```

• After running the script, the web UI shows "Person is not in the particular area"

