



## Create Node-RED Service

To create a web application create a Node-RED service.

Step 1: Go to IBM cloud and Click the Catalog and go to Nodered :



Step 2: Create and Choose the Pricing plan and Deploy your app:



Step 3: Choose API key and fill the details and press next:

IBM Cloud

Search resources and offerings...

IBM Cloud API key

Number of instances

1

Memory allocation per instance

64 MB ————— 2000 MB 256

Region

London

Organization

gnaneshwar@thesmartbridge.cor

Space

dev

Host

node-red-ryxne-2021-01-29

Domain

eu.gb.mybluemix.net

Cancel Next

Step 4: After successfully completed, refresh the page and click the App URL:

IBM Cloud

Search resources and offerings...

Resource list / App details /

Node RED RYXNE 2021-01-29 Add tags

Actions...

Details

App URL <https://node-red-ryxne-2021-01-29.eu.gb.mybluemix.net>

Source <https://us-south.git.cloud.ibm.com/gnaneshwar/NodeREDRYXNE2021-01-29>

Resource group [Default](#)

Deployment target [Node RED RYXNE 2021-01-29](#)

Created 1/29/2021

Services

Cloudant

Open dashboard Documentation API reference

Credentials

Deployment Automation

Name [NodeREDRYXNE2021-01-29](#)

Location Dallas

Tool integrations

Delivery Pipelines


Name [ci-pipeline](#)

Status [Success](#)

Last input Last commit by IBM Cloud DevOps Services (7 minutes ago)

[Clone from zip](#)

Step 5: After click next and click not recommended for username:



Step 6: Click Go to Node-Red and start your work:

