

Project Development Phase


Date	08 November 2022
Team ID	PNT2022TMID03701
Project Name	Smart Fashion Recommender Application

INTEGRATING CHATBOT WITH HTML PAGE (SOURCE CODE):

```
<script> window.watsonAssistantChatOptions = {  integrationID: "614a4315-ff80-4187-8fe4-2fd9b506b723", // The ID of this integration.  region: "au-syd", // The region your integration is hosted in.  serviceInstanceID: "9670dcf8-789f-4609-8d7a-6e25c412a9ec", // The ID of your service instance.  onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});

<                                     /script>
```


INTEGRATING CHATBOT WITH HTML PAGE:




DOCKER PUSH:

```
#####  
#                               #  
#   WARNING!!!!                #  
# This is a sandbox environment. Using personal credentials   #  
# is HIGHLY! discouraged. Any consequences of doing so are    #  
# completely the user's responsibilities.                       #  
#                                                               #  
# The FWD team.                                                #  
#####  
[node1] (local) root@192.168.0.28 ~  
$ docker pull uifd/ui-for-docker  
Using default tag: latest  
latest: Pulling from uifd/ui-for-docker  
841194d080c8: Pull complete  
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749  
Status: Downloaded newer image for uifd/ui-for-docker:latest  
docker.io/uifd/ui-for-docker:latest  
[node1] (local) root@192.168.0.28 ~  
$ docker run uifd/ui-for-docker  
2022/11/08 09:13:47 Unix socket /var/run/docker.sock does not exist  
[node1] (local) root@192.168.0.28 ~  
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker  
b8bdbb08bb99652d924c9bcca447ad1bcd4de7c625d20ca5dbc5e4c70cd2a00  
[node1] (local) root@192.168.0.28 ~  
$ █
```

CONTAINERIZING THE APPLICATION:



The screenshot displays the Docker Desktop application interface. On the left sidebar, the 'Containers' tab is selected, with other options like 'Images', 'Volumes', and 'Dev Environments' visible. Below these, there are 'Extensions' and an 'Add Extensions' button. The main panel is titled 'Containers' and includes a 'Give feedback' link. A toggle switch for 'Only show running containers' is present, along with a search bar. A table lists the containers, with one container 'kind_saha' (ID: 90dd6397eafd) shown as 'Running' using the 'app:latest' image, mapped to port 5000. The table has columns for selection, name, image, status, ports, started time, and actions.

		NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
<input type="checkbox"/>		kind_saha 90dd6397eafd	app:latest	Running	5000:5000	7 seconds ago	