## Artificial Intelligence - Quiz 3

Total points 5/10



Name \*

Dharani E

Registered Roll Number/Registered Number \*

Please enter the number as displayed in the profile section in the platform

422519106007

Registered Email id \*

Please enter the email id used to login to the platform

dharani2002.e@gmail.com

Select your Training Batch \*

B3-3M5E



Which method is used to train neural network *	0/1
train()	
O fit()	
O add()	
Compile()	
If Dependent Variable is binary which of the following activation function can be applied in output layer	<b>'</b> 0/1
○ Softmax	
Relu	
Sigmoid	
O None	
What is the range of sigmoid function *	1/1
① to 1	
O to 10	
O -1 to 1	
O 5 to 10	

What is an epoch *	1/1
When the whole training set passed through ANN	
O Forward Propagation	
O Backward Propagation	
Synonym of Propagation	
Which algorithms is used for time series analysis *	0/1
O ANN	
O CNN	
O RNN	
None	
When to use Multilayer Perceptrons *	1/1
O Text	
Time Series Data	
All of the above	

In a classification problem, which of the following activation function is most widely used in the output layer of neural networks?	*1/1
Sigmoid function	
Rectifier function	
O Hyperbolic function	
All of the above	
Whats does 32 represents in>model.add(Convolution2D(32, (3,3),input_shape=(64,64,3),activation="relu"))	*0/1
No of inputs	
No of Feature Detector	
O No of weights	
O None	
For an image classification task, which of the following deep learning algorith is best suited?	nm *0/1
Recurrent Neural Network	
Multi-Layer Perceptron	
Convolution Neural Network	
All of the above	

Which of the following is a correct order for the Convolutional Neural Network *1/operation?	1
Convolution -> max pooling -> flattening -> full connection	
Max pooling -> convolution -> flattening -> full connection	
Flattening -> max pooling -> convolution -> full connection	
O None	

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

Google Forms